The Library
of the
University of North Carolina

Collection of North Caroliniana
Endowed by
John Sprunt Hill
of the Class of 1889

C 614.1
N87v
1947
c. 2

UNIVERSITY OF N.C. AT CHAPEL HILL
00017472557

This book may be kept out one month unless a recall notice is sent to you. It must be brought to the North Carolina Collection (in Wilson Library) for renewal.

ANNUAL REPORT

OF THE

BUREAU OF VITAL STATISTICS

OF THE

NORTH CAROLINA STATE BOARD OF HEALTH

1947

J. W. R. NORTON, M. D.
SECRETARY
AND STATE HEALTH OFFICER

B

LETTER OF TRANSMITTAL

Raleigh, N. C.
December 14, 1948.

To His Excellency, R. Gregg Cherry
Governor of North Carolina
Raleigh

My Dear Governor Cherry:

I have the honor of transmitting the report for the Bureau of Vital Statistics covering the calendar year 1947.

Respectfully submitted,

J. W. R. Norton, M.D.
Secretary and State Health Officer.

98 3 e 4

CONTENTS

Page

Table I.—Estimated population of North Carolina as of July 1, 1947 by county and color, showing 1940 Census percentage distribution 10

Table II.—Live births and deaths with crude rates per 1,000 population, 1914-1947 13

Table III.—Live births by county and color with crude rates per 1,000 population, per cent attended by physicians, and number illegitimate, 1947 14

Table IV.—Live births by city and color, per cent attended by physicians, and number of illegitimate, 1947 (Cities 10,000 population and over, 1940 Census) 18

Table V.—Deaths (exclusive of stillbirths) of residents of the state from each cause by sex, color, and age, 1947 20

Table VI.—Deaths (exclusive of stillbirths) by county and color with crude rates per 1,000 population, 1947 56

Table VII.—Deaths (exclusive of stillbirths) of residents of each county by cause (Abridged International List) and color, 1947 60

Table VIII.—Deaths (exclusive of stillbirths) of residents of cities by cause (Abridged International List) and color, 1947 (Cities 10,000 population and over, 1940 Census) 86

Table IX.—Deaths (exclusive of stillbirths) from selected causes in North Carolina, 1922-47 94

Table X.—Ten leading causes of death of residents by age, color, and sex—three-year average, 1945-47 96

Table XI.—Accidental deaths by county of occurrence, color, and sex 1947 100

Table XII.—Resident infant deaths (exclusive of stillbirths) by cause and age, 1947 103

Table XIII.—Resident infant and maternal deaths by county with rates per 1,000 live births, 1947 and five-year average, 1943-47 . 105

Table XIV.—Resident urban and rural live births, stillbirths, total deaths, infant deaths, and maternal deaths by color, showing number occurring in hospitals, 1947 108

Table XV.—Resident stillbirths by county, color, and sex, with rates per 1,000 live births, 1947 120

Table XVI.—Resident stillbirths by age and color of mother, and by attendant, 1947 123

INTRODUCTION

The thirty-second annual report of the Bureau of Vital Statistics presents tabular information regarding North Carorlina's population, births, deaths, and stillbirths. The majority of the tabulations are by place of residence; selected items are given by place of occurrence.

The first annual report appeared in 1914. Subsequent reports have been published annually since that time with the exception for the years 1918 and 1919.

Certificates of births, deaths, and stillbirths occurring in 1947 that were filed in 1947 and the first three months of 1948 are included in this report. It is estimated that vital events occurring in 1947 but reported after the first three months of 1948 will comprise slightly less than two per cent of the total 1947 events.

Population

Population estimates prepared by any method during the past few years must be considered as being less accurate than those for more stable times, and the 1947 estimates must be assumed to be less accurate than those for 1946 since an additional year has passed since the 1940 Census. For this reason the only population figures supplied in the 1947 annual report are for the state and the counties with age and sex estimates omitted.

The population of North Carolina as of July 1, 1947 was 3,718,000. This estimate excluded armed forces overseas and was supplied by the U. S. Census Bureau. The mid-year estimate in 1946 was 3,640,645. The increase in 1947 over 1946, therefore, amounted to 77,355 persons. The natural increase (excess of births over deaths) was 81,357, the largest natural increase in the history of the State for the second consecutive year. Evidently the State lost approximately 4,000 people by migration.

We have attempted to estimate county populations by color in Table I based on the percentage distributions of the Census in 1940. The per cent of the State's population comprised by each county in 1940 was applied to the total estimate for the State in 1947 in order to obtain such county population totals. Generally such estimates will be reasonably accurate; however,

it should be kept in mind that some counties have increased at a faster rate than the state as a whole while the rate of increase in others may have been less rapid.

Natality

There were 111,282 live births reported in 1947 occurring to mothers who were residents of the State. For the second straight year this represented an all-time high for births, surpassing by 11,195 the previous high year in 1946 which saw 100,087 births recorded.

The crude birth rate was 29.9 births per 1,000 population, the highest rate since 1924.

There were 2,748 resident stillbirths reported resulting in a rate of 24.7 stillbirths per 1,000 live births. If stillbirths were considered as a single cause of death, they would rank fourth between cancer and nephritis as a leading cause of death.

Mortality

There were 29,925 deaths recorded in 1947. The crude death rate was 8.0 deaths per 1,000 population. Diseases of the heart, as they have for the last 27 years, were responsible for more deaths than any other cause of death, accounting for 25% of all deaths for the year. The last year that any other cause of death outranked diseases of the heart was in 1920 and tuberculosis was the cause.

Infant and Maternal Mortality

There were 3,920 infant deaths and 202 maternal deaths reported. The resultant infant and maternal deaths per 1,000 live births were 35.2 and 1.8, respectively. These rates were the lowest since North Carolina became a Registration State in 1917. In 1918, there was an all-time high rate of 101.8 infant deaths per 1,000 live births. The previous high year for maternal deaths was also in 1918 when there were 10.8 maternal deaths per 1,000 live births. The infant mortality rate at present is only one-third of what it was thirty years ago, while the maternal death rate now is only one-sixth as high as at that time.

Rates

All rates shown in this report are crude rates unless otherwise specified. Such rates have not been adjusted for differences

in the age, sex, color, rural or urban distribution of the population or for under-registration or late reporting. Such factors, plus the knowledge that population figures are estimated, should be kept in mind when comparing two different areas or time periods.

Changes in This Report

Each year requests for varying types of vital statistics information indicate the necessity for preparing additional tabulations. Every effort has been made to include those tabulations most frequently called for. In most cases information previously given in an omitted table may be obtained by request.

The table numbers have been changed and titles have been reworded. Crude rates for cities have been omitted due to lack of reliable city population data.

The following 1946 tables have been omitted:

1. Estimated Population for North Carolina by Age, Color, and Sex, (Table I).
2. Ten Leading Causes of Death of Residents by Five-Year Intervals, With Crude Rates per 100,000 Population (Table XIV).

Tables appearing in this report for the first time:

1. Deaths from Selected Causes in North Carolina, 1922-1947 (Table IX).
2. Accidental Deaths by County of Occurrence, Color, and Sex, 1947 (Table XI).

TABLE I.—ESTIMATED POPULATION OF NORTH CAROLINA AS OF JULY 1, 1947 BY COUNTY AND COLOR, SHOWING 1940 CENSUS PERCENTAGE DISTRIBUTION.

County	Population			Per Cent of State Population (1940 Census)		
	Total	White	Other	Total	White	Other
North Carolina	3,718,000	2,672,870	1,045,130	100.0	71.890	28.110
Alamance	59,785	48,743	11,042	1.608	1.311	.297
Alexander	14,017	13,013	1,004	.377	.350	.027
Alleghany	8,700	8,365	335	.234	.225	.009
Anson	29,595	15,095	14,500	.796	.406	.390
Ashe	23,609	23,089	520	.635	.621	.014
Avery	14,128	13,831	297	.380	.372	.008
Beaufort	37,924	23,572	14,352	1.020	.634	.386
Bertie	27,290	11,786	15,504	.734	.317	.417
Bladen	28,257	16,657	11,600	.760	.448	.312
Brunswick	17,846	11,786	6,060	.480	.317	.163
Buncombe	113,213	96,408	16,805	3.045	2.593	.452
Burke	40,192	36,883	3,309	1.081	.992	.089
Cabarrus	61,830	51,643	10,187	1.663	1.389	.274
Caldwell	37,254	34,466	2,788	1.002	.927	.075
Camden	5,651	3,309	2,342	.152	.089	.063
Carteret	19,036	16,210	2,826	.512	.436	.076
Caswell	20,821	11,377	9,444	.560	.306	.254
Catawba	53,762	48,408	5,354	1.446	1.302	.144
Chatham	25,729	17,512	8,217	.692	.471	.221
Cherokee	19,594	19,371	223	.527	.521	.006
Chowan	12,046	6,395	5,651	.324	.172	.152
Clay	6,655	6,581	74	.179	.177	.002
Cleveland	60,418	47,070	13,348	1.625	1.266	.359
Columbus	47,553	32,272	15,281	1.279	.868	.411
Craven	32,570	17,958	14,612	.876	.483	.393
Cumberland	61.756	40,489	21,267	1.661	1.089	.572
Currituck	6,990	4,536	2,454	.188	.122	.066
Dare	6,283	5,800	483	.169	.156	.013
Davidson	55,547	49,412	6,135	1.494	1.329	.165
Davie	15,504	13,236	2,268	.417	.356	.061
Duplin	41,381	26,621	14,760	1.113	.716	.397
Durham	83,544	53,837	29,707	2.247	1.448	.799
Edgecombe	51,197	23,423	27,774	1.377	.630	.747
Forsyth	131,654	88,823	42,831	3.541	2.389	1.152
Franklin	31,640	18,032	13,608	.851	.485	.366
Gaston	91,128	78,004	13,124	2.451	2.098	.353
Gates	10,485	5,280	5,205	.282	.142	.140
Graham	6,692	6,506	186	.180	.175	.005
Granville	30,562	14,984	15,578	.822	.403	.419
Greene	19,296	10,894	8,402	.519	.293	.226

TABLE I.—*Continued*

County	Population			Per Cent of State Population (1940 Census)		
	Total	White	Other	Total	White	Other
Guilford	160,209	126,747	33,462	4.309	3.409	.900
Halifax	58,819	25,431	33,388	1.582	.684	.898
Harnett	46,066	33,313	12,753	1.239	.896	.343
Haywood	36,213	35,284	929	.974	.949	.025
Henderson	27,104	24,911	2,193	.729	.670	.059
Hertford	20,152	8,217	11,935	.542	.221	.321
Hoke	15,541	5,986	9,555	.418	.161	.257
Hyde	8,180	4,796	3,384	.220	.129	.091
Iredell	52,498	42,497	10,001	1.412	1.143	.269
Jackson	20,152	18,702	1,450	.542	.503	.039
Johnston	66,404	52,387	14,017	1.786	1.409	.377
Jones	11,377	6,395	4,982	.306	.172	.134
Lee	19,520	13,942	5,578	.525	.375	.150
Lenoir	42,906	24,390	18,516	1.154	.656	.498
Lincoln	25,171	21,750	3,421	.677	.585	.092
McDowell	23,944	22,048	1,896	.644	.593	.051
Macon	16,545	16,062	483	.445	.432	.013
Madison	23,461	23,200	261	.631	.624	.007
Martin	27,179	13,980	13,199	.731	.376	.355
Mecklenburg	158,052	112,953	45,099	4.251	3.038	1.213
Mitchell	16,619	16,582	37	.447	.446	.001
Montgomery	16,954	13,050	3,904	.456	.351	.105
Moore	32,235	22,494	9,741	.867	.605	.262
Nash	57,889	33,573	24,316	1.557	.903	.654
New Hanover	49,896	32,123	17,773	1.342	.864	.478
Northampton	29,447	11,191	18,256	.792	.301	.491
Onslow	18,664	13,608	5,056	.502	.366	.136
Orange	24,018	16,545	7,473	.646	.445	.201
Pamlico	10,113	6,581	3,532	.272	.177	.095
Pasquotank	21,416	12,307	9,109	.576	.331	.245
Pender	18,441	9,890	8,551	.496	.266	.230
Perquimans	10,187	5,242	4,945	.274	.141	.133
Person	26,063	16,322	9,741	.701	.439	.262
Pitt	63,764	33,462	30,302	1.715	.900	.815
Polk	12,344	10,633	1,711	.332	.286	.046
Randolph	46,363	41,865	4,498	1.247	1.126	.121
Richmond	38,333	25,543	12,790	1.031	.687	.344
Robeson	80,011	36,065	43,946	2.152	.970	1.182
Rockingham	60,269	47,739	12,530	1.621	1.284	.337
Rowan	72,055	58,558	13,497	1.938	1.575	.363
Rutherford	47,442	41,047	6,395	1.276	1.104	.172
Sampson	49,375	31,714	17,661	1.328	.853	.475
Scotland	24,167	11,228	12,939	.650	.302	.348
Stanly	34,168	30,116	4,052	.919	.810	.109
Stokes	23,572	21,193	2,379	.634	.570	.064

TABLE I.—*Continued*

County	Population			Per Cent of State Population (1940 Census)		
	Total	White	Other	Total	White	Other
Surry	43,501	40,861	2,640	1.170	1.099	.071
Swain	12,678	11,080	1,598	.341	.298	.043
Transylvania	12,753	11,860	893	.343	.319	.024
Tyrrell	5,763	3,681	2,082	.155	.099	.056
Union	40,712	31,157	9,555	1.095	.838	.257
Vance	31,194	16,657	14,537	.839	.448	.391
Wake	114,031	75,698	38,333	3.067	2.036	1.031
Warren	24,093	8,365	15,728	.648	.225	.423
Washington	12,827	7,139	5,688	.345	.192	.153
Watauga	18,850	18,478	372	.507	.497	.010
Wayne	60,715	34,354	26,361	1.633	.924	.709
Wilkes	44,765	41,827	2,938	1.204	1.125	.079
Wilson	52,275	30,339	21,936	1.406	.816	.590
Yadkin	21,490	20,300	1,190	.578	.546	.032
Yancey	17,921	17,735	186	.482	.477	.005

TABLE II.—LIVE BIRTHS AND DEATHS WITH CRUDE RATES PER 1,000 POPULATION, 1914-1947.*

Year	Population	Births		Deaths	
		Number	Rate	Number	Rate
1914	2,339,452	71,931**	31.2	29,044	12.4
1915	2,371,095	79,409**	33.4	31,324	13.2
1916	2,402,738	76,658	31.9	31,372	13.0
1917	2,434,381	76,539	31.8	33,989	14.1
1918	2,466,024	76,175	30.8	42,411	17.6
1919	2,497,667	69,791	29.3	30,114	12.4
1920	2,559,123	81,407	31.8	32,336	12.6
1921	2,614,335	87,456	33.4	29,010	11.0
1922	2,649,982	81,673	30.8	30,660	11.5
1923	2,686,325	84,190	31.3	32,396	12.0
1924	2,722,669	87,023	31.9	33,234	12.2
1925	2,812,000	83,700	29.7	32,524	11.5
1926	2,858,000	82,459	28.8	34,608	12.1
1927	2,897,000	83,330	28.7	32,911	11.3
1928	2,936,000	80,887	27.5	36,133	12.3
1929	2,975,000	77,164	24.7	36,894	12.4
1930	3,170,276	76,717	24.1	35,739	11.2
1931	3,217,000	74,743	23.2	33,069	10.2
1932	3,244,000	77,880	24.0	31,000	9.6
1933	3,275,000	75,238***	23.0	30,218***	9.2
1934	3,306,000	79,369	24.0	34,775	10.5
1935	3,417,000	79,502	23.3	33,257	9.7
1936	3,457,000	76,277	22.1	35,381	10.2
1937	3,492,000	79,120	22.7	33,729	9.7
1938	3,527,000	79,764	22.6	33,275	9.4
1939	3,534,000	79,020	22.4	31,601	8.9
1940	3,571,623	81,487	22.8	31,066	8.6
1941	3,670,017	85,530	23.3	31,821	8.7
1942	3,665,373	91,555	25.0	29,539	8.1
1943	3,683,037	95,547	25.9	28,999	7.9
1944	3,594,865	89,046	24.8	28,863	8.0
1945	3,514,297	87,781	25.0	28,612	8.1
1946	3,640,645	100,087	27.5	28,370	7.8
1947	3,718,000	111,282	29.9	29,925	8.0

* All population estimated except for census years.

** Stillbirths included in births 1914, 1915.

*** Births and deaths by place of residence 1933-1947, previous years by place of occurrence.

TABLE III.—LIVE BIRTHS BY COUNTY AND COLOR WITH CRUDE RATES PER 1,000 POPULATION, PER CENT ATTENDED BY PHYSICIANS, AND NUMBER ILLEGITIMATE, 1947.

County	Place of Birth			Place of Residence										
				Total		White		Other		Per Cent Attended By Physician		Number Illegitimate		
	Total	White	Other	No.	Rate	No.	Rate	No.	Rate	White	Other	Total	White	Other
NORTH CAROLINA	112,643	79,754	32,889	111,282	29.9	78,447	29.3	32,835	31.4	97.4	64.2	8,055	1,872	6,183
Alamance	1,835	1,395	440	1,944	32.5	1,546	31.7	398	36.0	99.7	97.0	106	32	74
Alexander	178	143	35	410	29.3	372	28.6	38	37.8	99.5	97.4	29	16	13
Alleghany	110	98	12	180	20.7	168	20.1	12	35.8	99.4	100.0	6	4	2
Anson	825	381	444	796	26.9	352	23.3	444	30.6	93.5	29.7	96	4	92
Ashe	672	666	6	632	26.8	626	27.1	6	11.5	89.0	66.7	26	26	--------
Avery	556	551	5	442	31.3	438	31.7	4	13.5	91.1	75.0	20	19	1
Beaufort	1,384	964	420	1,095	28.9	722	30.6	373	26.0	97.6	43.2	96	14	82
Bertie	756	220	536	783	28.7	245	20.8	538	34.7	99.6	45.5	73	5	68
Bladen	702	314	388	932	33.0	514	30.9	418	36.0	94.9	47.4	71	14	57
Brunswick	428	200	228	568	31.8	308	26.1	260	42.9	85.7	25.4	63	10	53
Buncombe	3,376	3,053	323	3,093	27.3	2,763	28.7	330	19.6	98.9	67.9	138	72	66
Burke	1,171	1,060	111	1,254	31.2	1,148	31.1	106	32.0	89.6	96.2	51	38	13
Cabarrus	1,948	1,643	305	1,865	30.2	1,561	30.2	304	29.8	99.8	83.2	101	26	75
Caldwell	1,332	1,242	90	1,402	37.6	1,309	38.0	93	33.4	98.5	88.2	64	47	17
Camden	80	26	54	116	20.5	57	17.2	59	25.2	96.5	32.2	14	--------	14
Carteret	673	565	108	639	33.6	528	32.6	111	39.3	97.9	45.9	27	7	20
Caswell	346	93	253	527	25.3	237	20.8	290	30.7	97.0	63.1	30	5	25
Catawba	1,956	1,788	168	1,872	34.8	1,698	35.1	174	32.5	98.2	63.2	82	48	34
Chatham	541	291	250	641	24.9	367	21.0	274	33.3	97.8	72.6	41	1	40
Cherokee	680	668	12	555	28.3	537	27.7	18	80.7	71.7	83.3	17	16	1

Chowan	361	175	186	353	29.3	167	26.1	186	32.9	99.4	69.4	42	2	40
Clay	112	111	1	163	24.5	162	24.6	1	13.5	79.6	100.0	3	3	-------
Cleveland	2,075	1,580	495	1,874	31.0	1,384	29.4	490	36.7	97.8	64.3	125	32	93
Columbus	1,441	870	571	1,498	31.5	928	28.8	570	37.3	88.6	36.7	99	19	80
Craven	1,303	830	473	1,236	37.9	755	42.0	481	32.9	98.7	32.8	122	5	117
Cumberland	2,782	1,993	789	2,253	36.5	1,487	36.7	766	36.0	97.2	38.0	146	31	115
Currituck	81	39	42	120	17.2	77	17.0	43	17.5	94.8	20.9	9	1	8
Dare	62	57	5	102	16.2	97	16.7	5	10.4	92.8	100.0	3	3	--------
Davidson	1,453	1,331	122	1,567	28.2	1,440	29.1	127	20.7	99.9	92.9	52	26	26
Davie	191	149	42	370	23.9	318	24.0	52	22.9	99.7	90.4	14	7	7
Duplin	911	422	489	1,217	29.4	694	26.1	523	35.4	98.3	83.4	91	12	79
Durham	3,655	2,509	1,146	2,622	31.4	1,713	31.8	909	30.6	99.8	92.1	228	38	190
Edgecombe	1,544	606	938	1,580	30.9	632	27.0	948	34.1	99.2	59.8	249	18	231
Forsyth	4,314	3,126	1,188	3,766	28.6	2,628	29.6	1,138	26.6	99.8	99.2	387	60	327
Franklin	612	237	375	797	25.2	396	22.0	401	29.5	99.0	54.9	55	5	50
Gaston	2,109	1,778	331	2,855	31.3	2,512	32.2	343	26.1	99.7	73.5	148	86	62
Gates	188	35	153	241	23.0	81	15.3	160	30.7	97.5	57.5	17	2	15
Graham	172	171	1	208	31.1	202	31.0	6	32.3	83.7	83.3	7	5	2
Granville	813	351	462	803	26.3	341	22.8	462	29.7	99.7	90.3	70	10	60
Greene	410	121	289	544	28.2	241	22.1	303	36.1	100.0	83.5	59	3	56
Guilford	5,134	4,194	940	4,772	29.8	3,863	30.5	909	27.2	99.9	95.5	239	71	168
Halifax	1,930	742	1,188	1,767	30.0	607	23.9	1,160	34.7	98.8	27.2	226	16	210
Harnett	1,612	1,192	420	1,406	30.5	984	29.5	422	33.1	99.4	65.2	96	17	79
Haywood	1,091	1,077	14	1,116	30.8	1,103	31.3	13	14.0	99.1	100.0	46	41	5
Henderson	835	778	57	769	28.4	722	29.0	47	21.4	98.9	97.9	31	21	10
Hertford	412	70	342	515	25.6	160	19.5	355	29.7	99.4	82.8	49	1	48
Hoke	388	91	297	456	29.3	148	24.7	308	32.2	99.3	38.6	88	3	85
Hyde	92	14	78	157	19.2	74	15.4	83	24.5	86.5	13.3	15	--------	15
Iredell	2,145	1,810	335	1,528	29.1	1,233	29.0	295	29.5	99.6	71.5	99	31	68
Jackson	486	479	7	509	25.3	480	25.7	29	20.0	83.3	86.2	20	11	9

TABLE III.—*Continued*

County	Place of Birth			Place of Residence										
				Total		White		Other		Per Cent Attended By Physician		Number Illegitimate		
	Total	White	Other	No.	Rate	No.	Rate	No.	Rate	White	Other	Total	White	Other
Johnston	1,427	1,014	413	1,897	28.6	1,457	27.8	440	31.4	98.4	62.5	106	31	75
Jones	155	38	117	311	27.3	170	26.6	141	28.3	95.9	39.0	37	8	29
Lee	951	721	230	702	36.0	507	36.4	195	35.0	99.2	69.2	41	9	32
Lenoir	1,903	1,271	632	1,333	31.1	755	31.0	578	31.2	98.3	48.1	151	23	128
Lincoln	765	659	106	712	28.3	605	27.8	107	31.3	99.3	55.1	36	17	19
McDowell	687	652	35	644	26.9	609	27.6	35	18.5	96.7	94.3	39	29	10
Macon	406	398	8	459	27.7	451	28.1	8	16.6	84.9	50.0	10	8	2
Madison	346	342	4	505	21.5	500	21.6	5	19.2	80.6	100.0	15	14	1
Martin	817	350	467	894	32.9	406	29.0	488	37.0	99.0	54.5	114	9	105
Mecklenburg	5,815	4,483	1,332	5,080	32.1	3,733	33.0	1,347	29.9	99.9	91.3	465	164	301
Mitchell	538	537	1	453	27.3	451	27.2	2	54.1	87.8	50.0	15	15	--------
Montgomery	417	308	109	497	29.3	385	29.5	112	28.7	99.5	42.0	26	9	17
Moore	869	654	215	842	26.1	644	28.6	198	20.3	98.1	70.7	55	7	48
Nash	2,116	1,189	927	1,869	32.3	1,002	29.8	867	35.7	98.2	67.5	177	29	148
New Hanover	2,258	1,552	706	1,818	36.4	1,208	37.6	610	34.3	99.9	82.0	174	21	153
Northampton	605	68	537	805	27.3	215	19.2	590	32.3	96.7	43.1	106	4	102
Onslow	1,163	937	226	823	44.1	613	45.0	210	41.5	98.0	55.7	56	5	51
Orange	181	67	114	825	34.3	568	34.3	257	34.4	99.6	81.7	43	7	36
Pamlico	240	123	117	283	28.0	162	24.6	121	34.3	99.4	46.3	20	1	19
Pasquotank	794	534	260	650	30.4	399	32.4	251	27.6	99.2	32.3	32	1	31

Pender	338	114	224	492	26.7	233	23.6	259	30.3	91.4	23.6	66	7	59
Perquimans	182	51	131	245	24.1	114	21.7	131	26.5	97.4	19.8	28	1	27
Person	740	455	285	808	31.0	476	29.2	332	34.1	99.4	84.3	36	6	30
Pitt	1,705	779	926	1,846	29.0	902	27.0	944	31.2	99.2	70.1	222	15	207
Polk	304	269	35	312	25.3	277	26.1	35	20.5	98.2	77.1	9	5	4
Randolph	1,198	1,064	134	1,318	28.4	1,181	28.2	137	30.5	99.2	79.6	44	22	22
Richmond	1,033	695	338	1,152	30.1	798	31.2	354	27.7	97.9	44.9	95	17	78
Robeson	2,846	1,148	1,698	2,848	35.6	1,077	29.9	1,771	40.3	97.2	68.5	281	36	245
Rockingham	1,742	1,352	390	1,676	27.8	1,297	27.2	379	30.2	98.9	89.2	105	31	74
Rowan	1,565	1,282	283	1,733	24.1	1,452	24.8	281	20.8	99.8	77.9	84	24	60
Rutherford	1,229	1,059	170	1,302	27.4	1,129	27.5	173	27.1	98.1	72.3	58	31	27
Sampson	1,412	816	596	1,567	31.7	943	29.7	624	35.3	96.1	53.0	110	23	87
Scotland	872	357	515	752	31.1	316	28.1	436	33.7	95.9	21.8	107	14	93
Stanly	1,037	934	103	1,012	29.6	913	30.3	99	24.4	100.0	96.0	39	15	24
Stokes	338	299	39	614	26.0	543	25.6	71	29.8	99.3	80.3	20	10	10
Surry	1,951	1,851	100	1,479	34.0	1,392	34.1	87	33.0	97.6	81.6	45	31	14
Swain	356	256	100	353	27.8	289	26.1	64	40.1	81.7	92.2	16	6	10
Transylvania	461	434	27	497	39.0	468	39.5	29	32.5	98.7	89.7	14	9	5
Tyrrell	219	137	82	161	27.9	84	22.8	77	37.0	98.8	42.9	17	-------	17
Union	1,264	962	302	1,192	29.3	888	28.5	304	31.8	98.6	71.7	66	6	60
Vance	957	522	435	881	28.2	464	27.9	417	28.7	99.4	46.8	57	6	51
Wake	3,632	2,423	1,209	3,482	30.5	2,307	30.5	1,175	30.7	99.6	78.8	225	23	202
Warren	668	162	506	725	30.1	193	23.1	532	33.8	92.7	13.3	67	4	63
Washington	272	135	137	341	26.6	196	27.5	145	25.5	95.4	17.9	39	1	38
Watauga	516	508	8	531	28.2	523	28.3	8	21.5	92.9	100.0	23	22	1
Wayne	1,716	1,021	695	1,662	27.4	975	28.4	687	26.1	99.2	76.6	166	14	152
Wilkes	1,125	1,063	62	1,298	29.0	1,229	29.4	69	23.5	88.7	60.9	65	55	10
Wilson	1,946	1,124	822	1,687	32.3	856	28.2	831	37.9	99.5	69.1	215	18	197
Yadkin	82	66	16	552	25.7	518	25.5	34	28.6	99.2	79.4	18	11	7
Yancey	221	220	1	452	25.2	449	25.3	3	16.1	72.2	100.0	14	14	-------

TABLE IV.—LIVE BIRTHS BY CITY AND COLOR, PER CENT ATTENDED BY PHYSICIANS, AND NUMBER ILLEGITIMATE, 1947 (CITIES 10,000 POPULATION AND OVER, 1940 CENSUS).

City	Place of Birth			Place of Residence							
							Per Cent Attended By Physicians		Number Illegitimate		
	Total	White	Other	Total	White	Other	White	Other	Total	White	Other
TOTAL	44,561	35,204	9,357	23,816	16,704	7,112	99.8	82.2	2,120	409	1,711
Asheville	3,130	2,829	301	1,419	1,131	288	99.4	65.3	83	24	59
Burlington	979	897	82	691	606	85	99.8	100.0	33	12	21
Charlotte	5,637	4,430	1,207	3,132	2,168	964	99.9	93.3	365	144	221
Concord	28	3	25	190	101	89	100.0	91.0	27	2	25
Durham	3,583	2,488	1,095	1,954	1,226	728	100.0	93.3	180	17	163
Elizabeth City	628	499	129	345	257	88	100.0	34.1	11	----------	11
Fayetteville	1,515	1,094	421	1,011	683	328	99.1	39.6	45	7	38
Gastonia	1,537	1,368	169	656	543	113	100.0	85.0	37	15	22
Goldsboro	959	676	283	522	277	245	99.6	80.4	75	4	71
Greensboro	3,115	2,526	589	1,915	1,450	465	99.9	99.4	123	30	93
Greenville	767	487	280	327	205	122	100.0	68.0	33	1	32
Hickory	1,243	1,179	64	586	530	56	99.4	75.0	28	12	16
High Point	1,724	1,496	228	1,142	928	214	100.0	93.9	69	18	51
Kinston	1,536	1,223	313	519	311	208	99.4	40.4	62	11	51
Lexington	736	677	59	419	372	47	100.0	100.0	17	10	7
New Bern	741	488	253	522	345	177	99.7	27.7	56	2	54
Raleigh	2,777	2,114	663	1,507	1,083	424	99.9	88.0	90	6	84
Reidsville	765	576	189	300	199	101	97.0	99.0	31	5	26
Rocky Mount	1,520	1,163	357	740	490	250	100.0	92.4	73	7	66
Salisbury	1,256	1,093	163	466	382	84	100.0	85.7	25	5	20

Shelby	1,242	1,048	194	440	339	101	100.0	85.1	33	6	27
Statesville	1,184	1,047	137	465	369	96	100.0	52.1	38	8	30
Thomasville	482	447	35	270	235	35	100.0	77.1	14	5	9
Wilmington	2,242	1,550	692	1,352	858	494	99.9	80.6	138	12	126
Wilson	1,323	954	369	626	314	312	100.0	53.2	106	7	99
Winston-Salem	3,912	2,852	1,060	2,300	1,302	998	99.5	99.5	328	39	289

TABLE V.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
All Causes (Total)		29,925	3,920	558	266	258
Male	Total	16,865	2,234	297	146	166
	White	11,497	1,399	181	93	95
	Other	5,368	835	116	53	71
Female	Total	13,060	1,686	261	120	92
	White	8,326	1,021	147	75	45
	Other	4,734	665	114	45	47
I. INFECTIOUS AND PARASITIC DISEASES						
Male	Total	1,127	89	47	18	21
	White	531	34	26	10	11
	Other	596	55	21	8	10
Female	Total	797	73	45	15	7
	White	322	30	21	8	3
	Other	475	43	24	7	4
1. Typhoid fever	W Male	1				
	Female	2				
	O Male	2				
6. Cerebrospinal (meningococcus) meningitis	W Male	12	3	3	1	1
	Female	3		1		
	O Male	8	2	2		
	Female	7	3	2	1	
8. Scarlet fever	W Male	2	1			
9. Whooping cough	W Male	12	11	1		
	Female	10	8	2		
	O Male	15	13	2		
	Female	17	14	3		
10. Diphtheria	W Male	10	1	8	1	
	Female	7		4	2	
	O Male	7	4	2	1	
	Female	8	2	3	1	1
11. Erysipelas	O Female	1				
12. Tetanus	W Male	5		2		2
	Female	4	1	2		1
	O Male	5	2		1	
	Female	4		1		1
13. Tuberculosis of the respiratory system (including the bronchial and mediastinal lymph nodes)	W Male	254				
	Female	131				
	O Male	311	1	2	2	3
	Female	279		1	1	1
14. Tuberculosis of the meninges and central nervous system	W Male	5		1	2	1
	O Male	7	1	2		2
	Female	8		2	1	

OF THE STATE FROM EACH CAUSE BY SEX, COLOR, AND AGE, 1947

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
490	734	772	896	1,020	1,277	1,600	1,962	4,623	5,997	3,930	1,429	158	35	
306	451	462	507	592	754	939	1,172	2,735	3,395	2,021	614	55	19	
174	256	237	298	336	444	579	752	1,896	2,565	1,638	517	31	6	
132	195	225	209	256	310	360	420	839	830	383	97	24	13	
184	283	310	389	428	523	661	790	1,888	2,602	1,909	815	103	16	
87	98	126	173	198	257	302	378	1,133	1,905	1,638	678	60	5	
97	185	184	216	230	266	359	412	755	697	271	137	43	11	
														I.
34	60	62	85	81	95	105	108	139	112	52	16	1	2	
9	18	17	33	31	36	47	53	74	75	42	14		1	
25	42	45	52	50	59	58	55	65	37	10	2	1	1	
48	79	74	83	51	44	48	38	67	68	37	17	3		
9	17	15	24	19	17	19	14	37	46	28	13	2		
39	62	59	59	32	27	29	24	30	22	9	4	1		
			1											1.
		1	1											
						1	1							
				2		2								6.
1	1													
1			1		1			1						
1														
1														8.
														9.
														10.
		1												
	1													
			1											11.
		1												12.
1				1										
				1	1									
2	14	11	20	20	26	30	38	43	37	11	2			13.
4	12	10	11	13	12	12	9	23	18	7				
19	35	39	40	33	34	24	31	27	15	5	1			
29	51	50	39	24	18	17	18	14	12	4				
1														14.
		1							1					
1	3		1											

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
15. Tuberculosis of the intestines and peritoneum	W Female	1				
	O Male	6				
	Female	7		1		
16. Tuberculosis of the vertebral column	W Male	3				
	Female	1				
	O Male	5				1
	Female	2				
17. Tuberculosis of the bones and joints (except vertebral column)	W Male	1				
	O Male	1				
19. Tuberculosis of the lymphatic system (except bronchial, mediastinal, mesenteric, and retroperitoneal lymph nodes)	O Female	1				
20. Tuberculosis of the genito-urinary system	W Male	1				
	Female	1				
22. Disseminated tuberculosis	W Male	7	1	1		
	Female	6	2			
	O Male	13	1	1	1	
	Female	5				
24. Septicemia and purulent infection (nonpuerperal)	W Male	6	2	1		
	Female	6	3			
	O Male	4			1	
	Female	4	1			
25. Gonococcus infection	W Female	1				
	O Female	6				
26. Other diseases due to bacteria (except dysentery)	W Male	1				
	O Male	1				
27. Dysentery	W Male	6	1			
	Female	1	1			
	O Male	5	2	1		
	Female	4	1			
28. Malaria	W Male	1				
	O Male	1				
30. Syphilis	W Male	55				
	Female	20	1		1	1
	O Male	133	17			1
	Female	51	8	2		
32a. Weil's disease	W Male	3				
	Female	2				
	O Male	1	1			
32b. Other diseases due to spirochetes	W Male	1				
33. Influenza (grippe)	W Male	93	12	5		1
	Female	83	11	1		
	O Male	56	9	6	1	1
	Female	62	13	6	1	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
									1					15.
1						3	1	1						
3		1	1			1								
			1		1			1						16.
											1			
			2	1	1									
							1		1					
										1				17.
	1													
		1												19.
						1								20.
				1										
			1		1	1			1	1				22.
	1		1			1		1						
		1	1	1	3		1	3						
1	2		1					1						
1						1		1						24.
		1						1		1				
	1						2							
				1		1		1						
			1											25.
		1	4		1									
		1												26.
								1						
				1			1	1	2					27.
						1		1						
								1		1	1			
									1					28.
				1										
		1	2	4	1	8	7	14	11	6	1			30.
1			4	2		1	2	1	6					
	4	3	8	8	17	25	16	21	10	2			1	
2	2	1	8	2	6	6	3	7	4					
			2						1					32a.
					1	1								
			1											32b.
1	3		3	1	4	1	6	8	15	21	11		1	33.
1	1	1	2	1	2	2	2	7	20	18	12	2		
1	1	1		3	3	4	3	7	11	3	1	1		
2	3	4	4	3	1	4	1	6	5	4	3	1		

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
35. Measles	W	Male	5	1	2		1
		Female	13	3	6	2	
	O	Male	4	2	2		
		Female	3		3		
36. Acute poliomyelitis and acute polioencephalitis	W	Male	13		1	5	4
		Female	5		2	2	1
	O	Male	1				1
		Female	2	1		1	
37. Acute infectious encephalitis (lethargic)	W	Male	1				
	O	Male	1				
38b. Rabies	W	Female	1				
38e. Chickenpox	W	Male	2		1		
39b. Endemic typhus fever	W	Male	1				
		Female	2				
	O	Male	2				
39c. Rocky Mountain spotted fever	W	Male	6				1
		Female	7		2	1	
	O	Male	3		1	1	
		Female	1			1	
40. Ankylostomiasis	W	Male	1				
41. Hydatid disease	W	Male	1				
42. Other diseases caused by helminths	W	Male	1			1	
		Female	1		1		
43. Mycoses	W	Female	3				
	O	Male	1				
44a. Venereal diseases (except gonorrhea and syphilis)	W	Male	1				
	O	Female	1				
44b. Lymphogranulomatosis (Hodgkin's disease)	W	Male	19	1			
		Female	11				
	O	Male	3				1
		Female	2				
44c. Mumps	W	Male	1				
II. CANCER AND OTHER TUMORS:							
Male	Total		1,257	2	4	7	10
	White		984	2	3	5	7
	Other		273		1	2	
Female	Total		1,629	3	8	7	
	White		1,162	3	5	4	4
	Other		467		3	3	1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
	1													35.
	1	1												
3														36.
									1					37.
1														
			1											38b
									1					38e
									1					39b.
			1							1				
				2										
						2		1	2					39c
2						1	1							
1														
									1					40.
								1						41.
														42.
				1		1			1					43.
								1						
					1									44a.
		1												
		3	2	2	2	1	1	4	1	2				44b
	1		2	1	2			4		1				
								2						
				1			1							
				1										44c
														II.
16	9	19	19	46	47	85	115	271	370	194	41	1	1	
13	6	11	15	36	40	60	77	208	295	170	35	1		
3	3	8	4	10	7	25	38	63	75	24	6		1	
9	13	32	58	86	131	175	170	539	377	158	54	4		
3	7	13	34	45	83	108	116	248	297	143	46	3		
6	6	19	24	41	48	67	54	91	80	15	8	1		

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
45. Cancer of the buccal cavity and pharynx	W	Male	48				
		Female	31		1	1	
	O	Male	7				
		Female	9				
46. Cancer of the digestive organs and peritoneum	W	Male	425		1		2
		Female	378	2		1	
	O	Male	133			1	
		Female	127		1		
47. Cancer of the respiratory system	W	Male	112				2
		Female	41		1		
	O	Male	26				
		Female	7				
48. Cancer of the uterus	W	Female	248				
	O	Female	143				
49. Cancer of other female genital organs	W	Female	53				
	O	Female	14				
50. Cancer of the breast	W	Male	2				
		Female	197				
	O	Male	2				
		Female	77				
51. Cancer of the male genital organs	W	Male	128				
	O	Male	56				
52. Cancer of the urinary organs (male and female)	W	Male	42				
		Female	29		1		
	O	Male	13				
		Female	6				
53. Cancer of the skin (except vulva and scrotum)	W	Male	38				
		Female	32				
	O	Male	1				
		Female	3				
54. Cancer of the brain and other parts of the central nervous system (including glioma, except when specified as benign)	W	Male	39		2	2	1
		Female	36		2		1
	O	Male	3		1		1
		Female	2				
55. Cancer of other and unspecified organs	W	Male	120	1		1	1
		Female	78				1
	O	Male	21				1
		Female	32				1
56. Nonmalignant tumors (including dermoid cysts)	W	Male	12	1		1	
		Female	25	1		2	1
	O	Male	1				
		Female	35		1	2	

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
		2	1		1	3	5	12	13	9	2			45.
		1		1	1		1	8	7	7	2	1		
				1		1	3	1	1					
			1	2		1		2	3					
1	2	2	4	15	16	24	29	97	145	70	16	1		46.
		1	6	10	14	20	26	80	127	67	23	1		
		2	1	4	3	13	24	32	36	14	3			
1		1	2	5	7	17	13	38	32	5	4	1		
1	1	2	2	5	9	13	13	30	23	10	1			47.
			1	1	2	2	2	9	16	6	1			
1		1		1	2	3	1	8	7	1			1	
	1		1		1		2	2						
		2	7	12	24	40	31	59	53	17	3			48.
1	1	11	7	13	20	20	18	30	13	8	1			
1	1	1	3	1	4	9	7	12	11	2	1			49.
		2	1	1	3	3	1	2	1					
									1	1				50.
	1	1	3	13	19	24	33	47	33	20	3			
						1			1					
		1	3	9	10	12	12	7	20	2	1			
		1	2	1	1	1	2	16	52	43	9			51.
	1	1		1	1	2	4	15	23	5	3			
1				1	1	2	5	9	13	9	1			52.
					2	1		6	10	5	4			
		1	1	1		2	3	1	1	3				
							1	2	3					
		3	2	3	2	2	2	2	9	11	2			53.
		1	3		1	2	1	1	9	7	6	1		
		1												
						1	1		1					
2	1			2	5	6	5	12	1					54.
1	2	1	5	1	7	2	5	4	3	2				
1														
1						1								
7	2	1	2	6	3	8	13	23	34	14	4			55.
1	1	1	4	5	5	4	8	18	20	8	2			
1	1	1	1			1	3	5	6	1				
2	3	1	2	3	1	3	4	5	5		2			
			1		2	1	1	1	3	1				56.
	1	3	1	1	2	3	2	2	5	1				
	1													
1	1	3	5	6	4	8	1	3						

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
57. Tumors of unspecified nature	W Male	18			1	1
	Female	14				1
	O Male	10			1	1
	Female	12		1	1	
III. RHEUMATISM, DISEASES OF NUTRITION AND OF THE ENDOCRINE GLANDS, OTHER GENERAL DISEASES, AND AVITAMINOSES:						
Male	Total	338	19	4	6	6
	White	252	13	2	3	4
	Other	86	6	2	3	2
Female	Total	463	10	6	6	4
	White	317	7	2	3	1
	Other	146	3	4	3	3
58. Acute rheumatic fever	W Male	12			3	3
	Female	9			1	1
	O Male	12	1	1	3	2
	Female	12		1	2	3
59. Chronic rheumatism and other rheumatic diseases	W Male	8				
	Female	27				
	O Male	4				
	Female	2				
61. Diabetes mellitus	W Male	201				1
	Female	221			2	
	O Male	56				
	Female	100		1	1	
62. Diseases of the pituitary gland	W Male	1				
	Female	1				
63. Diseases of the thyroid and parathyroid glands	W Male	6	2			
	Female	16	1			
	O Male	1				
	Female	13				
64. Diseases of the thymus gland	W Male	10	9	1		
	Female	6	6			
	O Male	6	4			
	Female	2	2			
65. Diseases of the adrenal glands (not specified as tuberculous)	W Female	1				
66. Other general diseases	W Male	3	2	1		
	Female	3		2		
	O Female	2	1			
67. Scurvy	O Male	1		1		
	Female	1				
68. Beriberi	O Female	1		1		

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
1			1	3			2	6	1	2				57.
	1	1	1		2	1		2	3	1	1			
		1	1	2	1	2		1						
			2	2	2	1	1		2					
														III.
9	6	9	4	9	18	15	19	75	78	56	3		2	
5	2	6	3	5	12	9	14	57	65	50	2			
4	4	3	1	4	6	6	5	18	13	6	1		2	
6	7	8	11	10	17	14	53	107	117	74	11	1	1	
3	3	4	6	7	6	3	25	71	100	67	9			
3	4	4	5	3	11	11	28	36	17	7	2	1	1	
3	1	1					1							58.
2		1	2	1						1				
1	1				2				1					
1	3	2												
					1			2	3	2				59.
				1			4	10	4	7	1			
								3					1	
							1					1		
2	1	5	3	5	7	9	13	51	58	44	2			61.
1	3	2	2	3	4	3	18	54	73	49	7			
3	2	1	1	4	4	5	4	13	12	6	1			
2		2	3	2	9	10	20	30	14	5	1			
					1									62.
							1							
					1			1	1	1				63.
		1		1	1		1	4	7					
								1						
				1	2		4	4	2					
														64.
		2												
			1											65.
														66.
							1							
													1	
														67.
			1											
														68.

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
69. Pellagra (except alcoholism)	W Male	11				
	Female	32				
	O Male	4				
	Female	13		1		
70. Rickets	O Male	2	1			
71. Other avitaminoses	W Female	1				
IV. DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS:						
Male	Total	119	11	12	1	1
	White	98	9	9	1	
	Other	21	2	3		1
Female	Total	108	3	7	3	8
	White	84	2	7	2	5
	Other	24	1		1	3
72. Hemorrhagic conditions	W Male	10	4	1		
	Female	2				
	O Female	1				
73. Anemias (except splenic anemia)	W Male	18	3			
	Female	13		1		1
	O Male	12	2	2		
	Female	13	1			1
74. Leukemias and aleukemias	W Male	60	1	7	1	
	Female	58	2	6	1	3
	O Male	9		1		1
	Female	10			1	2
75. Diseases of the spleen	W Male	6	1	1		
	Female	5				1
76. Other diseases of the blood and blood-forming organs	W Male	4				
	Female	6			1	
V. CHRONIC POISONING AND INTOXICATION:						
Male	Total	98				1
	White	70				
	Other	28				1
Female	Total	12				
	White	3				
	Other	9				
77. Alcoholism (ethylism)	W Male	61				
	Female	2				
	O Male	26				1
	Female	7				
79. Chronic posioning by other mineral or organic substances	W Male	9				
	Female	1				
	O Male	2				
	Female	2				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
					2			3	3	3				69.
			1	1	1			3	15	10	1			
	1					1	1	1						
	1		1			1	3	2	1	2	1			
													1	70.
									1					71.
														IV.
6	2	4	4	4	10	4	3	18	25	14				
6		4	2	3	7	3	3	16	24	11				
	2		2	1	3	1		2	1	3				
4	1	4	3	10	7	6	7	23	15	6		1		
3	1	3	2	9	4	3	3	21	13	6				
1		1	1	1	3	3	4	2	2			1		
1						1		1		2				72.
					1			1						
									1					
1					1				10	3				73.
						1		4	4	2				
	1		1	1	1			1	1	2				
1		1	1	1		2	1	2	1			1		
4		4	1	1	6	1	3	14	11	6				74.
3	1	3	1	5	3	2	2	14	9	3				
	1		1		2	1		1		1				
					3	1	3							
				1		1		1	1					75.
				2			1	1						
			1	1					2					76.
			1	2				1		1				
														V.
	3	9	8	12	14	20	10	13	8					
	1	5	6	9	10	12	8	11	8					
	2	4	2	3	4	8	2	2						
	1	3	4	2				1		1				
		1						1		1				
	1	2	4	2										
	1	5	6	7	10	10	8	9	5					77.
		1						1						
	2	3	2	2	4	8	2	2						
	1	2	2	2										
				2		2		2	3					79.
										1				
		1		1										
			2											

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS:							
Male	Total		1,912	25	13	10	12
	White		1,255	19	8	5	7
	Other		657	6	5	5	5
Female	Total		1,813	11	13	12	11
	White		1,120	4	9	5	3
	Other		693	7	4	7	8
80. Encephalitis (nonepidemic)	W	Male	16	3	2	1	1
		Female	10	1	1		1
	O	Male	4		1		1
		Female	11	1		1	2
81. Meningitis (not due to meningococcus)	W	Male	14	6			2
		Female	8	2	1	2	
	O	Male	15	4	1	2	1
		Female	8	2		1	1
82. Diseases of the spinal cord (except locomotor ataxia and disseminated sclerosis)	W	Male	15				1
		Female	13			1	
	O	Male	4				
83. Intracranial lesions of vascular origin	W	Male	1,140	2	2	1	1
		Female	1,046		2	1	
	O	Male	563		1		1
		Female	599			2	2
84. Mental diseases and deficiency (except general paralysis of the insane)	W	Male	8			1	
		Female	8				
	O	Male	23				
		Female	33			1	
85. Epilepsy	W	Male	26		1	2	1
		Female	17		3	1	2
	O	Male	33		1	2	1
		Female	29	1	1	2	2
86. Convulsions (under 5 years of age)	W	Male	6	4	2		
		Female	3	1	2		
	O	Male	3	2	1		
		Female	5	2	3		
87. Other diseases of the nervous system	W	Male	23	1	1		
		Female	15				
	O	Male	12			1	1
		Female	7				1
89. Diseases of the ear and mastoid process	W	Male	7	3			1
	O	Female	1	1			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
16	16	16	23	38	78	101	146	424	579	313	95	3	4	VI.
5	7	7	12	16	34	46	78	262	413	249	84	2	1	
11	9	9	11	22	44	55	68	162	166	64	11	1	3	
5	24	19	27	52	61	106	139	354	484	354	128	11	2	
4	6	3	13	23	29	47	58	196	325	290	100	4	1	
1	18	16	14	29	32	59	81	158	159	64	28	7	1	
------	------	1	------	2	1	------	3	2	------	------	------	------	------	80.
1	------	------	1	1	------	1	------	2	1	------	------	------	------	
------	------	------	------	------	1	------	------	------	1	------	------	------	------	
------	1	1	------	------	1	2	------	1	1	------	------	------	------	
------	------	------	------	------	------	1	------	2	2	1	------	------	------	81.
------	------	------	------	1	------	------	------	------	1	1	------	------	------	
------	1	------	1	------	2	------	------	1	2	------	------	------	------	
------	1	------	------	------	------	------	2	1	------	------	------	------	------	
1	1	------	1	1	2	------	1	4	2	1	------	------	------	82.
------	------	------	------	------	------	------	2	6	3	1	------	------	------	
1	1	------	------	1	1	------	------	------	------	------	------	------	------	
1	1	5	8	9	26	45	71	243	398	240	84	2	1	83.
------	3	------	9	16	26	43	55	184	315	287	100	4	1	
3	1	4	3	17	27	53	63	154	159	62	11	1	3	
------	4	9	7	23	25	55	77	151	148	61	27	7	1	
------	1	------	1	------	------	------	1	2	2	------	------	------	------	84.
------	------	1	1	------	1	3	------	2	------	------	------	------	------	
1	2	2	3	2	5	1	2	2	2	1	------	------	------	
1	5	3	3	5	4	1	1	1	5	2	1	------	------	
2	3	1	2	3	5	------	2	2	1	1	------	------	------	85.
2	2	2	1	3	1	------	------	------	------	------	------	------	------	
6	4	3	3	2	7	------	1	2	1	------	------	------	------	
------	6	3	4	1	1	------	------	4	3	1	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	86.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	7	8	6	------	------	------	87.
1	1	------	1	2	1	------	1	2	5	1	------	------	------	
------	------	------	1	------	1	1	2	3	1	1	------	------	------	
------	1	------	------	------	1	1	1	------	2	------	------	------	------	
1	1	------	------	1	------	------	------	------	------	------	------	------	------	89.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
VII. DISEASES OF THE CIRCULATORY SYSTEM:							
Male	Total		4,643	14	5	5	11
	White		3,547	9	3	3	6
	Other		1,096	5	2	2	5
Female	Total		3,317	11	4	6	18
	White		2,261	6	2	4	7
	Other		1,056	5	2	2	11
90. Pericarditis (except acute rheumatic)	W	Male	2	------	------	------	------
		Female	1	------	------	------	------
	O	Male	1	------	------	------	------
		Female	3	------	------	------	1
91. Acute endocarditis (except rheumatic)	W	Male	10	------	------	------	1
		Female	5	------	------	------	------
	O	Male	8	------	1	------	------
		Female	8	------	------	------	------
92. Chronic affections of the valves and endocardium	W	Male	206	1	------	2	------
		Female	149	1	------	------	------
	O	Male	102	------	------	------	1
		Female	119	------	------	1	5
93. Diseases of the myocardium	W	Male	1,217	------	------	1	------
		Female	1,045	1	2	------	1
	O	Male	467	------	------	------	3
		Female	498	------	------	------	------
94. Diseases of the coronary arteries and angina pectoris	W	Male	1,460	3	------	------	1
		Female	622	1	------	------	1
	O	Male	230	------	------	------	------
		Female	174	------	------	------	------
95. Other diseases of the heart	W	Male	492	5	3	------	4
		Female	294	2	------	4	5
	O	Male	204	5	1	2	1
		Female	184	5	1	1	4
96. Aneurysm (except of heart and aorta)	W	Male	16	------	------	------	------
		Female	13	------	------	------	------
	O	Male	6	------	------	------	------
		Female	3	------	------	------	------
97. Arteriosclerosis (except coronary or renal sclerosis)	W	Male	102	------	------	------	------
		Female	96	------	------	------	------
	O	Male	63	------	------	------	------
		Female	41	------	------	------	------
98. Gangrene	W	Male	6	------	------	------	------
		Female	3	------	------	------	------
	O	Male	2	------	------	------	------
		Female	4	------	------	------	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
														VII.
16	21	36	59	106	190	300	429	1,095	1,312	786	234	21	3	
9	11	18	37	58	121	205	306	834	1,062	651	198	14	2	
7	10	18	22	48	69	95	123	261	250	135	36	7	1	
25	25	31	65	67	103	155	217	588	946	720	294	39	3	
15	3	19	24	21	41	52	90	361	708	635	250	21	2	
10	22	12	41	46	62	103	127	227	238	85	44	18	1	
------	------	------	1	------	------	1	------	------	------	------	------	------	------	90.
------	------	------	1	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
------	------	1	1	------	------	------	------	------	------	------	------	------	------	
1	2	------	------	------	1	------	------	------	3	2	------	------	------	91.
1	1	------	------	------	1	------	------	1	1	------	------	------	------	
2	------	------	1	1	1	1	------	1	------	------	------	------	------	
------	2	------	2	1	------	1	------	------	2	------	------	------	------	
2	3	2	3	3	5	9	10	32	64	52	17	1	------	92.
2	------	1	4	1	2	3	5	25	48	39	18	------	------	
1	2	4	5	2	5	6	8	26	21	16	3	1	1	
1	------	1	5	10	4	12	19	20	28	9	2	2	------	
1	2	2	7	7	27	41	77	246	403	301	95	7	------	93.
1	2	6	4	5	15	15	40	145	328	328	136	15	1	
2	1	4	6	17	25	46	53	104	119	66	17	4	------	
2	7	2	10	22	20	55	59	124	123	45	21	8	------	
------	2	2	16	34	62	122	171	434	403	166	42	1	1	94.
2	------	5	6	11	9	22	26	128	214	157	38	2	------	
------	3	5	5	14	20	22	33	65	40	19	4	------	------	
1	2	5	5	3	25	17	28	37	32	10	6	2	1	
5	2	11	10	13	20	28	42	98	143	84	20	3	1	95.
8	------	5	8	4	10	10	14	43	77	69	34	------	1	
2	3	3	5	11	17	17	24	45	45	16	6	1	------	
6	9	3	15	5	11	16	15	31	39	11	7	5	------	
------	------	1	------	------	2	1	2	3	6	------	1	------	------	96.
------	------	------	------	------	1	------	1	6	2	2	1	------	------	
------	------	------	------	1	1	1	1	1	------	1	------	------	------	
------	------	------	------	1	------	------	1	------	1	------	------	------	------	
------	------	------	------	------	------	------	2	8	32	37	22	1	------	97.
------	------	------	------	------	1	------	1	9	29	30	22	4	------	
------	------	------	------	------	------	1	1	14	25	16	5	1	------	
------	------	------	------	------	1	1	2	9	10	10	7	1	------	
------	------	------	------	------	------	------	------	------	1	3	1	1	------	98.
------	------	------	------	------	------	------	------	1	------	2	------	------	------	
------	------	------	------	------	------	------	1	------	------	------	1	------	------	
------	------	------	------	1	------	------	------	2	1	------	------	------	------	

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
99. Other diseases of the arteries	W	Male	10	------	------	------	------
		Female	9	------	------	------	------
	O	Male	6	------	------	------	------
		Female	5	------	------	------	1
100. Diseases of the veins	W	Male	13	------	------	------	------
		Female	9	1	------	------	------
	O	Male	1	------	------	------	------
		Female	2	------	------	------	------
101. Diseases of the lymphatic system	O	Female	2	------	1	------	------
102. High blood pressure (idiopathic)	W	Male	12	------	------	------	------
		Female	15	------	------	------	------
	O	Male	6	------	------	------	------
		Female	10	------	------	------	------
103. Other diseases of the circulatory system	W	Male	1	------	------	------	------
	O	Female	3	------	------	------	------
VIII. DISEASES OF THE RESPIRATORY SYSTEM:							
Male	Total		860	263	68	15	10
	White		488	116	35	7	6
	Other		372	147	33	8	4
Female	Total		724	226	57	7	4
	White		416	86	31	5	1
	Other		308	140	26	2	3
104. Diseases of the nasal fossae and accessory sinuses	W	Male	4	------	------	------	------
	O	Male	3	2	------	------	------
		Female	3	2	1	------	------
105. Diseases of the larynx	W	Male	7	6	------	1	------
		Female	3	3	------	------	------
	O	Male	2	1	1	------	------
		Female	2	1	------	------	------
106. Bronchitis	W	Male	23	3	1	------	------
		Female	32	4	4	1	------
	O	Male	9	1	2	1	------
		Female	10	3	2	------	------
107. Bronchopneumonia (including capillary bronchitis)	W	Male	179	59	18	2	2
		Female	160	44	17	------	------
	O	Male	165	85	15	4	3
		Female	130	73	18	------	------
108. Lobar pneumonia	W	Male	*161	32	11	4	3
		Female	112	17	4	3	1
	O	Male	108	34	8	2	------
		Female	104	42	5	2	2

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
------	------	------	------	------	------	1	1	3	1	4	------	------	------	99.
------	------	------	------	------	------	------	------	------	6	3	------	------	------	
------	1	1	------	1	------	------	------	3	------	------	------	------	------	
------	1	------	1	1	------	------	------	1	------	------	------	------	------	
------	------	------	------	1	3	------	------	6	2	1	------	------	------	100.
------	------	------	1	------	1	1	2	1	------	1	1	------	------	
------	------	------	------	------	------	------	------	1	------	------	------	------	------	
------	------	------	1	------	------	------	------	1	------	------	------	------	------	
------	------	------	------	------	------	------	------	1	------	------	------	------	------	101.
------	------	------	------	------	------	2	1	4	4	1	------	------	------	102.
1	------	2	------	------	1	1	1	2	3	4	------	------	------	
------	------	1	------	1	------	1	2	1	------	------	------	------	------	
------	------	------	1	1	1	1	3	1	1	------	1	------	------	
------	------	------	------	------	1	------	------	------	------	------	------	------	------	103.
------	1	------	------	1	------	------	------	------	1	------	------	------	------	
														VIII
9	10	16	23	21	26	38	35	90	107	78	43	7	1	
4	3	9	12	10	15	20	22	46	78	62	38	5	------	
5	7	7	11	11	11	18	13	44	29	16	5	2	1	
8	13	11	18	9	18	16	23	63	88	98	56	5	4	
5	5	4	8	4	8	7	12	37	65	87	49	2	------	
3	8	7	10	5	10	9	11	26	23	11	7	3	4	
------	1	------	1	------	2	------	------	------	------	------	------	------	------	104.
------	------	------	------	------	------	------	------	------	------	1	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	105.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	1	------	------	------	------	------	------	
------	------	1	------	3	2	2	------	1	6	3	1	------	------	106.
------	------	------	1	------	------	2	1	3	6	9	1	------	------	
------	------	------	------	1	------	1	------	------	2	------	1	------	------	
------	------	------	1	1	------	------	------	2	1	------	------	------	------	
------	------	------	1	1	1	5	7	16	24	22	19	2	------	107.
2	1	1	1	------	2	1	2	11	22	33	23	------	------	
------	2	2	3	4	2	2	4	13	14	11	1	------	------	
1	2	1	2	1	1	2	1	6	12	3	4	1	2	
3	------	4	4	4	3	3	9	14	29	27	10	1	------	108.
1	2	1	4	------	2	2	4	13	23	24	10	1	------	
4	5	3	5	2	2	5	5	17	9	4	1	2	------	
2	1	5	4	2	4	2	5	15	6	3	2	1	1	

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
109. Pneumonia (unspecified)	W	Male	47	14	2		1
		Female	27	14	2	1	
	O	Male	46	22	5		
		Female	32	19			
110. Pleurisy (not specified as tuberculous)	W	Male	6				
		Female	7	1			
	O	Male	5				
		Female	3				
111. Hemorrhagic infarction, thrombosis, edema, and chronic congestion of the lungs	W	Male	21				
		Female	43	1			
	O	Male	9	1		1	
		Female	12				
112. Asthma	W	Male	17				
		Female	20		4		
	O	Male	13		1		
		Female	8				
113. Pulmonary emphysema	W	Male	1				
		Female	1				
	O	Male	1				
114. Other diseases of the respiratory system (except tuberculosis)	W	Male	22	2	3		
		Female	11	2			
	O	Male	11	1	1		1
		Female	4				1
IX. DISEASES OF THE DIGESTIVE SYSTEM:							
Male	Total		628	114	27	7	6
	White		439	70	24	6	4
	Other		189	44	3	1	2
Female	Total		432	66	23	13	5
	White		254	36	16	8	2
	Other		178	30	7	5	3
115. Diseases of the buccal cavity, pharynx, tonsils and adnexa	W	Male	16	3	3	1	
		Female	13	1	2	3	1
	O	Male	9	2	1		1
		Female	8		1	2	1
116. Diseases of the esophagus	W	Male	3				
		Female	1	1			
	O	Male	2	1			
		Female	1				
117. Ulcer of stomach and duodenum	W	Male	74	1			1
		Female	12		1		
	O	Male	29	1			
		Female	9				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
1	1	2	2	1	3	3		2	7	4	4			109.
				1				1	3	3	1	1		
1			1	3	3	3	1	5	1				1	
	2			1		1	3	1	2	1	1	1		
				1		2	2	1						110.
		1						3		2				
					1		1	2	1					
	1		1		1									
		1	1		1	1		3	5	3	4	2		111.
1		1	1		1	1	2	3	6	13	13			
						2		3	1		1			
			1		1	3	1	1	1	4				
	1		1		2	2	1	5	3	2				112.
1	1			1	2	1	2	3	4	1				
			1	1	2	2		4	1		1			
	1		1		3	1			1				1	
									1					113.
				1										
		1												
		1	2		1	2	3	4	3	1				114.
	1		1	1	1		1		1	2	1			
		1	1		1	3	2							
	1	1						1						
														IX.
12	18	14	25	27	29	54	48	91	97	48	10	1		
3	7	8	13	17	21	40	33	70	71	43	8	1		
9	11	6	12	10	8	14	15	21	26	5	2			
4	10	16	11	25	25	29	31	68	57	33	15	1		
2	4	6	6	11	11	14	15	37	44	30	12			
2	6	10	5	14	14	15	16	31	13	3	3	1		
	1		2	1				2	1	1	1			115.
1	1				1			1	1		1			
				1	1				2	1				
	1						2		1					
							1	1	1					116.
	1													
									1					
	1		2	5	4	8	6	22	13	9	2			117.
			1		2	1		4	2	1				
	2		4	2	2	5	3	6	3	1				
				2	3	1		2	1					

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
118. Other diseases of the stomach (except cancer)	W	Male	14	2			
		Female	6	2	2		
	O	Male	4				
		Female	10				
119. Diarrhea, enteritis, and ulceration of the intestines (under 2 years of age)	W	Male	65	53	12		
		Female	29	24	5		
	O	Male	40	39	1		
		Female	32	28	4		
120. Diarrhea, enteritis, and ulceration of the intestines (2 years of age and over)	W	Male	20		3	3	
		Female	10		1		
	O	Male	13		1	1	
		Female	22				
121. Appendicitis	W	Male	31		2	2	2
		Female	23		2	5	
	O	Male	25				
		Female	19			3	1
122. Hernia and intestinal obstruction	W	Male	60	7	1		
		Female	44	1			
	O	Male	32				
		Female	40	1	1		
123. Other diseases of the intestines	W	Male	6				
		Female	4	1	1		
	O	Male	3				
		Female	2				
124. Cirrhosis of the liver	W	Male	96				1
		Female	40				1
	O	Male	17				
		Female	12		1		
125. Other diseases of the liver	W	Male	16	1	1		
		Female	16				
	O	Male	8				1
		Female	5				1
126. Biliary calculi	W	Male	10				
		Female	18				
	O	Female	3				
127. Other diseases of the gallbladder and biliary ducts	W	Male	11		1		
		Female	24				
	O	Male	2				
		Female	7				
128. Diseases of the pancreas (except diabetes mellitus)	W	Male	11	2	1		
		Female	8	3	2		
	O	Male	3	1			
		Female	3	1			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
------	------	------	------	------	------	1	2	4	2	3	------	------	------	118.
------	------	------	------	------	------	1	------	------	------	------	1	------	------	
1	------	1	1	------	------	1	------	------	------	------	------	------	------	
------	------	1	------	2	1	1	------	3	2	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	119.
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
------	------	------	------	------	------	------	------	------	------	------	------	------	------	
1	1	------	------	2	------	1	------	2	3	3	1	------	------	120.
1	------	1	------	------	1	------	1	------	1	2	2	------	------	
------	1	2	1	------	1	------	------	1	4	1	------	------	------	
------	1	2	1	2	2	1	------	7	2	2	1	1	------	
2	1	2	2	2	3	1	1	5	5	1	------	------	------	121.
------	------	2	1	1	------	1	3	3	3	2	------	------	------	
3	3	------	2	2	2	3	3	3	3	------	1	------	------	
------	2	1	1	2	------	1	2	5	------	------	1	------	------	
------	2	2	1	------	2	5	4	7	16	10	2	1	------	122.
------	1	1	2	5	2	3	3	5	11	7	3	------	------	
3	2	3	2	3	------	2	3	3	9	2	------	------	------	
1	1	3	2	2	6	8	7	4	3	------	1	------	------	
------	------	1	------	2	------	1	------	1	1	------	------	------	------	123.
------	------	------	------	------	------	------	------	1	------	1	------	------	------	
------	------	------	------	------	------	1	------	------	2	------	------	------	------	
------	------	------	------	------	------	1	1	------	------	------	------	------	------	
------	------	1	2	3	8	19	16	18	18	10	------	------	------	124.
------	------	------	1	2	2	4	4	8	13	4	1	------	------	
------	1	------	------	1	2	1	5	6	1	------	------	------	------	
------	------	1	------	2	1	------	2	4	1	------	------	------	------	
------	1	1	------	------	2	2	1	2	2	1	2	------	------	125.
------	1	1	1	3	------	------	2	2	5	1	------	------	------	
1	1	------	1	1	------	1	------	1	1	------	------	------	------	
------	------	1	1	1	------	------	------	------	1	------	------	------	------	
------	------	------	1	------	------	2	------	2	4	1	------	------	------	126.
------	------	------	------	------	------	2	------	5	5	5	1	------	------	
------	------	------	------	------	------	------	1	2	------	------	------	------	------	
------	------	------	1	------	------	------	------	2	4	3	------	------	------	127.
------	------	------	------	------	2	2	------	7	3	7	3	------	------	
------	------	------	------	------	------	------	------	------	1	------	1	------	------	
------	------	------	------	------	------	1	------	4	1	1	------	------	------	
------	------	1	1	2	2	------	1	1	------	------	------	------	------	128.
------	------	1	------	------	------	------	2	------	------	------	------	------	------	
------	------	------	1	------	------	------	1	------	------	------	------	------	------	
------	------	------	------	------	1	1	------	------	------	------	------	------	------	

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
129. Peritonitis (cause not stated)	W Male	6	1			
	Female	6	3			
	O Male	2				
	Female	5				
X. DISEASES OF THE GENITO-URINARY SYSTEM:						
Male	Total	1,556	4	9	5	5
	White	984	3	4	2	2
	Other	572	1	5	3	3
Female	Total	1.263	1	3	4	9
	White	746	1	1	3	7
	Other	517		2	1	2
130. Acute nephritis	W Male	31		2		1
	Female	12	1			1
	O Male	20		1	1	2
	Female	32		2	1	1
131. Chronic nephritis	W Male	794	1	2	2	1
	Female	658		1	3	4
	O Male	472	1	3	1	1
	Female	445				1
132. Nephritis unspecified (10 years of age and over)	W Male	43				
	Female	32				
	O Male	29				
	Female	17				
133. Other diseases of the kidneys and ureters (except diseases associated with pregnancy, childbirth, or the puerperium	W Male	13	2			
	Female	22				2
	O Male	13		1	1	
	Female	4				
134. Calculi of the unriary passages	W Male	13				
	Female	9				
	O Male	4				
	Female	2				
135. Diseases of the urinary bladder	W Male	5				
	Female	2				
	O Female	2				
136. Diseases of the urethra (except calculus)	W Male	2				
	O Male	5				
137. Diseases of the prostate	W Male	83				
	O Male	29				
139. Diseases of the female genital organs	W Female	11				
	O Female	15				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
------	------	------	1	------	------	------	1	1	1	1	------	------	------	129.
------	1	------	------	------	1	------	------	1	------	------	------	------	------	
1	------	------	------	------	------	------	------	1	------	------	------	------	------	
1	1	1	------	1	------	------	1	------	------	------	------	------	------	
														X.
5	11	16	22	28	59	61	111	294	472	331	109	11	3	
5	6	8	14	15	24	27	55	166	309	252	90	2	------	
------	5	8	8	13	35	34	56	128	163	79	19	9	3	
5	12	18	25	40	63	71	83	212	318	270	119	7	3	
2	5	7	7	13	24	26	31	91	209	217	96	5	1	
3	7	11	18	27	39	45	52	121	109	53	23	2	2	
2	------	3	------	1	1	2	3	4	8	4	------	------	------	130.
1	------	------	1	1	3	------	1	------	2	1	------	------	------	
------	------	------	1	1	------	1	2	6	4	------	------	1	------	
------	1	------	3	2	5	------	6	6	3	2	------	------	------	
3	4	3	9	10	21	22	48	139	258	199	71	1	------	131.
1	2	5	4	8	16	22	25	82	190	200	90	4	1	
------	5	6	6	9	28	28	46	112	131	70	15	7	3	
2	4	7	9	21	28	42	43	111	100	51	22	2	2	
------	------	------	2	3	------	------	------	9	12	11	6	------	------	132.
------	2	------	1	1	1	------	------	4	6	11	5	1	------	
------	------	1	1	1	2	2	2	3	13	2	2	------	------	
------	------	2	1	2	2	2	------	2	5	------	1	------	------	
------	1	2	1	------	1	1	1	1	1	1	1	------	------	133.
------	------	1	1	1	2	3	2	2	2	5	1	------	------	
------	------	1	------	1	2	2	3	1	1	------	------	------	------	
------	------	------	------	------	1	1	1	------	1	------	------	------	------	
------	1	------	1	1	1	1	1	2	3	2	------	------	------	134.
------	------	1	------	------	------	------	1	1	6	------	------	------	------	
------	------	------	------	------	2	------	------	2	------	------	------	------	------	
------	------	------	------	------	------	------	1	1	------	------	------	------	------	
------	------	------	1	------	------	------	1	1	1	------	1	------	------	135.
------	------	------	------	------	------	------	------	1	1	------	------	------	------	
------	------	------	------	------	------	------	1	1	------	------	------	------	------	
------	------	------	------	------	------	------	------	1	1	------	------	------	------	136.
------	------	------	------	1	1	1	1	------	1	------	------	------	------	
------	------	------	------	------	------	1	1	9	25	35	11	1	------	137.
------	------	------	------	------	------	------	2	4	13	7	2	1	------	
------	1	------	------	2	2	1	2	1	2	------	------	------	------	139.
1	2	2	5	2	3	------	------	------	------	------	------	------	------	

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
XI. DISEASES OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM:						
Female	Total	202				2
	White	94				
	Other	108				2
140. Abortion with mention of infection	White	4				
	Other	8				
141. Abortion without mention of infection	White	3				
	Other	3				1
142. Ectopic gestation	White	5				
	Other	7				
143. Hemorrhage of pregnancy (death before delivery)	White	2				
144. Toxemias of pregnancy (death before delivery)	White	10				
	Other	13				
145 Other diseases and accidents of pregnancy (death before delivery)	Other	4				
146. Hemorrhage of childbirth and the puerperium	White	20				—
	Other	25				
147. Infection during childbirth and the puerperium	White	12				
	Other	16				1
148. Puerperal toxemias (excluding death before delivery)	White	23				
	Other	23				
149. Other accidents and specified conditions of childbirth)	White	9				
	Other	4				
150. Other and unspecified conditions of childbirth and the puerperium	White	6				
	Other	5				
XII. DISEASES OF THE SKIN AND CELLULAR TISSUE:						
Male	Total	12	3	1		
	White	9	2	1		
	Other	3	1			
Female	Total	15	3			1
	White	7	1			
	Other	8	2			1
152. Phlegmon and acute abscess	W Male	1				
	Female	1				
	O Male	1	1			
	Female	1				
153. Other diseases of the skin and cellular tissue	W Male	8	2	1		
	Female	6	1			
	O Male	2				
	Female	7	2			1

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
														XI.
18	49	50	41	29	10	2							1	
8	18	25	23	12	7	1								
10	31	25	18	17	3	1							1	
		3			1									140.
	3	4	1											
1		2												141.
	1		1											
	1	1	2	1										142.
1	2	4												
			1		1									143.
1	2	2	2	2	1									144.
2	3	5	1	2										
	2	1		1										145.
	1	6	5	4	3	1								146.
2	7	3	4	5	2	1							1	
1	4	3	2	2										147.
1	6	1	5	2										
5	7	4	6	1										148.
2	7	5	4	5										
	3	1	2	2	1									149.
1			1	1	1									
		3	3											150.
1		2	1	1										
														XII.
	1		1				2		3	1				
	1						1		3	1				----
			1				1							
2		1			2	1		1	1	2	1			
		1			1			1		2	1			
2					1	1			1					
										1				152.
										1				
									1					
	1						1		3					153.
		1			1			1		1	1			
			1				1							
2					1	1								

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
XIII. DISEASES OF THE BONES AND ORGANS OF MOVEMENT:						
Male	Total	5	1			
	White	3				
	Other	2	1			
Female	Total	12		2		1
	White	8		1		
	Other	4		1		1
154. Osteomyelitis and periostitis	W Male	1				
	Female	3		1		
	O Male	2	1			
155. Other diseases of the bones (except tuberculosis)	W Female	1				
	O Female	1				
156. Diseases of the joints and other organs of movement	W Male	2				
	Female	4				
	O Female	3		1		1
XIV. CONGENITAL MALFORMATIONS:						
157. Congenital malformations						
Male	Total	266	223	19	8	2
	White	209	180	14	5	2
	Other	57	43	5	3	
Female	Total	211	173	18	6	3
	White	179	151	14	4	2
	Other	32	22	4	2	1
XV. DISEASES PECULIAR TO THE FIRST YEAR OF LIFE:						
Male	Total	1,206	1,206			
	White	809	809			
	Other	397	397			
Female	Total	927	927			
	White	603	603			
	Other	324	324			
158. Congenital debility (cause not stated)	W Male	12	12			
	Female	6	6			
	O Male	22	22			
	Female	22	22			
159. Premature birth (cause not stated)	W Male	499	499			
	Female	393	393			
	O Male	248	248			
	Female	218	218			
160. Injury at birth	W Male	184	184			
	Female	120	120			
	O Male	74	74			
	Female	48	48			

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
														XIII.
	1		1			1		1						
			1			1		1						
	1													
	1				1	3	1		2		1			
	1				1	1	1		2		1			
						2								
						1								154.
							1		1					
	1													
									1					155.
						1								
			1					1						156.
	1				1	1					1			
						1								
														XIV.
														157.
4	3	2	1	3									1	
3	2	1	1	1										
1	1	1		2									1	
3	2	2	2		2									
2	1	2	2		1									
1	1				1									
														XV.
														158.
														159.
														160.

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
161. Other diseases peculiar to the first year of life	W	Male	114	114	------	------	------
		Female	84	84	------	------	------
	O	Male	53	53	------	------	------
		Female	36	36	------	------	------
XVI. SENILITY:							
162. Senility							
Male	Total		99	------	------	------	------
	White		59	------	------	------	------
	Other		40	------	------	------	------
Female	Total		148	------	------	------	------
	White		103	------	------	------	------
	Other		45	------	------	------	------
XVII. VIOLENT OR ACCIDENTAL DEATHS:							
Male	Total		2,293	103	77	61	79
	White		1,514	55	45	45	44
	Other		779	48	32	16	35
Female	Total		727	73	66	38	14
	White		518	42	36	27	10
	Other		209	31	30	11	4
163. Suicide by poisoning	W	Male	20	------	------	------	------
		Female	18	------	------	------	------
	O	Female	1	------	------	------	------
164. Suicide by other means	W	Male	221	------	------	------	------
		Female	25	------	------	------	------
	O	Male	23	------	------	------	------
		Female	5	------	------	------	------
166. Homicide by firearms	W	Male	70	------	------	------	------
		Female	28	------	1	------	------
	O	Male	156	------	1	------	2
		Female	13	------	------	------	------
167. Homicide by cutting or piercing instruments	W	Male	13	------	------	------	------
		Female	3	------	------	------	------
	O	Male	59	------	------	------	------
		Female	9	------	------	------	------
168. Homicide by other means	W	Male	19	------	------	------	------
		Female	6	1	------	1	------
	O	Male	22	------	------	2	------
		Female	12	1	1	2	------
169. Railway accidents (except collisions with motor vehicles)	W	Male	18	------	------	------	------
		Female	2	------	------	------	------
	O	Male	18	------	------	------	------
		Female	4	------	1	------	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
														161.
														XVI.
														162.
								3	21	38	31	6		
									7	26	23	3		
								3	14	12	8	3		
								4	23	49	54	18		
									12	35	44	12		
								4	11	14	10	6		
														XVII.
174	289	249	220	203	171	135	122	175	141	70	21	1	2	
110	191	141	144	129	117	95	87	122	112	55	19	1	2	
64	98	108	76	74	54	40	35	53	29	15	2			
46	41	35	35	43	29	28	19	35	77	87	54	7		
31	25	20	21	33	20	19	11	24	60	83	49	7		
15	16	15	14	10	9	9	8	11	17	4	5			
	1	3	2	1	5	4	2	1	1					163.
		1	1	7	6	1	1		1					
						1								
4	15	16	28	24	21	28	20	34	23	6	2			164.
1	3	2	3	5	2	1	3	3	2					
2		4	3	2	3	2	5	2						
		1	1	1	2									
4	10	6	11	9	8	7	6	5	2	2				166.
3	1	4	4	4	4	5	1	1						
6	33	33	23	26	11	8	8	4		1				
2	4	1	2		3		1							
	5	1		2	2	1		1	1					167.
1		1		1										
7	10	15	4	9	5	4	1	2	2					
		4	2	3										
	2	4		1	4	2	1	3		1			1	168.
	1		2						1					
1	3	1	3	1	3	2	1	3	2					
	2	3	1			1		1						
1	3	2	2	6	1	1			1	1				169.
						1			1					
1	4	3	3	2	2		1	1		1				
				2		1								

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
170. Motor-vehicles accidents	W	Male	560	2	17	21	23
		Female	105	------	7	16	6
	O	Male	181	------	5	5	4
		Female	33	1	2	2	2
171. Street-car and other road-transport accidents	W	Female	1	------	1	------	------
	O	Male	2	------	1	------	------
172. Water-transport accidents	W	Male	24	------	------	1	------
		Female	2	------	------	------	------
	O	Male	10	------	------	------	1
173. Air-transport accidents	W	Male	40	------	------	------	1
		Female	2	------	------	------	------
174. Accidents in mines and quarries	W	Male	2	------	------	------	------
	O	Male	2	------	------	------	------
175. Agricultural and forestry accidents	W	Male	42	------	------	------	1
		Female	5	------	------	1	1
	O	Male	16	------	------	------	1
		Female	1	------	------	1	------
176. Other accidents involving machinery	W	Male	9	------	------	------	------
		Female	1	------	------	------	------
	O	Male	2	------	------	------	------
177. Food poisoning	W	Male	1	------	------	------	------
		Female	2	------	1	------	------
	O	Female	2	------	------	------	------
178. Accidental absorption of poisonous gas	W	Male	9	------	------	------	------
		Female	5	------	------	------	------
	O	Male	3	------	------	------	------
		Female	2	------	------	------	------
179. Acute accidental poisoning by solids or liquids	W	Male	23	1	2	------	------
		Female	14	------	4	------	------
	O	Male	8	1	4	------	------
		Female	7	------	5	------	------
180. Conflagration	W	Male	23	2	4	1	------
		Female	7	------	1	1	------
	O	Male	36	9	9	2	2
		Female	29	3	10	4	------
181. Accidental burns (except conflagration)	W	Male	36	1	7	3	------
		Female	34	2	10	3	------
	O	Male	29	------	6	3	------
		Female	27	1	6	1	1
182. Accidental mechanical suffocation	W	Male	36	30	------	1	------
		Female	30	29	1	------	------
	O	Male	29	26	1	------	------
		Female	20	19	1	------	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
62	106	66	53	42	32	27	33	32	27	15	1		1	170.
14	11	6	5	8	3	7	5	3	12	2				
18	20	22	19	23	14	10	9	17	13	2				
5	2	2	2		1	2	5	5	1	1				
														171.
						1								
4	2	3	4	3	5	1		1						172.
2														
	2	2	3	1	1									
3	12	10	6	6	1		1							173.
1				1										
1			1											174.
		1						1						
3	4		4	1	5	4	6	6	8					175.
1								1	1					
2	1		2		1	3	2	3	1					
	1	1		3		1		3						176.
						1								
	1					1								
									1					177.
				1										
			1						1					
			2		3		2	2						178.
	3	1		1										
	1	2												
2														
	1		3	5	4		1	4	2					179.
	1	4	1	1	1			1		1				
			1	1			1							
1	1													
1	1	1	2	4	2		1	2	1	1				180.
			2						2	1				
1	1	1	2		1		1	2	1	4				
1	2	1	2			2			2		2			
2	1	1	3	5	3	1	1	2	4	1	1			181.
3			3	3	3	1			1	4	1			
1	2	3	2	1	2		1	4	2	1	1			
	1	2	3	2	1	1	2	1	4	1				
1		1	1					2						182.
		1		1										

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex		All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
183. Accidental drowning	W	Male	66	1	6	7	8
		Female	8		1		
	O	Male	60			2	17
		Female	5		1		1
184. Accidental injury by firearms	W	Male	39		2	1	4
		Female	9		1	4	2
	O	Male	32		1	2	4
		Female	6		1	1	
185. Accidental injury by cutting or piercing instruments	W	Male	2				1
186. Accidental injury by fall or crushing	W	Male	124	1	2	5	
		Female	177	2	4		
	O	Male	28	2	2		
		Female	19	1	1		
187. Cataclysm (all deaths attributed to a cataclysm, regardless of their nature)	O	Male	1				
188. Injury by animals (not specified as venomous or occurring in the course of agricultural and forestry operations)	W	Male	3			1	1
		Female	2			1	
	O	Male	1				
		Female	1				
189. Hunger or thirst	W	Female	1				
190. Excessive cold	W	Male	3				
	O	Male	7	1			
		Female	1				
191. Excessive heat	W	Male	1				
	O	Male	3				
		Female	1				
192. Lightning	W	Male	6				
		Female	2				
	O	Male	6				3
193. Accidents due to electric currents (except lightning)	W	Male	19			1	2
	O	Male	3				
		Female	1				
194. Poisoning by venomous animals (not occurring in the course of agricultural and forestry operations)	W	Male	2				
195. Other accidents	W	Male	79	17	5	3	3
		Female	29	8	4		1
	O	Male	25	9	2		1
		Female	10	5	1		
198. Legal executions	W	Male	4				
	O	Male	17				

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
12	6	6	2	3	4	4	2	3	2					183.
4	1				1			1						
10	11	7	1	2	1	5		1	1	2				
1	1	1												
5	1	6	5	3	2	2	3	2	3					184.
	2													
6	2	4	4		4	1	3			1				
1	3													
								1						185.
4	5	6	4	4	7	8	6	6	27	23	15	1		186.
						1	1	10	37	71	44	7		
3		2	1	2	2		1	6	4	2	1			
				2		1		3	7	2	2			
									1					187.
									1					188.
	1													
								1						
									1					
								1						189.
								1	1	1				190.
				1	1	1		2	1					
								1						
										1				191.
						1		1	1					
1														
1	1			2	1				1					192.
1								1						
1	1					1								
1	4	3	2	1	2	1		2						193.
1			1				1							
									1					
								1	1					194.
1	7	5	9	3	5	3	2	8	5	3				195.
	1	1		1		1		2	2	4	4			
4		1	1	2	1			3		1				
1					2						1			
	3			1										198.
	6	6	3		2									

TABLE V.—

Cause of Death (International Code Number Precedes Each Cause)	Race and Sex	All Ages	Under 1 Year	1 to 4 Years	5 to 9 Years	10 to 14 Years
XVIII. ILL-DEFINED AND UNKNOWN CAUSES:						
Male	Total	446	157	11	3	2
	White	246	78	7	1	2
	Other	200	79	4	2	------
Female	Total	260	106	9	3	------
	White	129	49	2	2	------
	Other	131	57	7	1	------
199. Sudden death	W Male	29	4	1	------	------
	Female	13	5	------	------	------
	O Male	13	1	------	------	------
	Female	5	1	2	------	------
200. Ill-defined and unknown causes	W Male	217	74	6	1	2
	Female	116	44	2	2	------
	O Male	187	78	4	2	------
	Female	126	56	5	1	------

Continued

15 to 19 Years	20 to 24 Years	25 to 29 Years	30 to 34 Years	35 to 39 Years	40 to 44 Years	45 to 49 Years	50 to 54 Years	55 to 64 Years	65 to 74 Years	75 to 84 Years	85 to 94 Years	95 and Over	Unknown	Code Cause Number
														XVIII.
5	1	10	12	14	17	20	24	46	70	40	11	3	------	
2	1	2	5	6	7	14	15	29	43	26	6	2	------	
3	------	8	7	8	10	6	9	17	27	14	5	1	------	
1	5	6	6	4	10	7	9	26	29	20	11	6	2	
--------	2	3	3	1	4	2	2	8	24	14	8	4	1	
1	3	3	3	3	6	5	7	18	5	6	3	2	1	
--------	------	------	1	------	2	2	2	4	7	3	3	------	------	199.
--------	------	------	------	------	------	1	------	------	5	2	------	------	------	
1	------	1	------	------	4	2	------	2	2	------	------	------	------	
--------	------	------	------	------	------	------	------	1	1	------	------	------	------	
2	1	2	4	6	5	12	13	25	36	23	3	2	------	200.
--------	2	3	3	1	4	1	2	8	19	12	8	4	1	
2	------	7	7	8	6	4	9	15	25	14	5	1	------	
1	3	3	3	3	6	5	7	17	4	6	3	2	1	

TABLE VI.—DEATHS (EXCLUSIVE OF STILLBIRTHS) BY COUNTY AND COLOR WITH CRUDE RATES PER 1,000 POPULATION, 1947

County	Place of Death			Place of Residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
North Carolina	30,174	20,029	10,145	29,925	8.0	19,823	7.4	10,102	9.7
Alamance	367	282	85	431	7.2	327	6.7	104	9.4
Alexander	86	73	13	116	8.3	98	7.5	18	17.9
Alleghany	51	48	3	66	7.6	63	7.5	3	9.0
Anson	238	110	128	253	8.5	122	8.1	131	9.0
Ashe	130	128	2	145	6.1	143	6.2	2	3.8
Avery	95	93	2	91	6.4	89	6.4	2	6.7
Beaufort	361	210	151	336	8.9	195	8.3	141	9.8
Bertie	184	77	107	216	7.9	90	7.6	126	8.1
Bladen	157	86	71	214	7.6	126	7.6	88	7.6
Brunswick	99	50	49	118	6.6	57	4.8	61	10.1
Buncombe	1,296	1,062	234	1,002	8.9	816	8.5	186	11.1
Burke	339	307	32	261	6.5	229	6.2	32	9.7
Cabarrus	333	263	70	359	5.8	281	5.4	78	7.7
Caldwell	259	236	23	292	7.8	263	7.6	29	10.4
Camden	26	10	16	36	6.4	20	6.0	16	6.8
Carteret	161	136	25	173	9.1	142	8.8	31	11.0
Caswell	126	46	80	153	7.3	61	5.4	92	9.7
Catawba	393	354	39	395	7.3	355	7.3	40	7.5
Chatham	146	100	46	201	7.8	133	7.6	68	8.3
Cherokee	108	105	3	93	4.7	89	4.6	4	17.9
Chowan	94	53	41	106	8.8	64	10.0	42	7.4
Clay	25	25	----------	34	5.1	34	5.2	----------	------
Cleveland	400	321	79	428	7.1	344	7.3	84	6.3
Columbus	371	199	172	414	8.7	224	6.9	190	12.4
Craven	337	146	191	371	11.4	169	9.4	202	13.8
Cumberland	728	475	253	590	9.6	366	9.0	224	10.5
Currituck	52	36	16	61	8.7	43	9.5	18	7.3
Dare	30	22	8	44	7.0	37	6.4	7	14.5
Davidson	359	300	59	403	7.3	343	6.9	60	9.8
Davie	92	81	11	115	7.4	101	7.6	14	6.2
Duplin	237	148	89	309	7.5	194	7.3	115	7.8
Durham	1,148	726	422	735	8.8	437	8.1	298	10.0
Edgecombe	410	176	234	434	8.5	187	8.0	247	8.9
Forsyth	1,335	834	501	1,131	8.6	619	7.0	512	12.0
Franklin	172	94	78	236	7.5	128	7.1	108	7.9
Gaston	572	466	106	659	7.2	548	7.0	111	8.5
Gates	78	29	49	93	8.9	41	7.8	52	10.0
Graham	23	22	1	31	4.6	28	4.3	3	16.1
Granville	299	144	155	299	9.8	128	8.5	171	11.0
Greene	67	25	42	99	5.1	41	3.8	58	6.9

TABLE VI.—*Continued*

County	Place of Death			Place of Residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
Guilford	1,299	943	356	1,302	8.1	946	7.5	356	10.6
Halifax	455	202	253	486	8.3	210	8.3	276	8.3
Harnett	343	232	111	347	7.5	228	6.8	119	9.3
Haywood	211	205	6	236	6.5	229	6.5	7	7.5
Henderson	276	247	29	260	9.6	232	9.3	28	12.8
Hertford	124	59	65	174	8.6	80	9.7	94	7.9
Hoke	246	72	174	122	7.9	48	8.0	74	7.7
Hyde	40	25	15	57	7.0	36	7.5	21	6.2
Iredell	487	388	99	402	7.7	300	7.1	102	10.2
Jackson	141	129	12	149	7.4	137	7.3	12	8.3
Johnston	306	217	89	428	6.4	303	5.8	125	8.9
Jones	52	27	25	77	6.8	42	6.6	35	7.0
Lee	180	128	52	162	8.3	116	8.3	46	8.2
Lenoir	493	303	190	430	10.0	245	10.0	185	10.0
Lincoln	156	126	30	163	6.5	127	5.8	36	10.5
McDowell	127	114	13	134	5.6	118	5.4	16	8.4
Macon	115	108	7	109	6.6	102	6.4	7	14.5
Madison	136	135	1	179	7.6	176	7.6	3	11.5
Martin	182	104	78	213	7.8	116	8.3	97	7.3
Mecklenburg	1,633	1,104	529	1,440	9.1	902	8.0	538	11.9
Mitchell	77	77	----------	89	5.4	89	5.4	----------	------
Montgomery	98	69	29	134	7.9	95	7.3	39	10.0
Moore	255	172	83	247	7.7	157	7.0	90	9.2
Nash	558	282	276	497	8.6	258	7.7	239	9.8
New Hanover	789	459	330	662	13.3	378	11.8	284	16.0
Northampton	162	52	110	210	7.1	65	5.8	145	7.9
Onslow	174	122	52	183	9.8	130	9.6	53	10.5
Orange	139	81	58	202	8.4	134	8.1	68	9.1
Pamlico	61	37	24	81	8.0	50	7.6	31	8.8
Pasquotank	219	132	87	207	9.7	116	9.4	91	10.0
Pender	101	49	52	164	8.9	78	7.9	86	10.1
Perquimans	78	33	45	96	9.4	44	8.4	52	10.5
Person	143	95	48	183	7.0	120	7.4	63	6.5
Pitt	401	197	204	475	7.4	230	6.9	245	8.1
Polk	93	82	11	91	7.4	81	7.6	10	5.8
Randolph	274	238	36	312	6.7	273	6.5	39	8.7
Richmond	317	213	104	354	9.2	240	9.4	114	8.9
Robeson	599	266	333	639	8.0	273	7.6	366	8.3
Rockingham	430	321	109	477	7.9	361	7.6	116	9.3
Rowan	533	394	139	561	7.8	421	7.2	140	10.4
Rutherford	283	242	41	296	6.2	250	6.1	46	7.2
Sampson	325	198	127	404	8.2	244	7.7	160	9.1
Scotland	212	88	124	219	9.1	96	8.6	123	9.5
Stanly	263	233	30	277	8.1	244	8.1	33	8.1
Stokes	121	106	15	153	6.5	136	6.4	17	7.1

TABLE VI.—*Continued*

County	Place of Death			Place of Residence					
	Total	White	Other	Total		White		Other	
				Number	Rate	Number	Rate	Number	Rate
Surry	376	354	22	360	8.3	335	8.2	25	9.5
Swain	62	42	20	70	5.5	51	4.6	19	11.9
Transylvania	76	67	9	76	6.0	68	5.7	8	9.0
Tyrrell	62	45	17	56	9.7	40	10.9	16	7.7
Union	313	239	74	351	8.6	272	8.7	79	8.3
Vance	340	154	186	328	10.5	159	9.5	169	11.6
Wake	1,183	756	427	982	8.6	582	7.7	400	10.4
Warren	201	60	141	247	10.3	75	9.0	172	10.9
Washington	106	55	51	124	9.7	66	9.2	58	10.2
Watauga	108	104	4	118	6.3	116	6.3	2	5.4
Wayne	824	233	591	492	8.1	240	7.0	252	9.6
Wilkes	296	267	29	339	7.6	309	7.4	30	10.2
Wilson	570	294	276	516	9.9	252	8.3	264	12.0
Yadkin	88	77	11	142	6.6	130	6.4	12	10.1
Yancey	78	78	----------	98	5.5	97	5.5	1	5.4

TABLE VII.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS OF EACH

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	North Carolina 1947 Total	1945-47 Average Total	1947 White	1945-47 Average White
All causes—Total recorded	29,925	28,969	19,823	19,115
1. Typhoid and paratyphoid fevers (1, 2)	5	9	3	4
2. Plague (3)	-------	-------	-------	-------
3. Scarlet fever (8)	2	4	2	3
4. Whooping-cough (9)	54	68	22	32
5. Diphtheria (10)	32	58	17	42
6. Tuberculosis of the respiratory system (13)	975	1,022	385	407
7. All other forms of tuberculosis (14-22)	81	97	26	36
8. Malaria (28)	2	11	1	7
9. Syphilis (30)	259	263	75	78
10. Influenza (33)	294	330	176	200
11. Smallpox (34)	-------	-------	-------	-------
12 Measles (35)	25	26	18	15
13a. Typhus fever (39b)	4	8	2	6
13b. Rocky Mountain spotted fever (39c)	18	19	14	16
14a. Dysentery (27)	16	19	7	9
14b. Mumps (44c)	1	-------	1	-------
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)	156	170	104	118
15. Cancer and other malignant tumors (45-55)	2,759	2,595	2,077	1,977
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)	127	127	69	75
17. Chronic rheumatism and gout (59, 60)	41	38	35	29
18. Diabetes mellitus (61)	578	510	422	386
19. Chronic or acute alcoholism (77)	96	69	63	47
20a. Pellagra (69)	60	66	43	51
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	363	352	261	256
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)	77	91	50	59
22. Intracranial lesions of vascular origin (83)	3,348	3,162	2,186	2,082
23. Other diseases of the nervous system and sense organs (80, 84-89)	300	300	139	151
24. Diseases of the heart (90-95)	7,501	6,871	5,503	5,048
25. Other diseases of the circulatory system (96-103)	459	464	305	287
26. Bronchitis (106)	74	64	55	49
27. Pneumonias (107-109)	1,271	1,351	686	740
28. Other diseases of the respiratory system (104, 105, 110-114)	239	251	163	167
29a. Diarrhea and enteritis (under 2 years) (119)	166	258	94	128
29b. Diarrhea and enteritis (2 years and over) (120)	65	72	30	37
30. Appendicitis (121)	98	125	54	76
31a. Cirrhosis of the liver (124)	165	151	136	121
31b. Other diseases of the biliary system (125-127)	120	97	95	74
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	446	482	284	300
33. Nephritis (130-132)	2,585	2,763	1,570	1,667
34. Other diseases of the urinary and genital systems (133-139)	234	261	160	165
35. Puerperal infection (140, 147)	40	35	16	13
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	162	181	78	84
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)	44	48	27	30
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	2,610	2,341	1,800	1,616
39. Senility, old age (162)	247	236	162	156
40. Suicide (163-164)	313	278	284	251
41. Homicide (165-168)	410	359	139	112
42. Automobile accidents (all motor driven road vehicles) (170)	879	879	665	658
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	1,418	1,333	944	894
44. Causes of death ill-defined, unknown or unspecified (199-200)	706	654	375	356

COUNTY BY CAUSE (ABRIDGED INTERNATIONAL LIST) AND COLOR, 1947

1947 Other	1945-47 Average Other	Alamance		Alexander		Alleghany		Anson		Ashe		
		White	Other	White	Other	White	Other	White	Other	White	Other	
10,102	9,854	327	104	98	18	63	3	122	131	143	2	
2	5											1
												2
	1											3
32	37								1	2		4
15	16											5
590	615	9	6	3	1	1		2	4	5		6
55	61	1	1							2		7
1	4											8
184	185		4	1					1			9
118	130	7	3	1		1		1	1	2		10
												11
7	11											12
2	2											13a
4	3									1		13b
9	10								1			14a
												14b
52	52	4		1				1	1	1		14c
682	618	39	9	8	2	11	1	17	13	8		15
58	52	1	3	1								16
6	9			1								17
156	124	10	2	2				6	2	1		18
33	22							1	2	1		19
17	15		1									20a
102	96	2		1		3		2	2	2		20b
27	32	3	1	1				2				21
1,162	1,080	35	8	11	2	7		18	12	14	1	22
161	149	5		1	1	2		1	1	1		23
1,998	1,823	105	16	14	3	9		25	33	43		24
154	177	2	2	4				2	1	1		25
19	15									1		26
585	612	13	6	5		11		1	5	6		27
76	84	4	1						1	1		28
72	130	1							1	1		29a
35	34									1		29b
44	49							1	2			30
29	30											31a
25	23	1							1	1		31b
162	182	1	2	1		1		1	1	2		32
1,015	1,097	23	9	7	1	9	1	15	19	4	1	33
74	96	1						1		5		34
24	22									1		35
84	98		1		1				1	3		36
17	18									1		37
810	725	28	12	10	3	1		10	7	14		38
85	80	2	3	13				1	1	3		39
29	28	3	1					2		2		40
271	247	3	1						1	1		41
214	222	9	2	2	2	4		5	2	2		42
474	439	11	6	4		2		5	2	6		43
331	298	4	4	6	2	1	1	2	12	4		44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Avery		Beaufort	
	White	Other	White	Other
All causes—Total recorded	89	2	195	141
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)			1	
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)	5		4	9
7. All other forms of tuberculosis (14-22)				1
8. Malaria (28)				
9. Syphilis (30)			1	4
10. Influenza (33)	3		4	6
11. Smallpox (34)				
12. Measles (35)				
12a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)			1	1
15. Cancer and other malignant tumors (45-55)	9		23	7
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)				
17. Chronic rheumatism and gout (59, 60)			1	
18. Diabetes mellitus (61)			6	2
19. Chronic or acute alcoholism (77)				
20a. Pellagra (69)	1			
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	1		2	1
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)	1			
22. Intracranial lesions of vascular origin (83)	4		30	21
23. Other diseases of the nervous system and sense organs (80, 84-89)			1	1
24. Diseases of the heart (90-95)	21	1	38	24
25. Other diseases of the circulatory system (96-103)	1		3	6
26. Bronchitis (106)	1			
27. Pneumonias (107-109)	5		15	4
28. Other diseases of the respiratory system (104, 105, 110-114)			1	1
29a. Diarrhea and enteritis (under 2 years) (119)			1	1
29b. Diarrhea and enteritis (2 years and over) (120)				
30. Appendicitis (121)				
31a. Cirrhosis of the liver (124)			3	2
31b. Other diseases of the biliary system (125-127)	2			
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)			3	2
33. Nephritis (130-132)	3	1	11	14
34. Other diseases of the urinary and genital systems (133-139)	1		2	1
35. Puerperal infection (140, 147)	1			
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)			2	1
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)				
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	18		18	11
39. Senility, old age (162)			4	3
40. Suicide (163-164)			4	1
41. Homicide (165-168)			1	3
42. Automobile accidents (all motor driven road vehicles) (170)	6		4	1
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	2		10	7
44. Causes of death ill-defined, unknown or unspecified (199-200)	4		1	6

Continued

Bertie		Bladen		Brunswick		Buncombe		Burke		Cabarrus		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
90	126	126	88	57	61	816	186	229	32	281	78	
												1
												2
												3
	3	1				2						4
					1					1		5
2	7	2	5	2	1	28	18	8	2	4	2	6
						4	4					7
												8
2	3		1		1	5	1	4	1	2	1	9
	1		3			3	6	3	1	2		10
												11
												12
												13a
	1											13b
	1		1									14a
												14b
	1	2	1	1		4	2	2		1		14c
15	3	9	5	10	5	98	14	24		29	5	15
	2					1	1	1				16
						1		2		1		17
1		1	2		2	14	4	3		10		18
1	1					4	2					19
1	1					7	1	2				20a
						6	2	5	1	1		20b
	1							1		1		21
15	23	18	10	10	4	93	20	23	2	25	2	22
	2	1	2	1		7		1		2	1	23
23	21	27	12	14	13	240	33	66	10	59	27	24
2	3	3			2	12	5	6	2		1	25
		1				2	1			2		26
2	10	7	2	6	5	28	8	11		8	5	27
	2		3			7		4			3	28
			2			4		2		1		29a
						1				1	1	29b
	1					3	2	2		1	2	30
1	1					6				2		31a
1		1		1		5			1			31b
		1	1		2	10	2	2		1	3	32
4	3	17	16	2	5	55	27	8	4	25	9	33
		4		1		7	1	4		1	1	34
	1				1	1						35
	1		2			2	2			4	1	36
1						2	1	1				37
2	12	13	7	7	4	64	10	17	2	30	4	38
2	2	2	1		2	3	2	1		5		39
5		2				16		3		10		40
	3	1	1	1		6	5	4	2	3	2	41
	2	8			1	23	1	8	1	10	2	42
9	8	4	4	1	6	33	8	8	2	14	1	43
1	6	1	7		6	9	3	3	1	25	5	44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Caldwell		Camden	
	White	Other	White	Other
All causes—Total recorded	263	29	20	16
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)				
5. Diphtheria (10)	1			
6. Tuberculosis of the respiratory system (13)	4	1	1	2
7. All other forms of tuberculosis (14-22)				
8. Malaria (28)				
9. Syphilis (30)	2	1		1
10. Influenza (33)	3			
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)	1			
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)			1	
15. Cancer and other malignant tumors (45-55)	21	5	2	2
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)				
17. Chronic rheumatism and gout (59, 60)	1			
18. Diabetes mellitus (61)	2	1	1	
19. Chronic or acute alcoholism (77)	1	1		
20a. Pellagra (69)				
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	6			
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)				
22. Intracranial lesions of vascular origin (83)	33	6		3
23. Other diseases of the nervous system and sense organs (80, 84-89)	2	1		1
24. Diseases of the heart (90-95)	77	5	9	
25. Other diseases of the circulatory system (96-103)	3			
26. Bronchitis (106)	1			
27. Pneumonias (107-109)	15	2		
28. Other diseases of the respiratory system (104, 105, 110-114)	5			
29a. Diarrhea and enteritis (under 2 years) (119)				
29b. Diarrhea and enteritis (2 years and over) (120)				
30. Appendicitis (121)				1
31a. Cirrhosis of the liver (124)				
31b. Other diseases of the biliary system (125-127)	1			
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	4			1
33. Nephritis (130-132)	12	1	3	
34. Other diseases of the urinary and genital systems (133-139)	2		1	1
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	2			
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)	1			
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	26	3	1	1
39. Senility, old age (162)	1			
40. Suicide (163-164)	5			
41. Homicide (165-168)	3	1		1
42. Automobile accidents (all motor driven road vehicles) (170)	8		1	
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	16			2
44. Causes of death ill-defined, unknown or unspecified (199-200)	4	1		

Continued

Carteret		Caswell		Catawba		Chatham		Cherokee		Chowan		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
142	31	61	92	355	40	133	68	89	4	64	42	
											1	1
												2
												3
				1		1		1				4
				1								5
2			3	2		1	2	1		2	1	6
				1								7
												8
	3		1	1		1						9
		1		6		1		1				10
												11
												12
												13a
						1						13b
							1					14a
												14b
		1		1		1	2	1				14c
24	4	8	5	36	3	17	1	9		9	3	15
				2		2						16
				1								17
6		1		4		4	2	1		1	2	18
				1								19
				2	1	2		2				20a
3	1		3	5		3		2				20b
				1								21
21	3	11	11	40	3	17	4	6		14	7	22
		2	4	2		1	1				2	23
38	7	16	26	121	12	31	14	13	1	19	12	24
		2	3	4		4	1	1		1	3	25
1												26
5	3	3	5	11	1	3	4	8	1	3		27
2		1		3	1	1	1	1				28
			2	1		2		1				29a
				1		1						29b
					1							30
1										1		31a
3						1	1			1		31b
2	1		1	4	1			4		1	1	32
12	4	4	9	19	9	14	8	8		2	3	33
1		1			1	1				1		34
						1	1					35
			1	2			1	2				36
				2								37
11	1	4	5	33		7	6	12		2	3	38
2	1	1		5		1		1				39
		1		5				1				40
			2	1	1		4				2	41
5	1		6	13	1	4	2	1		2		42
3	2	4	5	10	4	5	6	3		5		43
				13	1	5	6	9	2		2	44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Clay		Cleveland	
	White	Other	White	Other
All causes—Total recorded	34		344	84
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)			2	
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)	1		3	6
7. All other forms of tuberculosis (14-22)				
8. Malaria (28)				
9. Syphilis (30)			2	2
10. Influenza (33)			3	1
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)			1	
15. Cancer and other malignant tumors (45-55)	3		44	1
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)			2	
17. Chronic rheumatism and gout (59, 60)				
18. Diabetes mellitus (61)	1		7	1
19. Chronic or acute alcoholism (77)			1	
20a. Pellagra (69)				
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)			6	1
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)			1	
22. Intracranial lesions of vascular origin (83)	4		46	11
23. Other diseases of the nervous system and sense organs (80, 84-89)			3	1
24. Diseases of the heart (90-95)	6		89	11
25. Other diseases of the circulatory system (96-103)			5	4
26. Bronchitis (106)				
27. Pneumonias (107-109)	2		9	9
28. Other diseases of the respiratory system (104, 105, 110-114)			1	1
29a. Diarrhea and enteritis (under 2 years) (119)			1	
29b. Diarrhea and enteritis (2 years and over) (120)				
30. Appendicitis (121)			1	1
31a. Cirrhosis of the liver (124)			5	
31b. Other diseases of the biliary system (125-127)			2	
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	1		9	1
33. Nephritis (130-132)	3		27	8
34. Other diseases of the urinary and genital systems (133-139)			3	
35. Puerperal infection (140, 147)			2	
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	1			
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)				
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	4		30	8
39. Senility, old age (162)			3	
40. Suicide (163-164)			1	2
41. Homicide (165-168)			1	4
42. Automobile accidents (all motor driven road vehicles) (170)			11	5
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	6		18	3
44. Causes of death ill-defined, unknown or unspecified (199-200)	2		5	3

Continued

Columbus		Craven		Cumberland		Currituck		Dare		Davidson		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
224	190	169	202	366	224	43	18	37	7	343	60	
												1
												2
1												3
												4
												5
5	10	7	11	3	15	1				9	2	6
			1							1		7
			1									8
	4		3	3	4	1	2				1	9
1	3	3	2	1	3					3	1	10
												11
												12
												13a
										1		13b
					1							14a
												14b
1	1	2	2	2	2					2		14c
15	9	14	8	33	19	4		2	2	48	4	15
2		1	2	1						1		16
1				1								17
4	3	2	1	4	2	1		2	1	12	1	18
			1	1	1					1		19
										2		20a
1	5		1	2						4		20b
			1	1						2		21
20	14	16	29	41	24	5	2	4		43	9	22
1	2	1	8	1	6					1		23
46	27	31	35	99	41	25	5	11	1	75	16	24
6	3	5	6	8	3	1			1	7	2	25
	2			2	1					1		26
9	14	11	7	17	21	1		2		12	3	27
4	3	1	2	2	1					1		28
2	1	1		2						1	1	29a
			1	2						1		29b
		1	1	1	3					2		30
		2		5	1	1					1	31a
1		1	2					1		1		31b
1	1	3	3	8	3	2				6	1	32
23	23	23	26	15	19		5	4	1	36	9	33
1	1	1	5	2	2	1	1					34
												35
2	1	1	4	3	2					2		36
	1			1								37
35	10	13	12	47	16			1	1	35	2	38
	1		2		2			1		2		39
6	1	3		5	1					4		40
2	3	1	7	3	6		1			2	3	41
6	6	5	5	24	5		1	5		6	1	42
9	10	20	9	17	14		1	2		15	2	43
19	31		4	9	6			2		4	1	44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Davie		Duplin	
	White	Other	White	Other
All causes—Total recorded	101	14	194	115
1. Typhoid and paratyphoid fevers (1, 2)	1			
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)				1
5. Diphtheria (10)				1
6. Tuberculosis of the respiratory system (13)	1	2	4	9
7. All other forms of tuberculosis (14-22)	2		1	2
8. Malaria (28)				
9. Syphilis (30)				1
10. Influenza (33)	3	1	1	2
11. Smallpox (34)				
12. Measles (35)			1	1
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)			1	
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)				
15. Cancer and other malignant tumors (45-55)	11		12	6
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)			1	
17. Chronic rheumatism and gout (59, 60)			1	1
18. Diabetes mellitus (61)	5			
19. Chronic or acute alcoholism (77)	2			
20a. Pellagra (69)	1			
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	3	1		2
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)				
22. Intracranial lesions of vascular origin (83)	12	4	36	13
23. Other diseases of the nervous system and sense organs (80, 84-89)		1	1	
24. Diseases of the heart (90-95)	14		60	22
25. Other diseases of the circulatory system (96-103)			2	1
26. Bronchitis (106)			2	
27. Pneumonias (107-109)	4		6	9
28. Other diseases of the respiratory system (104, 105, 110-114)			2	
29a. Diarrhea and enteritis (under 2 years) (119)			1	5
29b. Diarrhea and enteritis (2 years and over) (120)				
30. Appendicitis (121)		1		
31a. Cirrhosis of the liver (124)	1		1	1
31b. Other diseases of the biliary system (125-127)	1			
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	1		1	1
33. Nephritis (130-132)	17	2	11	7
34. Other diseases of the urinary and genital systems (133-139)			2	1
35. Puerperal infection (140, 147)				2
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)				1
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)			1	
38 Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	5	1	24	12
39. Senility, old age (162)				3
40. Suicide (163-164)	1		2	
41. Homicide (165-168)	1			3
42. Automobile accidents (all motor driven road vehicles) (170)	2		4	1
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	3	1	12	6
44. Causes of death ill-defined, unknown or unspecified (199-200)			4	1

Continued

Durham		Edgecombe		Forsyth		Franklin		Gaston		Gates		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
437	298	187	247	619	512	128	108	548	111	41	52	
												1
												2
												3
	1						1					4
	1							1				5
6	25	11	19	12	36	3	6	11	3	3	3	6
	2			1	4			1				7
												8
2	2	3	6	5	13		2	2	2			9
2	5	1	3	1	2	1	3	7	1	1		10
												11
							1	2				12
												13a
												13b
				1					1			14a
												14b
2	4		1	3	2		2	1	1		1	14c
70	31	18	18	84	32	10	4	50	10	3	3	15
2	2		1	2	4		1	3				16
1				1				1			1	17
9	6	7	3	17	7	1		14		2	1	18
		2		1	2			1				19
				2	1			2	1			20a
6	2	2	2	9	7		1	16				20b
			1	2	4		1	1				21
37	22	32	31	69	67	19	10	49	18	8	9	22
3	4	2	5	4	4	2	3	1	1			23
153	57	36	69	195	120	37	15	136	26	14	11	24
3	3	7	3	9	8	1		5	1	1	3	25
	2	1		2				4				26
12	15	5	7	20	39	1	3	11	10		4	27
7	3	1	2	1	5	1		4	2	1		28
2			4	2	6		2	5	1			29a
			1	1	1		2			1		29b
	2				2			2				30
4		4		3	1	3		6				31a
1	1	1	1	4	1	1		2				31b
4	4			7	8	6	1	11	1			32
24	31	22	24	43	37	22	16	44	13			33
7	3	2	3	1	1		1	3	1		1	34
	1				4						1	35
		1	2	2	2	1	1	1				36
1					1		1			1		37
41	31	12	17	60	53	9	11	61	5		6	38
1	2	3	2	1	1		4	4				39
3	2	3		8	3	3	1	4		1		40
1	13		3	3	8		3	8	2		2	41
14	7	2	1	17	7	4	4	18	4		2	42
19	8	8	10	24	14	3	3	39	2	4	3	43
	6	1	8	2	5		5	17	5	1	1	44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Graham		Granville	
	White	Other	White	Other
All causes—Total recorded	28	3	128	171
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)				
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)			3	9
7. All other forms of tuberculosis (14-22)	1			1
8. Malaria (28)				
9. Syphilis (30)			1	2
10. Influenza (33)	1		2	5
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				1
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)				1
15. Cancer and other malignant tumors (45-55)	2	1	10	13
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)				1
17. Chronic rheumatism and gout (59, 60)			1	
18. Diabetes mellitus (61)			3	4
19. Chronic or acute alcoholism (77)				
20a. Pellagra (69)				
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	1		3	
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)				2
22. Intracranial lesions of vascular origin (83)	2		13	20
23. Other diseases of the nervous system and sense organs (80, 84-89)				4
24. Diseases of the heart (90-95)	4		30	33
25. Other diseases of the circulatory system (96-103)				1
26. Bronchitis (106)				
27. Pneumonias (107-109)			4	8
28. Other diseases of the respiratory system (104, 105, 110-114)			1	
29a. Diarrhea and enteritis (under 2 years) (119)				
29b. Diarrhea and enteritis (2 years and over) (120)				1
30. Appendicitis (121)	1		1	1
31a. Cirrhosis of the liver (124)	1		1	
31b. Other diseases of the biliary system (125-127)		1	1	
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	2		1	5
33. Nephritis (130-132)	3		29	21
34. Other diseases of the urinary and genital systems (133-139)	1		1	
35. Puerperal infection (140, 147)				2
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)			1	
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)				
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	5	1	5	8
39. Senility, old age (162)			2	7
40. Suicide (163-164)			3	
41. Homicide (165-168)	1		1	3
42. Automobile accidents (all motor driven road vehicles) (170)			4	8
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)			5	6
44. Causes of death ill-defined, unknown or unspecified (199-200)	3		2	4

Continued

Greene		Guilford		Halifax		Harnett		Haywood		Henderson		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
41	58	946	356	210	276	228	119	229	7	232	28	
		1				1						1
												2
												3
			4				1					4
		1	3							1		5
	7	18	14	4	20	4	9	7		3		6
	1		1	1	4		1					7
												8
	1	1	11		11		1			1		9
		8	2	1	3	1				3		10
												11
			1	1								12
												13a
1												13b
												14a
												14b
		8	1			1		1		1		14c
4	4	119	29	19	25	25	6	28		22	5	15
		4	1		1	1		1				16
		2		1	1							17
		16	7	3		7	1	3		7		18
		6	2									19
		1	1					3	1	2	1	20a
		19	4			3	1	6	2	5	1	20b
	1	3		2	1			1				21
6	4	81	36	31	27	25	13	16	1	29	4	22
	2	5	4	1	3	4		2		1		23
7	9	305	74	66	46	60	19	58	3	65	3	24
	2	17	1	4	1	4	2	6		4		25
	1	1					1	1				26
3	2	25	21	3	17	5	14	11		12	1	27
1		10	2	3	2	1		2		1		28
	1	7			1			1		1		29a
										1	1	29b
		1	1		3	2				2		30
1		4	6	1		1		1				31a
		2		3						1	1	31b
1	2	19	8	4	7	2	2	3		6	2	32
7	7	62	48	17	32	40	9	21		20	3	33
		11	4	1		1	3	2		8		34
			3									35
	3	2	4	1	4		2	1		2		36
		2	1		1		1					37
4	5	79	25	20	25	10	7	24		15	4	38
	1	3		1		1	3	4		1		39
		19	2	2				2		2		40
1	1	9	12		5	1	10	1		2	1	41
2		24	3	10	5	10	1	9		5		42
3	3	41	19	9	21	14	5	12		8	1	43
	1	10	1	1	10	4	7	2		1		44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Hertford		Hoke	
	White	Other	White	Other
All causes—Total recorded	80	94	48	74
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)		2		
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)	2	4	5	2
7. All other forms of tuberculosis (14-22)		2	1	
8. Malaria (28)				
9. Syphilis (30)		1		
10. Influenza (33)		1	1	
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)		1	1	
15. Cancer and other malignant tumors (45-55)	7	6	2	5
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)	1	4		
17. Chronic rheumatism and gout (59, 60)				
18. Diabetes mellitus (61)		2		1
19. Chronic or acute alcoholism (77)				
20a. Pellagra (69)	1			
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	1	1	2	
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)				
22. Intracranial lesions of vascular origin (83)	11	8	3	8
23. Other diseases of the nervous system and sense organs (80, 84-89)	2	1	1	2
24. Diseases of the heart (90-95)	27	14	19	9
25. Other diseases of the circulatory system (96-103)	2	1		
26. Bronchitis (106)				1
27. Pneumonias (107-109)	1	5		9
28. Other diseases of the respiratory system (104, 105, 110-114)	1			
29a. Diarrhea and enteritis (under 2 years) (119)	1			1
29b. Diarrhea and enteritis (2 years and over) (120)	1			
30. Appendicitis (121)		1		
31a. Cirrhosis of the liver (124)			1	
31b. Other diseases of the biliary system (125-127)				
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	2		1	
33. Nephritis (130-132)	6	15	2	7
34. Other diseases of the urinary and genital systems (133-139)	2			
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	1	1		
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)				
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	6	7	1	10
39. Senility, old age (162)	1		1	1
40. Suicide (163-164)	1			
41. Homicide (165-168)	1	1		6
42. Automobile accidents (all motor driven road vehicles) (170)		6	4	1
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	2	8	2	2
44. Causes of death ill-defined, unknown or unspecified (199-200)		2	1	9

Continued

Hyde		Iredell		Jackson		Johnston		Jones		Lee		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
36	21	300	102	137	12	303	125	42	35	116	46	
												1
												2
												3
	2											4
							1					5
	2	2	8	1	1	10	12		2		2	6
	1				1		1			1		7
												8
		1	1		1		3				1	9
		2		3		1					3	10
												11
				2		2						12
												13a
										1		13b
											1	14a
												14b
						1				3		14c
2		29	5	10	1	34	3	2	3	11	4	15
			1	1		4						16
								1				17
1		11	2	3		3	2	2		2	2	18
				1		2	1					19
			1	1								20a
		5	1	5		2	2	1	1	1		20b
		2		2								21
6	4	36	14	7	1	95	28	6	6	6	2	22
1		3	1	3		2	2				3	23
12	4	99	23	2[illegible]	1	74	14	10	5	40	6	24
2		1	3	4		1	1			2		25
						1				1	1	26
1		3	9	8	1	10	4	3	2	2	2	27
	1	3	1	2	1	1	2			3		28
		3	1	2		1	2	1		1	2	29a
												29b
				1		3						30
		3				1				1		31a
		3						1				31b
		3	5	2	1	2	2		2	3	2	32
	2	29	13	26	2	25	10	5	5	11	5	33
		3	2	2		4	2			1		34
												35
		1				4	1		1		1	36
				1		1	1					37
1		25	4	3	1	28	9	4	4	14	3	38
3		1				1			3			39
1		2		2		4				1		40
		5	1	1		4	6		1		2	41
2	1	7	1	2		11	1	2		5		42
2	1	11	3	11		16	9	1		6	3	43
2	3	7	2	6		5	6	3			1	44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Lenoir		Lincoln	
	White	Other	White	Other
All causes—Total recorded	245	185	127	36
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)				
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)	7	15		
7. All other forms of tuberculosis (14-22)		1		
8. Malaria (28)				
9. Syphilis (30)	2	6		
10. Influenza (33)	4	2	1	1
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)		1		
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)		2		
15. Cancer and other malignant tumors (45-55)	18	13	13	1
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)	1		1	
17. Chronic rheumatism and gout (59, 60)	1		1	
18. Diabetes mellitus (61)	5	2	3	
19. Chronic or acute alcoholism (77)				
20a. Pellagra (69)	1			1
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	5	3		
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)	1		1	
22. Intracranial lesions of vascular origin (83)	19	33	12	8
23. Other diseases of the nervous system and sense organs (80, 84-89)	2	1	2	
24. Diseases of the heart (90-95)	65	32	37	5
25. Other diseases of the circulatory system (96-103)	2	1	3	1
26. Bronchitis (106)	2	1		1
27. Pneumonias (107-109)	2	11	4	2
28. Other diseases of the respiratory system (104, 105, 110-114)	3			
29a. Diarrhea and enteritis (under 2 years) (119)	1			
29b. Diarrhea and enteritis (2 years and over) (120)				1
30. Appendicitis (121)	1	2		
31a. Cirrhosis of the liver (124)	3	1	2	
31b. Other diseases of the biliary system (125-127)				1
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	2	3	2	
33. Nephritis (130-132)	23	17	13	3
34. Other diseases of the urinary and genital systems (133-139)		3		
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	2	4		1
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)		1		
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	39	11	10	1
39. Senility, old age (162)	3	1	1	
40. Suicide (163-164)	6		1	
41. Homicide (165-168)	6	6		1
42. Automobile accidents (all motor driven road vehicles) (170)	7	3	5	6
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	11	7	9	1
44. Causes of death ill-defined, unknown or unspecified (199-200)	1	2	6	1

Continued

McDowell		Macon		Madison		Martin		Mecklenburg		Mitchell		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
118	16	102	7	176	3	116	97	902	538	89		
												1
												2
												3
				4		1	1		1			4
				1					2	1		5
3	1	1		2		5	7	14	33	2		6
		1		1			3		1			7
												8
1		1		2			2	5	9			9
5		2		3		1		3	9	1		10
												11
1								2	1			12
						1						13a
1								1				13b
								2				14a
												14b
1				1				4	3			14c
11	2	8	1	18		12	7	109	36	16		15
				1			1	4	5			16
				2								17
2		1		1	1	2	1	19	9			18
						1		2		1		19
						1		1	3			20a
	1			2	1			7	5	3		20b
								3	2			21
10	1	14		16		10	11	81	49	5		22
	1	1				1	3	4	5	1		23
28	2	27	3	49	1	36	15	296	142	21		24
2		1		3			5	13	7			25
				1			1	3	1			26
4		5	1	10		6	8	29	30	4		27
3		2		1		1		7	5			28
2				1		3	1	4	5	1		29a
								5	1	1		29b
1	1	1		4				1	5			30
1								6		2		31a
		1				1		8	2			31b
2		1		1		2	1	13	14	2		32
7	2	10	1	15		8	1	39	36	2		33
1		3		3				6	4	1		34
								3	1			35
		1		1			1	2	2			36
				1			1			1		37
5		6	1	8		7	10	107	45	3		38
7	1			1		1		1	2	2		39
				1		4	1	10	3			40
	2			2		1	3	5	22			41
5	1	3		2		2	1	33	18	1		42
7	1	7		8		7	5	47	17	5		43
8		5		10		2	7	3	3	13		44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Montgomery		Moore	
	White	Other	White	Other
All causes—Total recorded	95	39	157	90
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)				
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)	1	2	1	2
7. All other forms of tuberculosis (14-22)				1
8. Malaria (28)				
9. Syphilis (30)		1		2
10. Influenza (33)	1			1
11. Smallpox (34)				
12. Measles (35)	1			
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)			1	
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)		1		1
15. Cancer and other malignant tumors (45-55)	8	5	20	12
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)				1
17. Chronic rheumatism and gout (59, 60)				
18. Diabetes mellitus (61)	1		3	2
19. Chronic or acute alcoholism (77)				
20a. Pellagra (69)				
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	1		1	1
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)			1	1
22. Intracranial lesions of vascular origin (83)	16	3	15	13
23. Other diseases of the nervous system and sense organs (80, 84-89)	1			3
24. Diseases of the heart (90-95)	27	6	49	15
25. Other diseases of the circulatory system (96-103)	1	1	1	1
26. Bronchitis (106)			1	
27. Pneumonias (107-109)	3	2	7	6
28. Other diseases of the respiratory system (104, 105, 110-114)	1		1	1
29a. Diarrhea and enteritis (under 2 years) (119)			2	
29b. Diarrhea and enteritis (2 years and over) (120)			1	
30. Appendicitis (121)				
31a. Cirrhosis of the liver (124)			2	
31b. Other diseases of the biliary system (125-127)			1	
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)			1	3
33. Nephritis (130-132)	9	5	16	4
34. Other diseases of the urinary and genital systems (133-139)			1	1
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	1			1
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)	1			
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	10	5	12	5
39. Senility, old age (162)		1	3	1
40. Suicide (163-164)	1	1	5	
41. Homicide (165-168)	2		1	3
42. Automobile accidents (all motor driven road vehicles) (170)	2	1	4	2
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	5	1	5	3
44. Causes of death ill-defined, unknown or unspecified (199-200)	2	4	2	4

Continued

Nash		New Hanover		Northampton		Onslow		Orange		Pamlico		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
258	239	378	284	65	145	130	53	134	68	50	31	
					1							1
												2
												3
	1		1			1						4
		1										5
10	25	1	14	3	10	2	3	1	3	1	2	6
1	5	1	2		3							7
												8
	1	1	4		2		1		2			9
		1	4		1							10
												11
1		1										12
												13a
												13b
												14a
												14b
	1	3	2		2	1		1				14c
22	7	43	12	7	11	11	2	13	7	3	4	15
	2	4	4					1				16
1		2		1								17
8	6	8	2	3	3	1		3	4	3		18
3		8	4			1	1					19
	1	1										20a
3	8	3	3		3	3		3		1		20b
	1	2										21
27	30	36	32	5	13	13	11	17	11	5	3	22
3	3	5	1	1	2		1	1		1		23
68	42	105	74	22	22	23	6	36	13	18	6	24
5		11	1		3	2		1	1		1	25
				1	1							26
9	8	9	17	1	7	3	2	2	5		2	27
	1	6	2	2	1	1			1			28
	3	1	2		3							29a
1			1									29b
		1	2		1			1	1		1	30
5		4	2	1	1	2		2		2		31a
2		2	1					2	1			31b
7	4	5	3	1	1	3	1	2			1	32
16	29	23	26	9	20	16	3	15	4	4	1	33
6	2	2	1			1		1		1	1	34
										1		35
2	3		3		1				1			36
	1								1			37
20	32	31	35	1	14	24	7	15	5	4	6	38
2			1	1	2	1			1			39
7	1	10		1				4				40
3	2	2	7		2	2	4	2	3	1		41
12	8	16	4	3	2	11	2	1		3		42
11	8	22	11	2	11	8	9	5	2	2	2	43
3	4	7	6		2			5	2		1	44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Pasquotank		Pender	
	White	Other	White	Other
All causes—Total recorded	116	91	78	86
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)		1		
5. Diphtheria (10)				1
6. Tuberculosis of the respiratory system (13)	3	6	1	5
7. All other forms of tuberculosis (14-22)		1		
8. Malaria (28)				
9. Syphilis (30)	1	5		1
10. Influenza (33)	1			1
11. Smallpox (34)				
12. Measles (35)				1
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)			1	
15. Cancer and other malignant tumors (45-55)	12	5	5	6
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)			1	
17. Chronic rheumatism and gout (59, 60)			2	
18. Diabetes mellitus (61)	1	1		2
19. Chronic or acute alcoholism (77)				
20a. Pellagra (69)	1			
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	2	1	1	4
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)		1		
22. Intracranial lesions of vascular origin (83)	8	12	15	6
23. Other diseases of the nervous system and sense organs (80, 84-89)		1	1	2
24. Diseases of the heart (90-95)	33	15	16	13
25. Other diseases of the circulatory system (96-103)		2	1	2
26. Bronchitis (106)				
27. Pneumonias (107-109)	3	3	5	6
28. Other diseases of the respiratory system (104, 105, 110-114)	1			1
29a. Diarrhea and enteritis (under 2 years) (119)			1	
29b. Diarrhea and enteritis (2 years and over) (120)	1			
30. Appendicitis (121)	1			
31a. Cirrhosis of the liver (124)				1
31b. Other diseases of the biliary system (125-127)		2	3	
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	4	1	4	2
33. Nephritis (130-132)	9	13	10	9
34. Other diseases of the urinary and genital systems (133-139)	2			1
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	1	1		1
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)	1			
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	15	4	5	6
39. Senility, old age (162)				1
40. Suicide (163-164)	3		1	
41. Homicide (165-168)	1	2		2
42. Automobile accidents (all motor driven road vehicles) (170)	3		1	
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	8	11	1	8
44. Causes of death ill-defined, unknown or unspecified (199-200)	1	3	3	4

Continued

Perquimans		Person		Pitt		Polk		Randolph		Richmond		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
44	52	120	63	230	245	81	10	273	39	240	114	
												1
												2
												3
					2							4
					1					2		5
	1	2	1	7	18	2		2	4	5	4	6
					4							7
												8
		2		2	6				1	2	3	9
		3		2	1	1		6		3	2	10
												11
												12
										1		13a
												13b
												14a
												14b
		1	1	1	1	1		4		2		14c
6	2	9	6	23	13	11	1	33	2	18	8	15
			1	1				1			1	16
					1							17
2	1	1	1	9	2	1	1	5	2	4	1	18
	1	1		2					2	2	1	19
												20a
1		1		2	2	1		3		1		20b
					1					1		21
10	5	9	8	21	23	11	2	31	1	29	12	22
1	1			1	6	2		1		2	3	23
16	14	38	11	68	43	17	2	79	11	70	36	24
	1	3	1	3	6	1		2		3		25
				1						1		26
1	4	7	5	8	16	2		8	5	7	5	27
		2		1	2	1	1	4		1		28
		1	1	1	1			1		3		29a
			1		1			1		2		29b
				3							1	30
				1							2	31a
	2			1	1	1				2		31b
		1	1	3	3			6	2	6	2	32
2	9	7	8	16	27	11	1	25	1	12	9	33
	1		1	3	3			2		2	3	34
										1	1	35
		2		1	3					1	2	36
										3	1	37
2	3	15	11	27	28	6	1	22	2	26	7	38
		1		1		1		3		7		39
		4		3		2		5		2		40
		1	1	1	8		1	3		2		41
2	2	3	1	5	4	4		17	2	7	1	42
1	5	6	2	8	11	5		5	3	9	5	43
			1	4	7			4	1	1	4	44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Robeson		Rockingham	
	White	Other	White	Other
All causes—Total recorded	273	366	361	116
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)				
5. Diphtheria (10)	1			
6. Tuberculosis of the respiratory system (13)	4	16	7	7
7. All other forms of tuberculosis (14-22)		1		
8. Malaria (28)				
9. Syphilis (30)		2		1
10. Influenza (33)	3	3	3	1
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)		1	1	
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)	1			1
15. Cancer and other malignant tumors (45-55)	19	21	34	8
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)		3	3	
17. Chronic rheumatism and gout (59, 60)				1
18. Diabetes mellitus (61)	9	3	14	5
19. Chronic or acute alcoholism (77)		1		
20a. Pellagra (69)	1			1
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	3	3	4	1
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)	1		2	
22. Intracranial lesions of vascular origin (83)	40	52	33	18
23. Other diseases of the nervous system and sense organs (80, 84-89)	3	4	1	1
24. Diseases of the heart (90-95)	78	62	115	32
25. Other diseases of the circulatory system (96-103)	5	4	6	1
26. Bronchitis (106)	1	2		
27. Pneumonias (107-109)	12	34	8	7
28. Other diseases of the respiratory system (104, 105, 110-114)	1	1	3	1
29a. Diarrhea and enteritis (under 2 years) (119)		5	1	1
29b. Diarrhea and enteritis (2 years and over) (120)		3		1
30. Appendicitis (121)	1		1	1
31a. Cirrhosis of the liver (124)	3		3	
31b. Other diseases of the biliary system (125-127)	2		1	
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	2	6	8	
33. Nephritis (130-132)	31	28	19	9
34. Other diseases of the urinary and genital systems (133-139)	3	4	1	1
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	2			
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)		2		
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	15	24	41	3
39. Senility, old age (162)	3	3	1	1
40. Suicide (163-164)	1	1	2	
41. Homicide (165-168)	5	16	3	4
42. Automobile accidents (all motor driven road vehicles) (170)	9	16	22	3
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	8	22	20	2
44. Causes of death ill-defined, unknown or unspecified (199-200)	6	23	4	4

Continued

Rowan		Rutherford		Sampson		Scotland		Stanly		Stokes		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
421	140	250	46	244	160	96	123	244	33	136	17	
												1
												2
												3
					1							4
		1			1				1			5
5	9	3	2	2	10	3	5	2	2	3		6
					1							7
												8
2	3	1			4		2	1	2			9
9	2	3				1	1			5	1	10
												11
												12
												13a
1							1					13b
2												14a
				1								14b
7	1		1		2		1	2				14c
55	11	16	4	20	5	12	5	23		9	2	15
1	3	1	1							1		16
								1				17
14	5	2	1	8	1	1	2	4	1	2		18
	1						4			1		19
										1		20a
9		4		2	1		2	6	1	3		20b
1							2			2		21
46	25	25	6	38	15	11	11	31	3	19	1	22
2	2	4			3		5	3	2	1	1	23
105	24	67	9	70	42	35	27	77	10	35	5	24
6	2	3	2	7	1	3	4	3		7	3	25
		1		1				2		2		26
10	6	11	1	5	8	1	14	10		2	1	27
2		3		1	1			2		1		28
2		3	1		1	2	1	1				29a
1	1									1	1	29b
	1	1		2	1			1				30
4		3		3		1						31a
2	1	1						1		1		31b
4	5	3		1	3		1	2		4	1	32
34	11	23	5	28	11	1	6	7	4	11		33
2	1		1	6	2	1						34
1					1							35
1	1	3	1			1		1				36
2	1							1				37
41	10	25	3	19	19	9	8	30	2	9		38
4	1	3	3		1		1	2			1	39
7		3		4				1		4		40
1	5			2	2		4	1				41
16	3	9	3	10	6	5	2	6	1	5		42
19	2	20		13	15	4	7	11	2	7		43
3	3	8	2	1	2	5	7	12	2			44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Surry		Swain	
	White	Other	White	Other
All causes—Total recorded	335	25	51	19
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)			1	
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)	11	2	1	
7. All other forms of tuberculosis (14-22)	1			
8. Malaria (28)				
9. Syphilis (30)	4	1		
10. Influenza (33)	1			
11. Smallpox (34)				
12. Measles (35)	1	1		
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)	2			
15. Cancer and other malignant tumors (45-55)	35	1	4	3
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)	1		1	1
17. Chronic rheumatism and gout (59, 60)	1			
18. Diabetes mellitus (61)	1	1	1	1
19. Chronic or acute alcoholism (77)	4			
20a. Pellagra (69)	1			
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	6		1	
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)	3			
22. Intracranial lesions of vascular origin (83)	27	2	3	2
23. Other diseases of the nervous system and sense organs (80, 84-89)	4	1	1	
24. Diseases of the heart (90-95)	91	2	11	4
25. Other diseases of the circulatory system (96-103)	3	1	2	
26. Bronchitis (106)	3			
27. Pneumonias (107-109)	13	1	4	3
28. Other diseases of the respiratory system (104, 105, 110-114)		1		
29a. Diarrhea and enteritis (under 2 years) (119)	3	1		
29b. Diarrhea and enteritis (2 years and over) (120)	1			
30. Appendicitis (121)				
31a. Cirrhosis of the liver (124)	3	1	1	
31b. Other diseases of the biliary system (125-127)	1			
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	5		3	
33. Nephritis (130-132)	24		6	1
34. Other diseases of the urinary and genital systems (133-139)	2			
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	2			
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)				
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	35	2	2	1
39. Senility, old age (162)	4	2		1
40. Suicide (163-164)	3		2	
41. Homicide (165-168)	2		1	
42. Automobile accidents (all motor driven road vehicles) (170)	8			1
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	15	2	4	
44. Causes of death ill-defined, unknown or unspecified (199-200)	14	3	2	1

Continued

Transylvania		Tyrrell		Union		Vance		Wake		Warren		
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other	
68	8	40	16	272	79	159	169	582	400	75	172	
												1
												2
												3
						1		1	3		1	4
		1		1								5
3				1	4	6	10	9	24	1	4	6
				1			1		2			7
												8
				1		1	7	1	7		2	9
	1	1		2	4	1	7	2	3	2	3	10
												11
				1					1			12
							1		1			13a
				1								13b
								1				14a
												14b
				1		4	1	3	3			14c
7	1	7	1	23	6	11	11	67	38	8	17	15
	1		2		1	1	1	3	3		1	16
										2		17
1				8		8	2	15	7	2	7	18
						1		2		1	1	19
								1			1	20a
2				4		1	2	8	8		2	20b
			1			1	2	1	2	1		21
12	4	1	2	21	9	13	13	81	44	10	23	22
				3	2		2	1	8	1	3	23
14		3		80	9	49	36	161	93	21	16	24
2	1			6	2	4	3	9	8		2	25
				2				1	1	2		26
3			1	9	5	2	13	20	11	3	5	27
2				2		1	2	4	6		1	28
				1	1	1	1		2		3	29a
					3	1	3		5		1	29b
		1		3				3	2			30
1				3		1	1	5	1	1		31a
						2	1	7				31b
2		2		3	3	2	2	8	3		3	32
2		17	6	33	11	6	12	32	37	10	26	33
				4	1	2	1	5	4	1		34
							1	1			1	35
			1			1	3	1	6		1	36
									1			37
5		3		17	4	16	8	59	30	4	20	38
				3		5	4	2	1		2	39
2				5		3	1	9	2		2	40
1		1		2	3		3	4	7		4	41
3				8		5	4	21	5	2	3	42
5		2	1	20	10	7	4	31	17	3	12	43
1		1	1	3	1	2	6	3	4		5	44

TABLE VII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Washington		Watauga	
	White	Other	White	Other
All causes—Total recorded	66	58	116	2
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)			1	
4. Whooping-cough (9)	1		1	
5. Diphtheria (10)			1	
6. Tuberculosis of the respiratory system (13)		3	1	
7. All other forms of tuberculosis (14-22)				
8. Malaria (28)				
9. Syphilis (30)		2		
10. Influenza (33)			3	
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)		1	2	
15. Cancer and other malignant tumors (45-55)	3	6	16	
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)			1	
17. Chronic rheumatism and gout (59, 60)				
18. Diabetes mellitus (61)		1	2	
19. Chronic or acute alcoholism (77)			1	
20a. Pellagra (69)				
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	2	1	3	
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)			1	
22. Intracranial lesions of vascular origin (83)	10	11	8	
23. Other diseases of the nervous system and sense organs (80, 84-89)	1	2	2	
24. Diseases of the heart (90-95)	21	8	24	
25. Other diseases of the circulatory system (96-103)	1		3	
26. Bronchitis (106)		1		
27. Pneumonias (107-109)	3	6	4	1
28. Other diseases of the respiratory system (104, 105, 110-114)			1	
29a. Diarrhea and enteritis (under 2 years) (119)			1	
29b. Diarrhea and enteritis (2 years and over) (120)	1			
30. Appendicitis (121)				
31a. Cirrhosis of the liver (124)			1	
31b. Other diseases of the biliary system (125-127)				
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	1		2	
33. Nephritis (130-132)	8	5	8	
34. Other diseases of the urinary and genital systems (133-139)				
35. Puerperal infection (140, 147)		2		
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)				
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)				
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	5		15	1
39. Senility, old age (162)		1	1	
40. Suicide (163-164)	1	1	4	
41. Homicide (165-168)		1	1	
42. Automobile accidents (all motor driven road vehicles) (170)	2	1	5	
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	4	3	2	
44. Causes of death ill-defined, unknown or unspecified (199-200)	2	2	1	

Continued

Wayne		Wilkes		Wilson		Yadkin		Yancey		
White	Other	White	Other	White	Other	White	Other	White	Other	
240	252	309	30	252	264	130	12	97	1	
										1
										2
										3
	1				3					4
1					2					5
7	13	5	1	7	19			1		6
1	1			1						7
1										8
	4			4	2		1			9
2	6	3		2	2	4		1		10
										11
		2								12
										13a
				2						13b
					1					14a
										14b
2		4		1		1				14c
20	17	18	2	18	15	16	1	14		15
1	1	2			1	2		1		16
1		1					1			17
5	6	6	1	4	4	2	1	4		18
1	2	4			2					19
		1						1		20a
2	3	2		2	1	3		3		20b
	1			1						21
34	32	29	6	33	14	9	1	8		22
	11	5	1		6			1		23
61	49	86	6	47	46	41		21		24
2	6	2		12	1	1		2		25
2		2				1				26
12	11	13	2	7	13	9		7		27
3	2	9	2	2	3			3		28
3	2	1		3	3	1				29a
1	2				2					29b
				1				1		30
1	1	1		2	5	1				31a
2	1		1	2	1	3		1		31b
1	6	7		5	6	2			1	32
17	15	26	3	23	50	6	2	7		33
	1	1		2	1	1				34
1	1					2				35
2	3	1		5	2					36
		1								37
16	18	30	1	25	27	6	1	4		38
2	2	13			2		1	2		39
9	2	2		7		1		2		40
2	9	2	1	2	4	1	3			41
13	3	14		15	5	4		1		42
9	10	13	1	11	11	8		7		43
3	10	3	2	6	10	5		5		44

TABLE VIII.—DEATHS (EXCLUSIVE OF STILLBIRTHS) OF RESIDENTS OF CITIES POPULATION AND OVER,

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Total Deaths		Asheville	
	White	Other	White	Other
All causes—Total recorded	4,521	3,192	380	167
1. Typhoid and paratyphoid fevers (1, 2)	1			
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)	2	10	1	
5. Diphtheria (10)	3	1		
6. Tuberculosis of the respiratory system (13)	99	219	13	18
7. All other forms of tuberculosis (14-22)	8	19	3	2
8. Malaria (28)		1		
9. Syphilis (30)	25	71	4	
10. Influenza (33)	22	32	1	6
11. Smallpox (34)				
12. Measles (35)	2	1		
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)	1			
14a. Dysentery (27)	3	1		
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)	35	18	4	2
15. Cancer and other malignant tumors (45-55)	556	224	46	13
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)	18	20	1	1
17. Chronic rheumatism and gout (59, 60)	6		1	
18. Diabetes mellitus (61)	104	54	6	4
19. Chronic or acute alcoholism (77)	16	16	2	2
20a. Pellagra (69)	5	8		1
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	63	28	5	2
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)	13	9		
22. Intracranial lesions of vascular origin (83)	467	349	53	19
23. Other diseases of the nervous system and sense organs (80, 84-89)	24	44	3	
24. Diseases of the heart (90-95)	1,369	730	112	30
25. Other diseases of the circulatory system (96-103)	70	44	2	3
26. Bronchitis (106)	6	5		1
27. Pneumonias (107-109)	111	166	7	7
28. Other diseases of the respiratory system (104, 105, 110-114)	30	28	4	
29a. Diarrhea and enteritis (under 2 years) (119)	16	21	1	
29b. Diarrhea and enteritis (2 years and over) (120)	6	7		
30. Appendicitis (121)	5	15	1	1
31a. Cirrhosis of the liver (124)	44	12	3	
31b. Other diseases of the biliary system (125-127)	23	9	1	
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	76	59	2	2
33. Nephritis (130-132)	270	324	31	25
34. Other diseases of the urinary and genital systems (133-139)	40	31	5	1
35. Puerperal infection (140, 147)	1	8		
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	13	27		2
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)	8	5	2	1
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	432	254	23	8
39. Senility, old age (162)	18	12	2	2
40. Suicide (163-164)	78	15	8	
41. Homicide (165-168)	32	98	3	4
42. Automobile accidents (all motor driven road vehicles) (170)	105	49	9	
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	232	101	16	7
44. Causes of death ill-defined, unknown or unspecified (199-200)	63	47	5	3

BY CAUSE (ABRIDGED INTERNATIONAL LIST) AND COLOR, 1947 (CITIES 10,000 1940 CENSUS)

Burlington		Charlotte		Concord		Durham		Elizabeth City		
White	Other	White	Other	White	Other	White	Other	White	Other	
125	24	536	424	89	24	303	243	81	55	
										1
										2
										3
			1				1		1	4
							1			5
3	3	11	31	3	2	5	20	1	3	6
			1				2		1	7
										8
	2	2	9	1		1	2	1	5	9
3		2	5	1		1	2			10
										11
		1								12
										13a
										13b
		1								14a
										14b
		4	2			2	3			14c
17	1	64	31	11	1	43	26	9	2	15
	1	2	2			2	2			16
						1				17
3		12	7	5		9	5	1	1	18
		2								19
			2							20a
		4	3	1		5	2	1		20b
1		2	1						1	21
16	2	45	35	14	1	27	19	6	6	22
		3	4			2	1		1	23
38	3	201	115	18	11	115	44	22	9	24
		5	7			3	3		1	25
		1	1	1			2			26
8	2	12	22	2	2	5	13	2	1	27
2		4	5		1	2	3			28
1		1	5			1				29a
		3	1							29b
			4				2			30
		5		1		4				31a
		4	2			1	1			31b
		11	12			3	4	2	1	32
7	1	16	26	7	2	15	24	6	12	33
1		2	4			6	2	2		34
		1	1				1			35
	1	1	1		1			1	1	36
						1		1		37
11	4	63	36	8		28	25	12	2	38
1			2	1			1			39
1		6	3	2		3	2	2		40
1	1	2	20	2	1	1	13	1	1	41
2	1	16	8	1	1	5	5	3		42
6	1	26	13	2		12	7	7	4	43
3	1	1	2	8	1		5	1	2	44

TABLE VIII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Fayetteville		Gastonia	
	White	Other	White	Other
All causes—Total recorded	159	110	142	42
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)				
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)	2	6	6	2
7. All other forms of tuberculosis (14-22)			1	
8. Malaria (28)				
9. Syphilis (30)	2	2		1
10. Influenza (33)	1	2	1	
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)				
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)	1	1		
15. Cancer and other malignant tumors (45-55)	21	11	9	3
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)			1	
17. Chronic rheumatism and gout (59, 60)			1	
18. Diabetes mellitus (61)	1	1	1	
19. Chronic or acute alcoholism (77)		1		
20a. Pellagra (69)				
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	1		3	
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)			1	
22. Intracranial lesions of vascular origin (83)	16	12	16	9
23. Other diseases of the nervous system and sense organs (80, 84-89)		5	1	1
24. Diseases of the heart (90-95)	40	19	40	11
25. Other diseases of the circulatory system (96-103)	6	2		1
26. Bronchitis (106)			1	
27. Pneumonias (107-109)	4	9	3	4
28. Other diseases of the respiratory system (104, 105, 110-114)	2		1	1
29a. Diarrhea and enteritis (under 2 years) (119)	1		1	
29b. Diarrhea and enteritis (2 years and over) (120)				
30. Appendicitis (121)		1		
31a. Cirrhosis of the liver (124)	3	1	1	
31b. Other diseases of the biliary system (125-127)				
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	5	3	5	
33. Nephritis (130-132)	2	11	6	2
34. Other diseases of the urinary and genital systems (133-139)	2	1	1	
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	1	2		
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)				
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	23	8	16	1
39. Senility, old age (162)		2		
40. Suicide (163-164)	4	1	2	
41. Homicide (165-168)	1	3	4	
42. Automobile accidents (all motor driven road vehicles) (170)	7	2	4	3
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	6	3	11	1
44. Causes of death ill-defined, unknown or unspecified (199-200)	7	1	5	2

Continued

Goldsboro		Greensboro		Greenville		Hickory		High Point		
White	Other	White	Other	White	Other	White	Other	White	Other	
82	116	332	200	63	72	115	18	242	79	
		1								1
										2
										3
			1			1			1	4
1								1		5
3	9	5	7	3	1			2	3	6
1					2					7
										8
	1	1	6	1	2				3	9
1	4	3	1		1	1		1		10
										11
			1							12
										13a
										13b
										14a
										14b
2		2		1				4	1	14c
6	11	38	19	8	6	13	1	37	3	15
		1		1				2		16
		1								17
4	5	4	3	3		3		5	2	18
	2	1	2					1		19
			1				1	1		20a
	1	8	1	1		1		6	2	20b
		2						1		21
10	14	27	15	7	9	10	3	14	8	22
	8	1	2		3	2		3		23
21	21	115	40	15	15	44	6	71	19	24
1	2	8		1	5			2	1	25
								1		26
7	1	7	11		3	5		2	8	27
2	2	1			1		1	2	2	28
	2	1			1	1		4		29a
						1				29b
				1					1	30
1	1	2	1	1				2	3	31a
1	1				1			1		31b
1	4	11	5	3	2		1	5	1	32
4	7	20	36	3	5	9	3	19	8	33
		5	4	2	2			4		34
			2							35
1	1		2			1		1	2	36
		1	1					1		37
6	6	29	19	6	5	15		20	3	38
1	1	2		1				1		39
2	1	5	1	2		3		5	1	40
	5	2	9		5			1	2	41
1	1	7	1		3	1		5	1	42
3	4	16	9	2		1	1	15	3	43
2	1	5		1		3	1	2	1	44

TABLE VIII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Kinston		Lexington	
	White	Other	White	Other
All causes—Total recorded	115	97	71	21
1. Typhoid and paratyphoid fevers (1, 2)				
2. Plague (3)				
3. Scarlet fever (8)				
4. Whooping-cough (9)				
5. Diphtheria (10)				
6. Tuberculosis of the respiratory system (13)	2	11	2	1
7. All other forms of tuberculosis (14-22)			1	
8. Malaria (28)				
9. Syphilis (30)	1	3		
10. Influenza (33)	1			
11. Smallpox (34)				
12. Measles (35)				
13a. Typhus fever (39b)				
13b. Rocky Mountain spotted fever (39c)			1	
14a. Dysentery (27)				
14b. Mumps (44c)				
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)		1		
15. Cancer and other malignant tumors (45-55)	11	8	15	4
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)	1			
17. Chronic rheumatism and gout (59, 60)				
18. Diabetes mellitus (61)	2	2	2	
19. Chronic or acute alcoholism (77)				
20a. Pellagra (69)	1			
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	4	2		
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)	1		1	
22. Intracranial lesions of vascular origin (83)	7	21	16	5
23. Other diseases of the nervous system and sense organs (80, 84-89)				
24. Diseases of the heart (90-95)	30	17	7	2
25. Other diseases of the circulatory system (96-103)	1		1	1
26. Bronchitis (106)		1		
27. Pneumonias (107-109)		4	2	1
28. Other diseases of the respiratory system (104, 105, 110-114)	1			
29a. Diarrhea and enteritis (under 2 years) (119)				
29b. Diarrhea and enteritis (2 years and over) (120)			1	
30. Appendicitis (121)		1	1	
31a. Cirrhosis of the liver (124)	2	1		
31b. Other diseases of the biliary system (125-127)				
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	1	2		
33. Nephritis (130-132)	12	9	4	3
34. Other diseases of the urinary and genital systems (133-139)		2		
35. Puerperal infection (140, 147)				
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)	1	1		
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)				
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	18	3	9	
39. Senility, old age (162)	2		2	
40. Suicide (163-164)	5			
41. Homicide (165-168)	4	5		2
42. Automobile accidents (all motor driven road vehicles) (170)	2	1	3	1
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	4	1	3	
44. Causes of death ill-defined, unknown or unspecified (199-200)	1	1		1

Continued

New Bern		Raleigh		Reidsville		Rocky Mount		Salisbury		
White	Other	White	Other	White	Other	White	Other	White	Other	
81	109	285	194	59	55	140	140	142	70	
										1
										2
										3
							1			4
										5
3	6	6	16	3	4	5	8	3	2	6
			2				3			7
	1									8
	3	1	5		1		5	1	3	9
1	2		2					3	1	10
										11
										12
										13a
										13b
		1								14a
										14b
1	1	3	1				1	3	1	14c
7	4	40	20	9	2	16	6	14	5	15
1	2	2	1				1		2	16
										17
1	1	6	4	4	2	6	3	7	2	18
		1				3			1	19
					1					20a
		4	3		1	3	2	4		20b
	1		1				1	1		21
11	14	38	14		11	15	17	21	12	22
	6		3	1		1	1	1	2	23
18	23	72	55	18	17	42	36	31	16	24
2	2	8	3	2		7		1	1	25
		1								26
6	3	10	5	1	3	3	4	3	2	27
1	1		2		1		2			28
			1	1			2	1		29a
	1		2						1	29b
		1	1						1	30
1		4				3		1		31a
		5		1		1		2	1	31b
2	2	4	2	2		2	1	3	3	32
12	12	16	20	2	6	9	17	8	4	33
	5	2	2			2	3	1	1	34
										35
	2		2				2		1	36
			1					2	1	37
2	5	26	11	9		9	14	16	4	38
		2	1			1		1		39
1		6	1			2	1	2		40
	3	1	4		1	1	2	1	2	41
	2	2	4	2	2	2	1	2		42
11	5	21	4	4	1	7	4	8	1	43
	2	2	1		2		2	1		44

TABLE VIII.—

Cause of Death (Abridged International List Number Precedes Each Cause, Code Number Follows)	Shelby	
	White	Other
All causes—Total recorded	91	24
1. Typhoid and paratyphoid fevers (1, 2)		
2. Plague (3)		
3. Scarlet fever (8)		
4. Whooping-cough (9)		
5. Diphtheria (10)		
6. Tuberculosis of the respiratory system (13)	2	1
7. All other forms of tuberculosis (14-22)		
8. Malaria (28)		
9. Syphilis (30)	1	1
10. Influenza (33)		
11. Smallpox (34)		
12. Measles (35)		
13a. Typhus fever (39b)		
13b. Rocky Mountain spotted fever (39c)		
14a. Dysentery (27)		
14b. Mumps (44c)		
14c. Other infectious and parasitic diseases (4-7, 11, 12, 23-26, 29, 31, 32, 36-38, 39a and d, 40-43, 44a, b, and d)		
15. Cancer and other malignant tumor (45-55)	14	
16. Nonmalignant tumors or tumors of unspecified nature (56, 57)		
17. Chronic rheumatism and gout (59, 60)		
18. Diabetes mellitus (61)	2	
19. Chronic or acute alcoholism (77)		
20a. Pellagra (69)		
20b. Avitaminosis, other general diseases, diseases of the blood and chronic poisonings (58, 62-68, 70-76, 78, 79)	4	
21. Meningitis (nonmeningococcal) and diseases of the spinal cord (81, 82)		
22. Intracranial lesions of vascular origin (83)	12	3
23. Other diseases of the nervous system and sense organs (80, 84-89)		
24. Diseases of the heart (90-95)	31	4
25. Other diseases of the circulatory system (96-103)	1	3
26. Bronchitis (106)		
27. Pneumonias (107-109)		2
28. Other diseases of the respiratory system (104, 105, 110-114)		
29a. Diarrhea and enteritis (under 2 years) (119)		
29b. Diarrhea and enteritis (2 years and over) (120)		
30. Appendicitis (121)		
31a. Cirrhosis of the liver (124)	2	
31b. Other diseases of the biliary system (125-127)	1	
32. Other diseases of the digestive system (115-118, 122, 123, 128, 129)	1	
33. Nephritis (130-132)	7	2
34. Other diseases of the urinary and genital systems (133-139)		
35. Puerperal infection (140, 147)		
36. Other diseases of pregnancy, childbirth and puerperium (141-146, 148-150)		
37. Diseases of the skin, cellular tissue, bones and organs of movement (151-156)		
38. Congenital malformations and debility, premature birth, and diseases peculiar to the first year of life (157-161)	5	2
39. Senility, old age (162)	1	
40. Suicide (163-164)		1
41. Homicide (165-168)		1
42. Automobile accidents (all motor driven road vehicles) (170)	1	2
43. Other violent or accidental deaths (suicide, homicide, and automobile accidents excepted) (169, 171-198)	4	
44. Causes of death ill-defined, unknown or unspecified (199-200)	2	2

Continued

Statesville		Thomasville		Wilmington		Wilson		Winston-Salem		
White	Other	White	Other	White	Other	White	Other	White	Other	
88	44	65	20	289	237	96	150	350	457	
										1
										2
										3
					1		3			4
				1						5
1	3	3	1	1	12	4	14	7	35	6
				1	2	1			4	7
										8
	1			1	4	3		4	12	9
					4	1			2	10
										11
				1						12
										13a
										13b
							1	1		14a
										14b
		1		3	2	1		3	2	14c
12		8		31	8	8	13	49	26	15
	1			3	3			1	4	16
				2						17
3	2	1		3	1	2	3	8	6	18
				5	4		2	1	2	19
	1			1				2	1	20a
		1		3	2		1	4	6	20b
				2		1			4	21
3	5	6	3	25	26	13	5	39	61	22
1	1	1		2	1		2	2	3	23
36	12	17	5	85	62	22	28	108	110	24
1	1	3	1	6		4		5	7	25
								1		26
	5	1	1	6	14	2	4	13	35	27
3				4	2			1	4	28
1				1	2		2		6	29a
							1	1	1	29b
					1	1			2	30
1				4	2	2	2	1	1	31a
1		1		1	1	1	1	1	1	31b
1	1	3	1	4	3	1	3	4	6	32
4	6	8	4	19	22	4	30	20	27	33
	1			2	1	2	1	1	1	34
									4	35
					3	4	2	2	1	36
									1	37
10	1	7	1	18	29	4	18	39	49	38
					1		1		1	39
1				10		1		5	3	40
1	1	2	1	2	5	1		1	7	41
2	1			15	2	4	2	9	5	42
2	1	1	2	21	11	6	6	17	12	43
4		1		6	6	3	5		5	44

TABLE IX.—DEATHS (EXCLUSIVE OF STILLBIRTHS)

Item No.	Cause of Death	1922	1923	1924	1925	1926	1927	1928	1929	1930	1931	1932
	TOTAL: ALL DEATHS	30,821	32,142	33,238	32,548	34,562	32,917	36,160	36,919	35,782	33,116	31,051
1	Typhoid and paratyphoid fever	298	260	270	279	277	234	191	166	163	162	163
2	Undulant fever	------	------	------	------	------	------	1	2	1	2	2
3	Meningococcus meningitis	24	30	21	24	29	28	21	35	68	44	26
4	Scarlet fever	77	30	36	30	35	34	41	55	44	64	34
5	Whooping cough	203	492	497	153	298	624	188	280	305	199	242
6	Diphtheria	513	350	330	303	262	277	369	343	282	244	166
7	Erysipelas	62	58	47	51	55	39	53	51	68	52	34
8	Tetanus	47	51	58	38	39	21	37	36	40	35	30
9	Tuberculosis, respiratory	2,451	2,428	2,497	2,539	2,521	2,319	2,238	2,392	2,236	2,143	2,030
10	Tuberculosis, all other	265	239	276	255	273	259	217	244	252	206	194
11	Gonorrhea	11	16	14	36	27	18	27	28	34	29	35
12	Dysentery	232	217	184	187	186	164	189	153	156	111	84
13	Malaria	183	169	145	141	102	60	64	64	47	46	53
14	Syphilis	217	249	273	241	301	299	327	325	379	334	280
15	Influenza	1,362	1,653	748	1,089	1,619	1,088	1,567	2,304	789	1,150	819
16	Smallpox	8	13	29	5	14	15	17	2	6	2	------
17	Measles	25	588	456	16	96	246	515	20	5	113	61
18	Poliomyelitis	20	25	27	25	52	18	28	21	18	37	24
19	Cancer	1,228	1,220	1,304	1,328	1,405	1,458	1,520	1,602	1,525	1,549	1,639
20	Acute rheumatic fever	77	75	96	76	84	77	89	107	82	71	80
21	Diabetes mellitus	231	232	245	222	265	243	280	308	318	341	396
22	Pellagra	330	239	281	382	455	671	851	950	1,031	695	479
23	Alcoholism	26	24	41	45	51	37	57	54	72	82	66
24	Intracranial vascular lesions	2,343	2,410	2,646	2,582	2,628	2,573	2,778	3,081	3,030	2,717	2,691
25	Diseases of the heart	2,918	3,014	3,465	3,574	3,869	3,858	4,356	4,717	4,922	4,520	4,593
26	Pneumonias	2,331	2,439	2,804	2,414	2,677	2,186	2,795	2,714	2,703	2,503	2,545
27	Diarrhea and enteritis—under 2	1,437	1,456	1,481	1,472	1,442	1,155	1,284	973	1,091	831	650
28	Diarrhea and enteritis—2 and over	313	375	331	250	306	275	270	279	277	201	172
29	Appendicitis	249	278	335	318	327	297	321	301	318	301	302
30	Nephritis	2,216	2,230	2,478	2,821	2,879	2,735	2,968	3,194	3,285	3,005	3,006
31	Premature birth	1,405	1,476	1,598	1,560	1,500	1,523	1,687	1,463	1,491	1,309	1,395
32	Senility	597	586	525	562	516	434	431	433	620	438	355
33	Suicide	110	101	111	128	159	132	188	234	275	319	286
34	Homicide	244	267	284	260	287	280	306	329	349	339	394
35	Motor vehicle accidents	169	258	328	410	508	538	620	636	682	696	598
36	All other accidents (2)	1,303	1,350	1,361	1,348	1,371	1,301	1,340	1,307	1,294	1,290	1,153
37	Conflagration	27	27	39	36	38	27	37	21	34	53	40
38	Lightning	18	32	15	30	18	20	23	18	17	36	6
39	Ill-defined and not specified	2,836	2,607	2,773	2,590	2,608	2,760	2,996	2,875	2,619	2,381	1,406
40	Infant deaths	6,510	6,813	7,208	6,595	6,769	6,588	6,935	6,106	6,037	5,455	5,183
41	Maternal deaths	651	670	678	725	726	547	635	651	639	596	529

(1) 1922-45 figures from N.O.V.S. reports; 1946-47, from N. C. reports.
Data by place of occurrence, 1922-41; residence, 1942-47.

(2) Includes accidents, except motor vehicle (suicide and homicide excluded, legal executions included, 1922-29).

FROM SELECTED CAUSES IN NORTH CAROLINA, 1922-47

1933	1934	1935	1936	1937	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	Item No.
30,547	35,180	33,485	35,630	33,981	33,599	31,793	32,081	31,956	29,414	29,971	29,390	28,897	28,370	29,925	
128	90	82	71	78	74	50	39	30	19	16	10	13	8	5	1
3	2	------	1	2	3	5	4	------	2	1	1	------	1	------	2
32	35	39	65	45	32	28	22	21	32	73	61	53	33	30	3
50	39	22	21	20	22	12	11	11	8	12	5	6	3	2	4
205	424	307	36	168	265	228	89	200	104	116	145	97	55	54	5
216	199	162	188	160	168	166	107	83	76	53	40	96	46	32	6
45	54	45	30	34	20	16	10	11	8	5	5	4	5	1	7
28	26	28	37	22	39	21	10	16	15	16	15	14	7	18	8
1,935	1,956	1,764	1,902	1,765	1,710	1,658	1,667	1,598	1,326	1,257	1,145	1,159	1,011	975	9
183	202	173	190	159	159	146	116	159	135	109	94	103	93	81	10
34	42	39	16	8	6	7	7	1	2	8	8	9	6	7	11
92	128	98	124	110	110	80	60	87	53	57	36	38	9	16	12
51	66	91	150	87	70	51	61	29	33	22	25	24	9	2	13
316	403	380	430	434	445	438	438	377	328	312	292	293	242	259	14
1,027	822	1,028	1,179	857	500	629	691	822	299	498	515	386	286	294	15
------	------	------	------	1	1	------	------	------	------	1	------	------	------	------	16
90	334	70	9	39	251	62	11	103	55	24	59	7	45	25	17
18	17	72	18	27	15	13	16	18	12	16	40	13	17	21	18
1,728	1,763	1,780	1,784	1,898	1,914	2,001	2,078	2,070	2,249	2,391	2,328	2,504	2,527	2,759	19
67	74	47	57	50	74	49	68	55	60	54	44	43	47	45	20
368	384	366	412	388	381	489	506	469	455	485	509	465	483	578	21
392	438	383	351	332	254	206	169	145	116	105	70	72	69	60	22
92	127	130	92	104	79	94	73	64	61	43	61	57	60	96	23
2,569	2,928	2,937	3,331	2,989	3,144	3,086	3,175	3,004	3,055	3,114	3,103	3,162	3,027	3,348	24
4,709	5,446	5,399	6,053	5,905	6,184	5,475	5,959	5,969	5,830	6,182	6,390	6,456	6,617	7,501	25
2,081	3,173	2,803	3,290	2,988	2,745	2,164	2,003	1,901	1,617	1,663	1,477	1,488	1,296	1,271	26
805	996	828	805	838	1,009	641	488	694	446	424	494	407	190	166	27
195	230	145	198	173	175	165	130	117	76	87	71	69	69	65	28
304	332	313	312	321	285	277	226	236	212	166	147	160	117	98	29
2,906	3,325	3,094	3,391	3,011	3,004	3,436	3,432	3,255	2,983	2,973	2,952	2,910	2,758	2,585	30
1,376	1,625	1,519	1,391	1,514	1,438	1,378	1,328	1,285	1,285	1,233	1,146	1,089	1,370	1,358	31
329	374	296	354	332	291	257	301	276	300	257	262	242	214	247	32
267	238	272	296	300	336	279	291	290	245	251	221	246	286	313	33
434	468	391	392	393	349	360	387	378	362	261	299	307	361	410	34
776	928	1,015	979	1,045	910	908	1,014	1,325	827	729	694	767	1,008	879	35
1,226	1,395	1,386	1,466	1,391	1,245	1,324	1,312	1,265	1,345	1,472	1,491	1,318	1,278	1,397	36
41	61	49	46	44	60	61	53	69	63	70	73	74	81	95	37
16	17	16	22	23	21	21	17	17	17	22	23	11	15	14	38
1,035	1,045	1,100	1,179	1,142	1,067	1,056	1,075	1,108	1,050	878	790	652	629	706	39
4,977	6,212	5,422	5,247	5,180	5,487	4,683	4,629	5,059	4,342	4,416	4,115	3,782	3,729	3,920	40
514	569	511	502	429	421	374	416	337	307	306	266	248	209	202	41

TABLE X.—TEN LEADING CAUSES OF DEATH OF RESIDENTS BY AGE, COLOR, AND SEX—THREE YEAR AVERAGE, 1945-47

Cause of Death (International Code Number Follows Each Cause)	Under 1 Year							
	White				Other			
	Male		Female		Male		Female	
	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Premature birth (159)	1	486	1	357	1	228	1	193
Congenital malformations and debility (157,158)	2	184	2	150	4	59	4	50
Influenza and pneumonias (33, 107-109)	3	142	3	114	2	168	2	149
Injury at birth (160)	4	139	4	87	5	50	6	37
Other diseases peculiar to the first year of life (161)	5	97	5	68	5	50	5	39
Dysentery, diarrhea and enteritis (27, 119)	6	71	6	44	3	67	3	55
Accidental mechanical suffocation (182)	7	28	7	20	7	19	7	21
Whooping cough (9)	8	10	8	13	9	13	8	14
Diseases of the heart (90-95)	9	10	9	7	10	5	10	4
Diseases of the thymus gland (64)	10	9	9	7	------	------	------	------
Syphilis (30)	------	------	------	------	8	17	9	9

Cause of Death (International Code Number Follows Each Cause)	1-4 Years							
	White				Other			
	Male		Female		Male		Female	
	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Influenza and pneumonias (33, 107-109)	1	34	1	31	1	35	1	32
Accidents, motor-vehicle (170)	2	18	6	8	5	6	8	3
Diphtheria (10)	3	17	2	12	5	6	8	3
Dysentery, diarrhea and enteritis, (27, 119,120)	4	15	3	10	2	9	2	9
Congenital malformations and debility (157, 158)	5	14	3	10	5	6	------	------
Accidental burns (except conflagration) (181)	6	7	3	10	9	4	3	6
Leukemias (74)	6	7	6	8	------	------	------	------
Accidental drowning (183)	8	6	------	------	------	------	------	------
Cancer (45-55)	9	5	8	6	------	------	------	------
Conflagration (180)	10	4	9	4	3	8	3	6
Acute accidental poisoning (179)	10	4	------	------	8	5	3	6
Whooping cough (9)	------	------	9	4	------	------	3	6
Tuberculosis, all forms (13-22)	------	------	------	------	4	7	7	4
Meningitis (not due to meningococcus) (81)	------	------	------	------	10	3	------	------
Nephritis (130-132)	------	------	------	------	------	------	8	3
Diseases of the heart (90-95)	------	------	------	------	------	------	8	3
Measles (35)	------	------	------	------	------	------	8	3

TABLE X.—*Continued*

Cause of Death (International Code Number Follows Each Cause)	5-14 Years							
	White				Other			
	Male		Female		Male		Female	
	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Accidents, motor-vehicle (170)	1	54	1	22	1	14	5	6
Influenza and pneumonias (33, 107-109)	2	14	3	10	3	11	2	9
Accidental drowning (183)	2	14	------	------	2	12	------	------
Accidental injury by firearms (184)	4	11	------	------	6	5	------	------
Diseases of the heart (90-95)	5	10	2	12	4	8	2	9
Cancer (45-55)	6	9	4	7	------	------	------	------
Appendicitis (121)	7	7	5	6	------	------	9	3
Acute rheumatic fever (58)	8	6	7	5	10	3	5	6
Congenital malformations and debility (157, 158)	8	6	7	5	------	------	------	------
Leukemias (74)	8	6	7	5	------	------	------	------
Accidental burns (except conflagration) (181)	------	------	5	6	------	------	4	8
Nephritis (130-132)	------	------	7	5	6	5	7	5
Tuberculosis, all forms (13-22)	------	------	------	------	5	7	1	10
Epilepsy (85)	------	------	------	------	8	4	7	5
Conflagration (180)	------	------	------	------	8	4	9	3

Cause of Death (International Code Number Follows Each Cause)	15-24 Years							
	White				Other			
	Male		Female		Male		Female	
	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Accidents, motor-vehicle (170)	1	153	1	32	3	38	6	9
Diseases of the heart (90-95)	2	24	4	16	5	15	3	24
Accidental drowning (183)	3	20	------	------	4	16	------	------
Suicide (163, 164)	4	18	7	7	------	------	------	------
Cancer (45-55)	5	17	6	11	------	------	8	6
Tuberculosis, all forms (13-22)	6	16	3	25	1	64	1	104
Homicide (166-168)	6	16	10	5	2	48	5	12
Accidents, air-transport (173)	8	14	------	------	------	------	------	------
Nephritis (130-132)	9	12	8	6	9	5	8	6
Accidental injury by firearms (184)	10	11	------	------	7	8	------	------
Maternal deaths (140-150)	------	------	2	27	------	------	2	43
Influenza and pneumonias (33, 107-109)	------	------	5	13	6	12	4	15
Diabetes mellitus (61)	------	------	8	6	------	------	------	------
Epilepsy (85)	------	------	------	------	8	6	7	8
Appendicitis (121)	------	------	------	------	9	5	------	------
Syphilis (30)	------	------	------	------	------	------	10	5

TABLE X.—*Continued*

Cause of Death (International Code Number Follows Each Cause)	25-44 Years							
	White				Other			
	Male		Female		Male		Female	
	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Diseases of the heart (90-95)	1	218	2	105	2	144	2	138
Accidents, motor-vehicle (170)	2	182	7	28	4	71	------	------
Tuberculosis, all forms (13-22)	3	86	4	61	1	168	1	144
Cancer (45-55)	4	83	1	148	9	26	3	96
Suicide (163, 164)	5	82	8	25	------	------	------	------
Nephritis (130-132)	6	55	5	49	5	62	4	94
Homicide (166-168)	7	43	------	------	3	118	8	28
Intracranial lesions of vascular origin (83)	7	43	6	44	6	52	6	68
Influenza and pneumonias (33, 107-109)	9	40	9	22	8	40	7	35
Accidental drowning (183)	10	22	------	------	------	------	------	------
Maternal deaths (140-150)	------	------	3	69	------	------	5	73
Nonmalignant tumors (56,57)	------	------	10	15	------	------	9	21
Syphilis (30)	------	------	------	------	7	43	10	20
Epilepsy (85)	------	------	------	------	10	14	------	------

Cause of Death (International Code Number Follows Each Cause)	45-64 Years							
	White				Other			
	Male		Female		Male		Female	
	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Diseases of the heart (90-95)	1	1,227	2	443	1	437	1	384
Intracranial lesions of vascular origin (83)	2	359	3	263	2	245	2	275
Cancer (45-55)	3	327	1	452	4	116	4	185
Nephritis (130-132)	4	257	4	160	3	218	3	225
Tuberculosis, all forms (13-22)	5	118	7	51	5	83	6	51
Accidents, motor-vehicle (170)	6	90	8	17	8	37	10	11
Influenza and pneumonias (33, 107-109)	7	89	6	53	6	68	5	59
Suicide (163, 164)	8	72	9	17	------	------	------	------
Diabetes mellitus (61)	9	65	5	64	------	------	7	46
Cirrhosis of liver (124)	10	40	10	15	------	------	------	------
Syphilis (30)	------	------	------	------	7	58	------	------
Homicide (166-168)	------	------	------	------	9	26	------	------
Arteriosclerosis and hypertension (97, 102)	------	------	------	------	10	25	8	23
Intestinal obstruction (122)	------	------	------	------	------	------	9	14

TABLE X.—*Continued*

Cause of Death (International Code Number Follows Each Cause)	65 Years and Over							
	White				Other			
	Male		Female		Male		Female	
	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Diseases of the heart (90-95)	1	1,599	1	1,363	1	331	1	313
Intracranial lesions of vascular origin (83)	2	679	2	675	3	198	2	222
Nephritis (130-132)	3	592	3	517	2	252	3	210
Cancer (45-55)	4	442	4	466	4	93	4	84
Influenza and pneumonias (33, 107-109)	5	174	5	191	5	59	5	47
Diabetes mellitus (61)	6	95	7	116	10	16	8	16
Arteriosclerosis and hypertension (97, 102)	7	93	9	86	6	44	6	42
Accidental injury by fall or crushing (186)	8	70	6	146	------	------	10	10
Diseases of the prostate (137)	9	69	------	------	8	27	------	------
Senility (162)	10	61	8	94	7	33	7	41
Tuberculosis, all forms (13-22)	------	------	10	34	9	19	9	10

Cause of Death (International Code Number Follows Each Cause)	All Ages							
	White				Other			
	Male		Female		Male		Female	
	Rank	No.	Rank	No.	Rank	No.	Rank	No.
Diseases of the heart (90-95)	1	3,096	1	1,952	1	946	1	877
Intracranial lesions of vascular origin (83)	2	1,092	3	989	3	504	2	577
Nephritis (130-132)	3	925	4	742	2	550	3	546
Cancer (45-55)	4	885	2	1,092	6	243	4	375
Accidents, motor-vehicle (170)	5	539	------	------	9	181	------	------
Influenza and pneumonias (33, 107-109)	6	506	5	434	4	395	5	347
Premature birth (159)	7	486	6	357	7	228	7	193
Tuberculosis, all forms (13-22)	8	267	8	177	5	350	6	326
Congenital malformations and debility (157, 158)	9	212	9	170	------	------	------	------
Suicide (163, 164)	10	199	------	------	------	------	------	------
Diabetes mellitus (61)	------	------	7	201	------	------	10	80
Accidental injury by fall or crushing (186)	------	------	10	165	------	------	------	------
Homicide (166-168)	------	------	------	------	8	201	------	------
Syphilis (30)	------	------	------	------	10	134	------	------
Maternal deaths (140-150)	------	------	------	------	------	------	8	119
Dysentery, diarrhea and enteritis (27, 119, 120)	------	------	------	------	------	------	9	82

TABLE XI.—ACCIDENTAL DEATHS BY COUNTY OF OCCURRENCE, COLOR, AND SEX, 1947

	All Accidents (169-195)					Auto (170a-c)					All Other (169, 170d, 171-195)				
	Total	White		Other		Total	White		Other		Total	White		Other	
		M	F	M	F		M	F	M	F		M	F	M	F
North Carolina	2321	1193	445	510	173	871	542	110	181	38	1450	651	335	329	135
Alamance	24	15	5	4	-----	9	7	1	1	-----	15	8	4	3	-----
Alexander	4	3	1	-----	-----	2	2	-----	-----	-----	2	1	1	-----	-----
Alleghany	3	3	-----	-----	-----	2	2	-----	-----	-----	1	1	-----	-----	-----
Anson	14	10	-----	4	-----	8	6	-----	2	-----	6	4	-----	2	-----
Ashe	10	5	5	-----	-----	4	4	-----	-----	-----	6	1	5	-----	-----
Avery	8	6	2	-----	-----	3	2	1	-----	-----	5	4	1	-----	-----
Beaufort	32	17	3	10	2	8	5	-----	3	-----	24	12	3	7	2
Bertie	16	6	1	7	2	1	-----	-----	1	-----	15	6	1	6	2
Bladen	11	8	-----	2	1	6	6	-----	-----	-----	5	2	-----	2	1
Brunswick	11	5	-----	5	1	-----	-----	-----	-----	-----	11	5	-----	5	1
Buncombe	79	57	13	6	3	32	30	1	1	-----	47	27	12	5	3
Burke	24	13	6	2	3	10	5	3	-----	2	14	8	3	2	1
Cabarrus	19	14	3	1	1	5	4	-----	-----	1	14	10	3	1	-----
Caldwell	20	12	8	-----	-----	6	4	2	-----	-----	14	8	6	-----	-----
Camden	5	-----	-----	5	-----	-----	-----	-----	-----	-----	5	-----	-----	5	-----
Carteret	13	7	4	2	-----	6	4	1	1	-----	7	3	3	1	-----
Caswell	9	-----	2	5	2	4	-----	-----	4	-----	5	-----	2	1	2
Catawba	32	19	8	5	-----	16	12	3	1	-----	16	7	5	4	-----
Chatham	7	1	2	1	3	-----	-----	-----	-----	-----	7	1	2	1	3
Cherokee	6	4	2	-----	-----	-----	-----	-----	-----	-----	6	4	2	-----	-----
Chowan	12	10	-----	2	-----	3	2	-----	1	-----	9	8	-----	1	-----
Clay	4	2	2	-----	-----	-----	-----	-----	-----	-----	4	2	2	-----	-----
Cleveland	38	20	8	7	3	14	6	2	4	2	24	14	6	3	1
Columbus	30	15	2	9	4	11	5	1	3	2	19	10	1	6	2
Craven	42	19	6	12	5	16	8	1	7	-----	26	11	5	5	5
Cumberland	85	44	13	18	10	39	21	4	9	5	46	23	9	9	5
Currituck	2	1	-----	1	-----	2	1	-----	1	-----	-----	-----	-----	-----	-----
Dare	2	2	-----	-----	-----	-----	-----	-----	-----	-----	2	2	-----	-----	-----
Davidson	26	15	6	1	4	9	6	1	1	1	17	9	5	-----	3
Davie	5	3	1	-----	1	2	2	-----	-----	-----	3	1	1	-----	1
Duplin	13	6	3	3	1	3	-----	2	1	-----	10	6	1	2	1
Durham	72	36	15	16	5	32	20	4	6	2	40	16	11	10	3
Edgecombe	28	11	2	14	1	9	6	1	2	-----	19	5	1	12	1
Forsyth	72	34	17	17	4	28	15	5	7	1	44	19	12	10	3
Franklin	9	2	1	5	1	5	-----	1	4	-----	4	2	-----	1	1
Gaston	60	36	16	3	5	20	12	3	2	3	40	24	13	1	2
Gates	9	4	-----	3	2	1	-----	-----	1	-----	8	4	-----	2	2
Graham	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Granville	19	7	2	8	2	10	4	-----	6	-----	9	3	2	2	2
Greene	5	1	2	2	-----	1	1	-----	-----	-----	4	-----	2	2	-----

TABLE XI.—*Continued*

	All Accidents (169-195)					Auto (170a-c)					All Other (169, 170d, 171-195)				
	Total	White		Other		Total	White		Other		Total	White		Other	
		M	F	M	F		M	F	M	F		M	F	M	F
Guilford	84	50	14	15	5	24	19	2	3	-----	60	31	12	12	5
Halifax	48	16	6	21	5	17	10	2	5	-----	31	6	4	16	5
Harnett	35	19	8	7	1	14	9	3	2	-----	21	10	5	5	1
Haywood	16	8	8	-----	-----	7	5	2	-----	-----	9	3	6	-----	-----
Henderson	21	12	6	2	1	9	6	2	-----	1	12	6	4	2	-----
Hertford	8	1	1	6	-----	1	-----	-----	1	-----	7	1	1	5	-----
Hoke	5	1	1	2	1	2	1	-----	1	-----	3	-----	1	1	1
Hyde	1	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----
Iredell	33	17	8	6	2	10	5	2	2	1	23	12	6	4	1
Jackson	12	10	2	-----	-----	1	1	-----	-----	-----	11	9	2	-----	-----
Johnston	29	17	7	5	-----	10	8	2	-----	-----	19	9	5	5	-----
Jones	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----
Lee	18	11	1	5	1	9	6	1	2	-----	9	5	-----	3	1
Lenoir	30	16	4	9	1	10	7	1	2	-----	20	9	3	7	1
Lincoln	19	6	6	4	3	10	2	2	3	3	9	4	4	1	-----
McDowell	10	6	3	-----	1	3	3	-----	-----	-----	7	3	3	-----	1
Macon	12	10	2	-----	-----	3	3	-----	-----	-----	9	7	2	-----	-----
Madison	5	5	-----	-----	-----	1	1	-----	-----	-----	4	4	-----	-----	-----
Martin	15	8	3	3	1	3	3	-----	-----	-----	12	5	3	3	1
Mecklenburg	134	69	29	30	6	62	34	10	16	2	72	35	19	14	4
Mitchell	4	1	3	-----	-----	1	1	-----	-----	-----	3	-----	3	-----	-----
Montgomery	1	-----	-----	1	-----	-----	-----	-----	-----	-----	1	-----	-----	1	-----
Moore	21	9	6	4	2	8	5	-----	2	1	13	4	6	2	1
Nash	43	20	4	13	6	24	13	2	7	2	19	7	2	6	4
New Hanover	60	28	12	15	5	20	12	5	3	-----	40	16	7	12	5
Northampton	14	2	1	6	5	2	1	-----	1	-----	12	1	1	5	5
Onslow	35	22	3	7	3	11	9	-----	2	-----	24	13	3	5	3
Orange	7	2	3	1	1	1	1	-----	-----	-----	6	1	3	1	1
Pamlico	6	3	1	2	-----	2	1	1	-----	-----	4	2	-----	2	-----
Pasquotank	19	5	3	7	4	5	3	-----	1	1	14	2	3	6	3
Pender	7	1	1	5	-----	3	-----	1	2	-----	4	1	-----	3	-----
Perquimans	5	1	1	1	2	1	1	-----	-----	-----	4	-----	1	1	2
Person	8	5	1	-----	2	2	2	-----	-----	-----	6	3	1	-----	2
Pitt	22	10	-----	10	2	6	2	-----	4	-----	16	8	-----	6	2
Polk	9	7	2	-----	-----	4	4	-----	-----	-----	5	3	2	-----	-----
Randolph	20	13	2	3	2	10	9	-----	1	-----	10	4	2	2	2
Richmond	24	12	5	6	1	9	5	2	2	-----	15	7	3	4	1
Robeson	55	16	1	32	6	26	10	-----	14	2	29	6	1	18	4
Rockingham	49	29	15	4	1	27	17	7	3	-----	22	12	8	1	1
Rowan	41	26	8	5	2	22	13	4	4	1	19	13	4	1	1
Rutherford	27	18	8	1	-----	7	6	-----	1	-----	20	12	8	-----	-----
Sampson	29	9	3	15	2	9	4	1	4	-----	20	5	2	11	2
Scotland	20	6	5	6	3	7	3	2	1	1	13	3	3	5	2
Stanly	24	13	7	2	2	8	5	2	-----	1	16	8	5	2	1
Stokes	6	4	2	-----	-----	2	2	-----	-----	-----	4	2	2	-----	-----

TABLE XI.—*Continued*

	All Accidents (169-195)					Auto (170a-c)					All Other (169, 170d, 171-195)				
	Total	White		Other		Total	White		Other		Total	White		Other	
		M	F	M	F		M	F	M	F		M	F	M	F
Surry	34	23	9	1	1	12	10	2	-----	-----	22	13	7	1	1
Swain	5	5	-----	-----	-----	2	2	-----	-----	-----	3	3	-----	-----	-----
Transylvania	7	4	3	-----	-----	4	3	1	-----	-----	3	1	2	-----	-----
Tyrrell	7	4	1	1	1	2	2	-----	-----	-----	5	2	1	1	1
Union	33	13	12	5	3	7	5	1	1	-----	26	8	11	4	3
Vance	25	6	6	11	2	12	1	3	7	1	13	5	3	4	1
Wake	88	48	16	18	6	28	20	2	5	1	60	28	14	13	5
Warren	17	4	1	8	4	4	3	-----	1	-----	13	1	1	7	4
Washington	8	5	1	2	-----	4	3	-----	1	-----	4	2	1	1	-----
Watauga	5	3	2	-----	-----	4	3	1	-----	-----	1	-----	1	-----	-----
Wayne	38	14	8	10	6	16	10	3	3	-----	22	4	5	7	6
Wilkes	25	19	6	-----	-----	13	12	1	-----	-----	12	7	5	-----	-----
Wilson	47	20	10	12	5	22	13	3	5	1	25	7	7	7	4
Yadkin	5	4	1	-----	-----	1	1	-----	-----	-----	4	3	1	-----	-----
Yancey	6	4	2	-----	-----	-----	-----	-----	-----	-----	6	4	2	-----	-----

TABLE XII.—RESIDENT INFANT DEATHS (EXCLUSIVE OF STILLBIRTHS) BY CAUSE AND AGE, 1947

International Code Cause	Cause of Death	Under 1 Day	Under 1 Week	Under 1 Month	Under 1 Year
	Total all causes	1,225	2,243	2,673	3,920
006	Cerebrospinal (meningococcus) meningitis			1	8
008	Scarlet fever				1
009	Whooping cough			4	46
010	Diphtheria			1	7
012	Tetanus		1	3	3
013	Tuberculosis of the respiratory system				1
014-022	Tuberculosis—all other forms				5
024	Septicemia and purulent infection		2	3	6
027	Dysentery				5
030	Syphilis	4	12	15	26
033	Influenza		1	6	45
035	Measles				6
036	Acute poliomyelitis and acute polioencephalitis				1
064	Diseases of the thymus gland	1	7	9	21
070	Rickets				1
073	Anemias (except splenic anemia)		1	1	6
080	Encephalitis (nonepidemic)	1	1	2	5
081	Meningitis (not due to meningococcus)		1	1	14
086	Infantile convulsions		3	3	9
089	Diseases of the ear and mastoid process				4
090-095	Diseases of the heart	4	7	9	24
105	Diseases of the larynx		1	6	11
106	Bronchitis		1	2	11
107	Bronchopneumonia	3	23	60	261
108	Lobar pneumonia		5	16	125
109	Pneumonia (unspecified)		4	19	69
110	Pleurisy (not specified as tuberculous)				1
115	Diseases of the buccal cavity, pharynx, tonsils and adnexa			1	6
117	Ulcer of the stomach or duodenum				2
119	Diarrhea and enteritis		2	31	144
122	Hernia and intestinal obstruction			1	9
128	Diseases of the pancreas (except diabetes mellitus)				7
130	Acute nephritis			1	1
152	Phlegmon and acute abscess				1
153	Other diseases of the skin and cellular tissue		1	3	5
157	Congenital malformation	77	188	238	396
158	Congenital debility	12	24	33	62
159	Premature birth	749	1,186	1,315	1,358
160	Injury at birth	209	397	415	426
161	Other diseases peculiar to the first year of life	112	242	274	287
168	Homicide (Infanticide)	1	1	1	2
170	Motor-vehicle accidents				3
179	Acute accidental poisoning by solids or liquids				2
180	Conflagration	1	1	2	14
181	Accidental burns				4

TABLE XII.—*Continued*

International Code Cause	Cause of Death	Under 1 Day	Under 1 Week	Under 1 Month	Under 1 Year
182	Accidental mechanical suffocation	4	15	28	104
186	Accidental fall	1	1	1	6
195	All other accidents	1	3	8	39
199-200	Sudden death, cause not specified or ill-defined	43	103	137	263
	Total all other causes	2	9	23	57

TABLE XIII.—RESIDENT INFANT AND MATERNAL DEATHS BY COUNTY WITH RATES PER 1,000 LIVE BIRTHS, 1947 AND FIVE-YEAR AVERAGE, 1943-47.

County	Infant Mortality			Maternal Mortality		
	Deaths	1947 Rate	1943-47 Rate	Deaths	1947 Rate	1943-47 Rate
North Carolina	3,920	35.2	41.0	202	1.8	2.5
Alamance	51	26.2	30.5	1	0.5	2.9
Alexander	18	43.9	50.0	1	2.4	2.4
Alleghany	6	33.3	16.1			
Anson	30	37.7	36.0	1	1.3	3.0
Ashe	21	33.2	42.1	4	6.3	3.1
Avery	16	36.2	44.8	1	2.3	2.0
Beaufort	45	41.1	53.4	3	2.7	4.5
Bertie	30	38.3	50.9	2	2.6	4.3
Bladen	37	39.7	45.6	2	2.1	4.7
Brunswick	18	31.7	41.2	1	1.8	4.4
Buncombe	96	31.0	38.7	5	1.6	1.9
Burke	28	22.3	26.1			1.6
Cabarrus	50	26.8	32.3	5	2.7	2.1
Caldwell	50	35.7	44.3	2	1.4	2.1
Camden	3	25.9	51.4			4.8
Carteret	17	26.6	39.2			
Caswell	17	32.3	38.7	1	1.9	2.0
Catawba	57	30.4	35.0	2	1.1	1.2
Chatham	25	39.0	42.5	3	4.7	2.9
Cherokee	18	32.4	43.7	2	3.6	1.1
Chowan	9	25.5	36.1			0.6
Clay	5	30.7	37.4	1	6.1	1.3
Cleveland	66	35.2	32.7	2	1.1	1.6
Columbus	75	50.1	49.5	3	2.0	2.9
Craven	41	33.2	50.7	5	4.0	3.9
Cumberland	94	41.7	47.6	5	2.2	3.0
Currituck			27.6			
Dare	3	29.4	53.1			5.7
Davidson	49	31.3	41.3	2	1.3	1.5
Davie	10	27.0	35.1			1.2
Duplin	50	41.1	40.9	3	2.5	3.0
Durham	93	35.5	36.0	1	0.4	2.0
Edgecombe	44	27.8	45.0	3	1.9	3.2
Forsyth	158	42.0	40.5	8	2.1	2.3
Franklin	33	41.4	45.5	2	2.5	6.0
Gaston	108	37.8	45.4	1	0.4	1.6
Gates	10	41.5	65.3	1	4.1	1.7
Grabam	9	43.3	33.7			0.9
Granville	23	28.6	35.6	3	3.7	3.0
Greene	12	22.1	27.9	3	5.5	3.8
Guilford	140	29.3	38.2	9	1.9	2.5
Halifax	75	42.4	42.6	5	2.8	3.3
Harnett	34	24.2	36.0	2	1.4	2.0
Haywood	36	32.3	38.5	1	0.9	0.6
Henderson	29	37.7	39.4	2	2.6	1.5

TABLE XIII.—*Continued*

County	Infant Mortality			Maternal Mortality		
	Deaths	1947 Rate	1943-47 Rate	Deaths	1947 Rate	1943-47 Rate
Hertford	21	40.8	50.3	2	3.9	3.1
Hoke	27	59.2	62.4	----------	----------	1.9
Hyde	2	12.7	22.9	----------	----------	2.7
Iredell	44	28.8	39.2	1	0.7	2.8
Jackson	16	31.4	44.6	----------	----------	3.4
Johnston	59	31.1	35.6	5	2.6	2.6
Jones	12	38.6	43.9	1	3.2	2.7
Lee	23	32.8	37.4	1	1.4	2.7
Lenoir	59	44.3	46.6	6	4.5	5.1
Lincoln	20	28.1	40.6	1	1.4	2.0
McDowell	13	20.2	37.4	----------	----------	2.1
Macon	14	30.5	30.5	1	2.2	0.5
Madison	23	45.5	47.0	1	2.0	3.8
Martin	32	35.8	36.1	1	1.1	2.5
Mecklenburg	198	39.0	42.8	8	1.6	1.8
Mitchell	5	11.0	21.3	----------	----------	2.4
Montgomery	26	52.3	40.4	1	2.0	0.9
Moore	24	28.5	29.8	1	1.2	1.3
Nash	72	38.5	40.6	5	2.7	2.7
New Hanover	97	53.4	50.0	3	1.7	1.7
Northampton	27	33.5	34.2	1	1.2	2.7
Onslow	39	47.4	47.3	----------	----------	1.6
Orange	21	25.5	34.7	1	1.2	3.5
Pamlico	13	45.9	50.8	1	3.5	5.6
Pasquotank	30	46.2	50.1	2	3.1	4.1
Pender	19	38.6	43.4	1	2.0	2.4
Perquimans	10	40.8	32.3	----------	----------	5.0
Person	32	39.6	35.3	2	2.5	1.7
Pitt	73	39.5	43.9	4	2.2	3.3
Polk	9	28.8	32.6	----------	----------	----------
Randolph	38	28.8	32.8	----------	----------	1.9
Richmond	46	39.9	49.9	5	4.3	3.7
Robeson	89	31.3	45.5	2	0.7	3.3
Rockingham	61	36.4	41.0	----------	----------	1.6
Rowan	61	35.2	36.4	3	1.7	2.6
Rutherford	39	30.0	32.7	4	3.1	3.4
Sampson	50	31.9	40.8	1	0.6	1.3
Scotland	43	57.2	58.4	1	1.3	3.3
Stanly	41	40.5	43.0	1	1.0	2.5
Stokes	13	21.2	35.8	----------	----------	1.6
Surry	50	33.8	44.9	2	1.4	2.0
Swain	6	17.0	26.7	----------	----------	2.4
Transylvania	8	16.1	34.5	----------	----------	1.5
Tyrrell	5	31.1	44.8	1	6.2	2.8
Union	39	32.7	39.0	----------	----------	3.0

TABLE XIII.—*Continued*

County	Infant Mortality			Maternal Mortality		
	Deaths	1947 Rate	1943-47 Rate	Deaths	1947 Rate	1943-47 Rate
Vance	44	49.9	54.6	5	5.7	2.7
Wake	112	32.2	38.3	8	2.3	3.2
Warren	30	41.4	58.9	2	2.8	2.1
Washington	11	32.3	54.8	2	5.9	4.7
Watauga	22	41.4	32.1	----------	----------	1.7
Wayne	58	34.9	41.9	7	4.2	3.8
Wilkes	54	41.6	45.2	1	0.8	3.0
Wilson	76	45.1	51.8	7	4.1	3.8
Yadkin	13	23.6	24.9	2	3.6	2.1
Yancey	12	26.5	27.4	----------	----------	0.9

TABLE XIV.—RESIDENT URBAN AND RURAL LIVE BIRTHS, STILLBIRTHS, SHOWING NUMBER OCCURRING

	Live Births				Stillbirths			
	Total		Hospital		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other
North Carolina	78,447	32,835	61,939	10,198	1,429	1,319	1,156	574
Urban	23,053	8,700	21,795	5,292	433	455	416	304
Rural	55,394	24,135	40,144	4,906	996	864	740	270
Alamance	1,546	398	1,359	113	29	14	27	3
Burlington	606	85	564	5	15	1	15	-------
Graham	109	8	104	3	2	1	2	1
Rural	831	305	691	105	12	12	10	2
Alexander (All Rural)	372	38	228	4	8	2	6	-------
Alleghany (All Rural)	168	12	67	-------	1	1	-------	-------
Anson	352	444	255	29	7	20	5	1
Wadesboro	75	23	67	3	3	1	1	-------
Rural	277	421	188	26	4	19	4	1
Ashe (All Rural)	626	6	407	4	5	1	3	-------
Avery (All Rural)	438	4	394	3	7	-------	6	-------
Beaufort	722	373	634	101	10	23	10	13
Washington	199	90	196	45	2	7	2	3
Rural	523	283	438	56	8	16	8	10
Bertie (All Rural)	245	538	208	162	4	17	4	6
Bladen (All Rural)	514	418	198	29	12	14	5	-------
Brunswick (All Rural)	308	260	259	62	6	8	4	3
Buncombe	2,763	330	2,508	170	49	13	40	8
Asheville	1,131	288	1,103	150	17	13	17	8
Rural	1,632	42	1,405	20	32	-------	23	-------
Burke	1,148	106	1,025	100	31	3	28	3
Morganton	216	51	215	51	6	1	6	1
Valdese	47	1	47	1	1	-------	1	-------
Rural	885	54	763	48	24	2	21	2
Cabarrus	1,561	304	1,482	193	40	23	38	19
Concord	101	89	99	66	2	12	2	10
Rural	1,460	215	1,383	127	38	11	36	9
Caldwell	1,309	93	1,013	64	31	3	28	3
Lenoir	220	52	198	49	7	2	7	2
Rural	1,089	41	815	15	24	1	21	1
Camden (All Rural)	57	59	31	5	-------	-------	-------	-------
Carteret	528	111	462	24	5	2	5	2
Beaufort	82	38	75	8	1	1	1	1
Morehead City	123	25	112	14	1	1	1	1
Rural	323	48	275	2	3	-------	3	-------
Caswell (All Rural)	237	290	142	37	1	12	-------	4
Catawba	1,698	174	1,634	103	35	3	33	-------
Hickory	530	56	524	41	12	1	12	-------
Newton	177	20	170	15	6	-------	6	-------
Rural	991	98	940	47	17	2	15	-------

TOTAL DEATHS, INFANT DEATHS, AND MATERNAL DEATHS BY COLOR, IN HOSPITALS, 1947.

Deaths				Infant Deaths				Maternal Deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
19,823	10,102	7,100	2,728	2,420	1,500	1,684	509	94	108	82	77
6,195	3,936	2,828	1,365	759	488	652	261	26	39	23	31
13,628	6,166	4,272	1,363	1,661	1,012	1,032	248	68	69	59	46
327	104	76	28	33	18	23	6	-------	1	-------	1
125	24	36	6	15	6	10	1	-------	1	-------	1
22	8	5	3	3	-------	3	-------	-------	-------	-------	-------
180	72	35	19	15	12	10	5	-------	-------	-------	-------
98	18	27	4	13	5	8	-------	-------	1	-------	1
63	3	16	-------	5	1	2	-------	-------	-------	-------	-------
122	131	30	24	11	19	6	7	-------	1	-------	1
33	14	12	6	3	2	3	2	-------	-------	-------	-------
89	117	18	18	8	17	3	5	-------	1	-------	1
143	2	46	-------	21	-------	7	-------	4	-------	2	-------
89	2	34	2	16	-------	14	-------	1	-------	1	-------
195	141	55	23	26	19	22	7	2	1	2	-------
53	67	21	7	10	7	9	3	2	-------	2	-------
142	74	34	16	16	12	13	4	-------	1	-------	-------
90	126	18	15	3	27	1	2	-------	2	-------	2
126	88	37	12	21	16	12	4	-------	2	-------	2
57	61	22	17	9	9	7	2	-------	1	-------	1
816	186	328	49	81	15	62	3	3	2	3	2
380	167	165	44	29	13	25	2	-------	2	-------	2
436	19	163	5	52	2	37	1	3	-------	3	-------
229	32	113	14	23	5	20	2	-------	-------	-------	-------
61	16	29	9	2	4	2	2	-------	-------	-------	-------
10	1	5	1	-------	-------	-------	-------	-------	-------	-------	-------
158	15	79	4	21	1	18	-------	-------	-------	-------	-------
281	78	128	24	42	8	37	3	4	1	4	1
89	24	47	5	13	-------	11	-------	-------	1	-------	1
192	54	81	19	29	8	26	3	4	-------	4	-------
263	29	86	7	45	5	22	3	2	-------	1	-------
50	20	26	7	9	4	6	3	1	-------	1	-------
213	9	60	-------	36	1	16	-------	1	-------	-------	-------
20	16	9	4	2	1	1	-------	-------	-------	-------	-------
142	31	47	9	16	1	13	1	-------	-------	-------	-------
24	10	10	2	2	-------	2	-------	-------	-------	-------	-------
31	14	15	6	8	1	7	1	-------	-------	-------	-------
87	7	22	1	6	-------	4	-------	-------	-------	-------	-------
61	92	15	13	6	11	2	3	-------	1	-------	-------
355	40	140	8	54	3	34	-------	2	-------	2	-------
115	18	54	4	24	1	17	-------	1	-------	1	-------
34	2	14	1	4	-------	3	-------	-------	-------	-------	-------
206	20	72	3	26	2	14	-------	1	-------	1	-------

TABLE XIV.—

	Live Births				Stillbirths			
	Total		Hospital		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other
Chatham (All Rural)	367	274	273	26	7	6	6	1
Cherokee (All Rural)	537	18	350	13	15		12	
Chowan	167	186	72	8	3	9	2	3
Edenton	57	37	35	2		2		
Rural	110	149	37	6	3	7	2	3
Clay (All Rural)	162	1	52		1			
Cleveland	1,384	490	1,113	168	22	19	18	9
Kings Mountain	164	12	105	4	2		2	
Shelby	339	101	334	81	8	5	7	5
Rural	881	377	674	83	12	14	9	4
Columbus	928	570	674	133	19	25	16	7
Whiteville	86	20	84	14	4	4	4	2
Rural	842	550	590	119	15	21	12	5
Craven	755	481	680	129	15	29	12	11
New Bern	345	177	335	45	3	15	3	6
Rural	410	304	345	84	12	14	9	5
Cumberland	1,487	766	1,031	180	27	18	21	8
Fayetteville	683	328	551	94	13	11	13	5
Rural	804	438	480	86	14	7	8	3
Currituck (All Rural)	77	43	39	3	1	3	1	
Dare (All Rural)	97	5	37		3	2	1	
Davidson	1,440	127	1,281	58	23	3	21	
Lexington	372	47	370	21	2	3	2	
Thomasville	235	35	233	20	3		3	
Rural	833	45	678	17	18		16	
Davie (All Rural)	318	52	167	10	6	1	4	1
Duplin (All Rural)	694	523	269	33	15	20	7	1
Durham	1,713	909	1,679	795	29	56	29	46
Durham	1,226	728	1,218	666	16	44	16	39
Rural	487	181	461	129	13	12	13	7
Edgecombe	632	948	542	130	11	31	11	15
Rocky Mount*	180	120	178	29	4	8	4	4
Tarboro	151	89	147	27	3	3	3	2
Rural	301	739	217	74	4	20	4	9
Forsyth	2,628	1,138	2,510	945	32	57	31	41
Winston-Salem	1,302	998	1,283	840	23	51	23	37
Rural	1,326	140	1,227	105	9	6	8	4
Franklin (All Rural)	396	401	299	108	3	14	2	2
Gaston	2,512	343	2,096	172	58	18	44	10
Belmont	168	12	159	5	6	1	5	1
Bessemer City	84	16	57	1	1	2	1	
Cherryville	123	5	100	2	2		2	
Gastonia	543	113	543	105	19	7	18	6
Rural	1,594	197	1,237	59	30	8	18	3
Gates (All Rural)	81	160	59	22		6		

*See Nash County for remainder of Rocky Mount.

Continued

Deaths				Infant Deaths				Maternal Deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
133	68	42	16	13	12	7	3	1	2	1	2
89	4	39	2	17	1	12		2		2	
64	42	16	6	4	5	3	1				
29	20	6	3	1		1					
35	22	10	3	3	5	2	1				
34		9		5		3		1		1	
344	84	136	35	51	15	36	8	2		2	
46	7	18	6	9		9					
91	24	36	9	9	4	7	3				
207	53	82	20	33	11	20	5	2		2	
224	190	73	43	42	33	29	11	2	1	1	1
26	18	10	5	5	1	4	1				
198	172	63	38	37	32	25	10	2	1	1	1
169	202	60	40	21	20	11	4	1	4	1	3
81	109	26	21	3	10	1	2		2		2
88	93	34	19	18	10	10	2	1	2	1	1
366	224	151	61	60	34	50	10	3	2	3	2
159	110	78	36	28	14	26	5	1	2	1	2
207	114	73	25	32	20	24	5	2		2	
43	18	9	2								
37	7	12		2	1	1					
343	60	118	9	42	7	34	1	2		2	
71	21	31	4	10		8					
65	20	22	3	8	3	7					
207	19	65	2	24	4	19	1	2		2	
101	14	19	1	8	2	1					
194	115	45	22	28	22	15	6		3		1
437	298	192	124	50	43	43	31		1		1
303	243	142	101	35	37	33	26		1		1
134	55	50	23	15	6	10	5				
187	247	65	46	12	32	8	7	1	2		
52	69	21	16	2	8	2	3				
46	46	17	13	5	4	4	1				
89	132	27	17	5	20	2	3	1	2		
619	512	258	267	69	89	63	62	2	6	1	4
350	457	158	245	42	82	39	59	2	5	1	3
269	55	100	22	27	7	24	3		1		1
128	108	27	21	11	22	10	4	1	1	1	1
548	111	214	27	94	14	64	3	1		1	
35	5	18	1	12		8					
12	6	8	1	3	1	2					
15	5	4			2						
142	42	66	11	23	4	18	2				
344	53	118	14	56	7	36	1	1		1	
41	52	13	5	1	9	1	1		1		1

TABLE XIV.—

	Live Births				Stillbirths			
	Total		Hospital		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other
Graham (All Rural)	202	6	40	5	5	1	1	-------
Granville	341	462	258	154	5	13	4	4
Oxford	72	56	66	23	-------	1	-------	-------
Rural	269	406	192	131	5	12	4	4
Greene	241	303	119	13	8	6	7	1
Guilford	3,863	909	3,656	657	42	39	39	34
Greensboro	1,450	465	1,429	447	14	21	13	19
High Point	928	214	917	102	11	9	10	7
Rural	1,485	230	1,310	108	17	9	16	8
Halifax	607	1,160	517	127	13	47	12	13
Roanoke Rapids	262	23	258	21	8	1	8	1
Scotland Neck	45	25	31	4	1	1	-------	-------
Rural	300	1,112	228	102	4	45	4	12
Harnett	984	422	775	118	14	12	12	5
Dunn	112	73	108	24	2	3	2	2
Rural	872	349	667	94	12	9	10	3
Haywood	1,103	13	1,026	6	13	-------	9	-------
Canton	138	1	121	1	2	-------	2	-------
Waynesville	71	3	68	3	-------	-------	-------	-------
Rural	894	9	837	2	11	-------	7	-------
Henderson	722	47	650	32	9	1	7	-------
Hendersonville	145	26	137	18	2	-------	2	-------
Rural	577	21	513	14	7	1	5	-------
Hertford (All Rural)	160	355	87	66	3	5	2	1
Hoke (All Rural)	148	308	53	11	3	22	-------	-------
Hyde (All Rural)	74	83	60	4	-------	2	-------	1
Iredell	1,233	295	1,068	126	30	16	30	2
Mooresville	177	32	175	28	2	-------	2	-------
Statesville	369	96	330	34	8	5	8	2
Rural	687	167	563	64	20	11	20	-------
Jackson (All Rural)	480	29	243	22	17	1	4	1
Johnston	1,457	440	892	41	36	17	28	3
Smithfield	116	45	115	11	1	1	1	-------
Rural	1,341	395	777	30	35	16	27	3
Jones (All Rural)	170	141	128	22	5	15	5	5
Lee	507	195	475	112	7	8	7	6
Sanford	160	50	154	29	1	4	1	3
Rural	347	145	321	83	6	4	6	3
Lenoir	755	578	697	96	12	24	11	4
Kinston	311	208	302	43	7	7	7	1
Rural	444	370	395	53	5	17	4	3
Lincoln	605	107	523	13	7	4	7	1
Lincolnton	141	15	131	7	1	1	1	-------
Rural	464	92	392	6	6	3	6	1
McDowell	609	35	445	23	2	-------	-------	-------

Continued

Deaths				Infant Deaths				Maternal Deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
28	3	6	1	8	1	1	1	-------	-------	-------	-------
128	171	36	32	7	16	1	2	1	2	1	2
35	34	14	3	-------	-------	-------	-------	1	1	1	1
93	137	22	29	7	16	1	2	-------	1	-------	1
41	58	13	10	4	8	2	-------	-------	3	-------	1
946	356	396	139	98	42	78	27	2	7	2	6
332	200	161	85	32	25	27	19	-------	4	-------	3
242	79	103	26	25	9	20	3	1	2	1	2
372	77	132	28	41	8	31	5	1	1	1	1
210	276	86	74	19	56	16	21	1	4	1	3
69	5	47	3	14	3	14	3	-------	-------	-------	-------
26	7	8	2	-------	-------	-------	-------	-------	-------	-------	-------
115	264	31	69	5	53	2	18	1	4	1	3
228	119	76	27	12	22	7	5	-------	2	-------	2
33	25	14	7	-------	3	-------	2	-------	1	-------	1
195	94	62	20	12	19	7	3	-------	1	-------	1
229	7	79	2	35	1	18	1	1	-------	1	-------
27	1	10	-------	1	-------	1	-------	1	-------	1	-------
31	3	6	1	8	1	2	1	-------	-------	-------	-------
171	3	63	1	26	-------	15	-------	-------	-------	-------	-------
232	28	90	10	24	5	18	2	2	-------	2	-------
53	16	25	5	7	2	6	-------	-------	-------	-------	-------
179	12	65	5	17	3	12	2	2	-------	2	-------
80	94	17	20	7	14	6	2	1	1	1	-------
48	74	12	8	3	24	1	2	-------	-------	-------	-------
36	21	8	5	1	1	-------	-------	-------	-------	-------	-------
300	102	118	26	32	12	27	4	1	-------	1	-------
41	14	19	6	5	4	4	1	-------	-------	-------	-------
88	44	37	8	11	2	11	1	-------	-------	-------	-------
171	44	62	12	16	6	12	2	1	-------	1	-------
137	12	26	2	14	2	4	-------	-------	-------	-------	-------
303	125	95	29	41	18	25	4	4	1	2	1
28	25	12	4	3	5	3	-------	-------	-------	-------	-------
275	100	83	25	38	13	22	4	4	1	2	1
42	35	16	11	8	4	5	-------	-------	1	-------	1
116	46	51	16	16	7	16	5	-------	1	-------	1
55	24	29	10	12	3	12	2	-------	1	-------	1
61	22	22	6	4	4	4	3	-------	-------	-------	-------
245	185	103	41	41	18	37	4	2	4	2	1
115	97	49	24	18	5	18	2	1	1	1	-------
130	88	54	17	23	13	19	2	1	3	1	1
127	36	53	4	15	5	11	1	-------	1	-------	-------
26	14	18	2	2	2	2	-------	-------	-------	-------	-------
101	22	35	2	13	3	9	1	-------	1	-------	-------
118	16	36	3	13	-------	4	-------	-------	-------	-------	-------

TABLE XIV.—

	Live Births				Stillbirths			
	Total		Hospital		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other
Marion	121	5	118	5	-------	-------	-------	-------
Rural	488	30	327	18	2	-------	-------	-------
Macon (All Rural)	451	8	188	-------	7	-------	5	-------
Madison (All Rural)	500	5	213	1	8	-------	3	-------
Martin	406	488	155	20	5	15	3	-------
Williamston	69	76	50	6	1	1	1	-------
Rural	337	412	105	14	4	14	2	-------
Mecklenburg	3,733	1,347	3,491	1,073	63	58	63	41
Charlotte	2,168	964	2,060	828	46	46	46	36
Rural	1,565	383	1,431	245	17	12	17	5
Mitchell (All Rural)	451	2	218	1	9	-------	5	-------
Montgomery (All Rural)	385	112	298	4	7	1	7	-------
Moore	644	198	535	101	15	7	14	6
Southern Pines	73	24	64	11	-------	-------	-------	-------
Rural	571	174	471	90	15	7	14	6
Nash	1,002	867	727	56	15	32	12	9
Rocky Mount*	310	130	290	14	5	11	5	5
Rural	692	737	437	42	10	21	7	4
New Hanover	1,208	610	1,118	468	17	36	16	31
Wilmington	858	494	802	368	13	33	13	28
Rural	350	116	316	100	4	3	3	3
Northampton (All Rural)	215	590	135	50	4	16	3	6
Onslow (All Rural)	613	210	441	84	11	13	11	4
Orange	568	257	470	140	6	3	6	2
Chapel Hill	157	35	147	18	2	-------	2	-------
Rural	411	222	323	122	4	3	4	2
Pamlico (All Rural)	162	121	32	5	4	5	-------	2
Pasquotank	399	251	354	25	6	9	6	3
Elizabeth City	257	88	253	18	5	5	5	2
Rural	142	163	101	7	1	4	1	1
Pender (All Rural)	233	259	118	36	1	10	1	4
Perquimans (All Rural)	114	131	61	1	-------	11	-------	-------
Person	476	332	361	47	9	19	6	4
Roxboro	101	22	90	2	4	3	3	-------
Rural	375	310	271	45	5	16	3	4
Pitt	902	944	661	209	23	50	19	24
Farmville	33	39	26	-------	2	2	1	-------
Greenville	205	122	200	64	2	11	2	8
Rural	664	783	435	145	19	37	16	16
Polk (All Rural)	277	35	183	11	8	2	7	2
Randolph	1,181	137	1,059	67	17	5	16	2
Asheboro	304	41	301	34	3	1	3	1
Rural	877	96	758	33	14	4	13	1
Richmond	798	354	576	49	15	17	12	6
Hamlet	64	19	63	6	1	3	1	3

*See Edgecombe County for remainder of Rocky Mount.

Continued

Deaths				Infant Deaths				Maternal Deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
21	3	10	--------	3	--------	2	--------	--------	--------	--------	--------
97	13	26	3	10	--------	2	--------	--------	--------	--------	--------
102	7	19	1	13	1	3	--------	1	--------	1	--------
176	3	34	1	23	--------	7	--------	1	--------	--------	--------
116	97	37	15	15	17	6	1	--------	1	--------	1
19	15	15	2	3	1	3	--------	--------	--------	--------	--------
97	82	22	13	12	16	3	1	--------	1	--------	1
902	538	464	184	124	74	112	48	5	3	5	3
536	424	290	144	68	55	65	37	2	2	2	2
366	114	174	40	56	19	47	11	3	1	3	1
89	--------	7	--------	5	--------	2	--------	--------	--------	--------	--------
95	39	30	9	16	10	11	2	1	--------	1	--------
157	90	58	27	16	8	11	5	--------	1	--------	1
19	8	5	2	1	--------	1	--------	--------	--------	--------	--------
138	82	53	25	15	8	10	5	--------	1	--------	1
258	239	98	73	27	45	21	10	2	3	2	3
88	71	39	26	7	12	7	3	--------	2	--------	2
170	168	59	47	20	33	14	7	2	1	2	1
378	284	188	156	46	51	42	40	--------	3	--------	3
289	237	140	132	31	43	27	36	--------	3	--------	3
89	47	48	24	15	8	15	4	--------	--------	--------	--------
65	145	13	24	1	26	--------	8	--------	1	--------	1
130	53	56	12	29	10	22	5	--------	--------	--------	--------
134	68	53	13	15	6	12	2	--------	1	--------	--------
21	18	15	6	4	2	4	1	--------	--------	--------	--------
113	50	38	7	11	4	8	1	--------	1	--------	--------
50	31	10	7	4	9	2	--------	1	--------	1	--------
116	91	52	11	19	11	18	2	1	1	1	--------
81	55	38	9	14	6	13	2	1	1	1	--------
35	36	14	2	5	5	5	--------	--------	--------	--------	--------
78	86	27	27	9	10	7	6	--------	1	--------	--------
44	52	10	7	3	7	2	--------	--------	--------	--------	--------
120	63	46	13	19	13	17	4	2	--------	2	--------
33	7	17	1	8	--------	7	--------	--------	--------	--------	--------
87	56	29	12	11	13	10	4	2	--------	2	--------
230	245	74	45	29	44	22	5	1	3	1	1
10	22	5	5	1	4	--------	--------	--------	--------	--------	--------
63	72	23	18	6	8	6	2	--------	--------	--------	--------
157	151	46	22	22	32	16	3	1	3	1	1
81	10	21	1	8	1	5	--------	--------	--------	--------	--------
273	39	98	15	30	8	24	3	--------	--------	--------	--------
42	14	25	7	13	2	12	2	--------	--------	--------	--------
231	25	73	8	17	6	12	1	--------	--------	--------	--------
240	114	67	19	35	11	18	3	2	3	2	2
37	11	13	3	5	--------	4	--------	--------	--------	--------	--------

TABLE XIV.—

	Live Births				Stillbirths			
	Total		Hospital		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other
Rockingham	47	38	38	1	9	2	8	1
Rural	687	297	475	42	5	12	3	2
Robeson	1,077	1,771	751	319	21	61	14	28
Lumberton	171	50	157	24	5	6	4	4
Rural	906	1,721	594	295	16	55	10	24
Rockingham	1,297	379	1,030	176	31	15	29	8
Reidsville	199	101	192	70	5	9	5	5
Rural	1,098	278	838	106	26	6	24	3
Rowan	1,452	281	1,244	122	28	8	27	3
Salisbury	382	84	367	46	16	5	16	1
Spencer	72	1	68	1	3	--------	3	--------
Rural	998	196	809	75	9	3	8	2
Rutherford	1,129	173	570	29	21	8	13	3
Forest City	106	21	60	1	6	3	4	2
Spindale	70	6	51	1	1	1	1	--------
Rural	953	146	459	27	14	4	8	1
Sampson	943	624	465	28	29	22	17	8
Clinton	79	42	36	--------	2	3	2	1
Rural	864	582	429	28	27	19	15	7
Scotland	316	436	207	34	5	16	3	5
Laurinburg	80	78	69	13	2	5	2	3
Rural	236	358	138	21	3	11	1	2
Stanly	913	99	814	55	11	6	10	4
Albemarle	201	11	194	9	2	1	2	1
Rural	712	88	620	46	9	5	8	3
Stokes (All Rural)	543	71	264	32	12	4	8	2
Surry	1,392	87	909	26	32	2	23	1
Elkin	149	5	148	5	2	--------	2	--------
Mount Airy	211	13	158	4	5	--------	5	--------
Rural	1,032	69	603	17	25	2	16	1
Swain (All Rural)	289	64	56	56	14	--------	3	--------
Transylvania	468	29	281	2	3	--------	2	--------
Brevard	119	17	100	--------	1	--------	1	--------
Rural	349	12	181	2	2	--------	1	--------
Tyrrell (All Rural)	84	77	73	29	5	1	4	1
Union	888	304	736	30	15	7	9	--------
Monroe	189	65	172	7	4	--------	3	--------
Rural	699	239	564	23	11	7	6	--------
Vance	464	417	439	130	8	17	8	10
Henderson	169	75	167	24	4	8	4	5
Rural	295	342	272	106	4	9	4	5
Wake	2,307	1,175	1,977	574	40	45	35	17
Raleigh	1,083	424	1,071	358	21	11	21	9
Rural	1,224	751	906	216	19	34	14	8
Warren (All Rural)	193	532	157	24	4	23	2	7

Continued

Deaths				Infant Deaths				Maternal Deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
29	18	11	4	2	4	2	2	1		1	
174	85	43	12	28	7	12	1	1	3	1	2
273	366	86	71	22	67	12	13	2		2	
40	19	14	7	5	2	5		1		1	
233	347	72	64	17	65	7	13	1		1	
361	116	131	34	52	9	32	4				
59	55	29	14	10	2	8					
302	61	102	20	42	7	24	4				
421	140	173	37	48	13	40	6	2	1	2	
142	70	77	20	19	6	18	3		1		
17	3	13	1	2		2					
262	67	83	16	27	7	20	3	2		2	
250	46	59	11	34	5	17		3	1	3	
23	6	8	4	3		1		2		2	
16	3	7		7	1	6					
211	37	44	7	24	4	10		1	1	1	
244	160	44	33	22	28	8	5		1		1
29	24	5	2	3	1	2					
215	136	39	31	19	27	6	5		1		1
96	123	26	17	14	29	5	5	1		1	
27	34	11	7	2	5	2	1	1		1	
69	89	15	10	12	24	3	4				
244	33	90	6	38	3	27	1	1		1	
57	10	18	2	4		2					
187	23	72	4	34	3	25	1	1		1	
136	17	31	1	11	2	5	1				
335	25	87	9	47	3	25	1	2		1	
32	2	6	1	9	2	3	1	1			
68	3	20	2	7		6					
235	20	61	6	31	1	16		1		1	
51	19	10	9	4	2	1	1				
68	8	17	1	8		2					
13	6	6		1		1					
55	2	11	1	7		1					
40	16	16	6	4	1				1		1
272	79	96	16	27	12	19	1				
64	25	30	7	4	1	4					
208	54	66	9	23	11	15	1				
159	169	74	61	20	24	15	4	1	4	1	4
37	49	20	16	3	4	3			1		1
122	120	54	45	17	20	12	4	1	3	1	3
582	400	275	151	71	41	64	19	2	6	2	6
285	194	161	80	33	13	31	9		2		2
297	206	114	71	38	28	33	10	2	4	2	4
75	172	15	27	6	24	5	6		2		2

TABLE XIV.—

	Live Births				Stillbirths			
	Total		Hospital		Total		Hospital	
	White	Other	White	Other	White	Other	White	Other
Washington (All Rural)	196	145	113	9	6	9	5	1
Watauga (All Rural)	523	8	455	8	8	-------	6	-------
Wayne	975	687	610	109	16	16	11	6
Goldsboro	277	245	258	67	6	11	6	5
Mount Olive	49	48	18	2	-------	1	-------	-------
Rural	649	394	334	40	10	4	5	1
Wilkes	1,229	69	805	7	20	2	14	1
North Wilkesboro	195	9	163	-------	1	1	-------	1
Rural	1,034	60	642	7	19	1	14	-------
Wilson	856	831	665	148	30	37	23	21
Wilson	314	312	296	83	10	21	9	14
Rural	542	519	369	65	20	16	14	7
Yadkin (All Rural)	518	34	452	17	10	1	6	-------
Yancey (All Rural)	449	3	231	2	8	1	4	1

Continued

Deaths				Infant Deaths				Maternal Deaths			
Total		Hospital		Total		Hospital		Total		Hospital	
White	Other	White	Other	White	Other	White	Other	White	Other	White	Other
66	58	14	6	5	6	5	1	-------	2	-------	-------
116	2	43	1	21	1	15	1	-------	-------	-------	-------
240	252	79	55	20	38	15	7	3	4	3	2
82	116	36	31	6	11	6	1	1	1	1	-------
15	12	4	-------	1	1	-------	-------	-------	-------	-------	-------
143	124	39	24	13	26	9	6	2	3	2	2
309	30	66	3	52	2	16	-------	1	-------	1	-------
54	5	21	1	14	1	8	-------	1	-------	1	-------
255	25	45	2	38	1	8	-------	-------	-------	-------	-------
252	264	99	72	29	47	20	13	5	2	4	1
96	150	44	49	5	29	4	11	4	2	3	1
156	114	55	23	24	18	16	2	1	-------	1	-------
130	12	47	-------	12	1	8	-------	2	-------	1	-------
97	1	18	1	12	-------	3	-------	-------	-------	-------	-------

TABLE XV.—RESIDENT STILLBIRTHS BY COUNTY, COLOR, AND SEX, WITH RATES PER 1,000 LIVE BIRTHS, 1947.

County	Grand Total		White				Other			
			Total		Male	Female	Total		Male	Female
	No.	Rate	No.	Rate	No.	No.	No.	Rate	No.	No.
North Carolina	2,748	24.7	1,429	18.2	805	624	1,319	40.2	720	599
Alamance	43	22.1	29	18.8	22	7	14	35.2	7	7
Alexander	10	24.4	8	21.5	6	2	2	52.6	1	1
Alleghany	2	11.1	1	6.0	1	-------	1	83.3	1	-------
Anson	27	33.9	7	19.9	3	4	20	45.0	12	8
Ashe	6	9.5	5	7.9	3	2	1	166.7	1	-------
Avery	7	15.8	7	16.0	4	3	-------	-------	-------	-------
Beaufort	33	30.1	10	13.9	9	1	23	61.7	13	10
Bertie	21	26.8	4	16.3	3	1	17	31.6	8	9
Bladen	26	27.9	12	23.3	8	4	14	33.5	7	7
Brunswick	14	24.6	6	19.5	2	4	8	30.8	3	5
Buncombe	62	20.0	49	17.7	28	21	13	39.4	8	5
Burke	34	27.1	31	27.0	16	15	3	28.3	2	1
Cabarrus	62	33.8	40	25.6	27	13	23	75.7	17	6
Caldwell	34	24.3	31	23.7	18	13	3	32.3	2	1
Camden	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
Carteret	7	11.0	5	9.5	2	3	2	18.0	1	1
Caswell	13	24.7	1	4.2	1	-------	12	41.4	5	7
Catawba	38	20.3	35	20.6	15	20	3	17.2	2	1
Chatham	13	20.3	7	19.1	3	4	6	21.9	2	4
Cherokee	15	27.0	15	27.9	8	7	-------	-------	-------	-------
Chowan	12	34.0	3	18.0	1	2	9	48.4	7	2
Clay	1	6.1	1	6.2	1	-------	-------	-------	-------	-------
Cleveland	41	21.9	22	15.9	10	12	19	38.8	11	8
Columbus	44	29.4	19	20.5	15	4	25	43.9	15	10
Craven	44	35.6	15	19.9	11	4	29	60.3	9	20
Cumberland	45	20.0	27	18.2	15	12	18	23.5	9	9
Currituck	4	33.3	1	13.0	1	-------	3	69.8	2	1
Dare	5	49.0	3	30.9	1	2	2	400.0	2	-------
Davidson	26	16.6	23	16.0	12	11	3	23.6	2	1
Davie	7	18.9	6	18.9	2	4	1	19.2	1	-------
Duplin	35	28.8	15	21.6	10	5	20	38.2	15	5
Durham	85	32.4	29	16.9	19	10	56	61.6	27	29
Edgecombe	42	26.6	11	17.4	6	5	31	32.7	16	15
Forsyth	89	23.6	32	12.2	8	24	57	50.1	33	24
Franklin	17	21.3	3	7.6	1	2	14	34.9	6	8
Gaston	76	26.6	58	23.1	30	28	18	52.5	7	11
Gates	6	24.9	-------	-------	-------	-------	6	37.5	3	3
Graham	6	28.8	5	24.8	3	2	1	166.7	1	-------
Granville	18	22.4	5	14.7	3	2	13	28.1	8	5
Greene	14	25.7	8	33.2	4	4	6	19.8	2	4

TABLE XV.—*Continued*

County	Grand Total		White				Other			
			Total		Male	Female	Total		Male	Female
	No.	Rate	No.	Rate	No.	No.	No.	Rate	No.	No.
Guilford	81	17.0	42	10.9	22	20	39	42.9	23	16
Halifax	60	34.0	13	21.4	8	5	47	40.5	29	18
Harnett	26	18.5	14	14.2	7	7	12	28.4	9	3
Haywood	13	11.6	13	11.8	8	5	------	------	------	------
Henderson	10	13.0	9	12.5	4	5	1	21.3	------	1
Hertford	8	15.5	3	18.8	2	1	5	14.1	3	2
Hoke	25	54.8	3	20.3	3	------	22	71.4	11	11
Hyde	2	12.7	------	------	------	------	2	24.1	2	------
Iredell	46	30.1	30	24.3	16	14	16	54.2	9	7
Jackson	18	35.4	17	35.4	10	7	1	34.5	1	------
Johnston	53	27.9	36	24.7	21	15	17	38.6	11	6
Jones	20	64.3	5	29.4	3	2	15	106.4	7	8
Lee	15	21.4	7	13.8	1	6	8	41.0	4	4
Lenoir	36	27.0	12	15.9	7	5	24	41.5	13	11
Lincoln	11	15.4	7	11.6	4	3	4	37.4	2	2
McDowell	2	3.1	2	3.3	1	1	------	------	------	------
Macon	7	15.3	7	15.5	4	3	------	------	------	------
Madison	8	15.8	8	16.0	4	4	------	------	------	------
Martin	20	22.4	5	12.3	2	3	15	30.7	10	5
Mecklenburg	121	23.8	63	16.9	38	25	58	43.1	25	33
Mitchell	9	19.9	9	20.0	3	6	------	------	------	------
Montgomery	8	16.1	7	18.2	3	4	1	8.9	------	1
Moore	22	26.1	15	23.3	8	7	7	35.4	6	1
Nash	47	25.1	15	15.0	9	6	32	36.9	17	15
New Hanover	53	29.2	17	14.1	11	6	36	59.0	19	17
Northampton	20	24.8	4	18.6	4	------	16	27.1	12	4
Onslow	24	29.2	11	17.9	7	4	13	61.9	9	4
Orange	9	10.9	6	10.6	4	2	3	11.7	1	2
Pamlico	9	31.8	4	24.7	3	1	5	41.3	2	3
Pasquotank	15	23.1	6	15.0	2	4	9	35.9	5	4
Pender	11	22.4	1	4.3	------	1	10	38.6	7	3
Perquimans	11	44.9	------	------	------	------	11	84.0	7	4
Person	28	34.7	9	18.9	6	3	19	57.2	8	11
Pitt	73	39.5	23	25.5	14	9	50	53.0	31	19
Polk	10	32.1	8	28.9	5	3	2	57.1	------	2
Randolph	22	16.7	17	14.4	8	9	5	36.5	2	3
Richmond	32	27.8	15	18.8	10	5	17	48.0	12	5
Robeson	82	28.8	21	19.5	12	9	61	34.4	35	26
Rockingham	46	27.4	31	23.9	20	11	15	39.6	12	3
Rowan	36	20.8	28	19.3	14	14	8	28.5	2	6
Rutherford	29	22.3	21	18.6	14	7	8	46.2	3	5
Sampson	51	32.5	29	30.8	17	12	22	35.3	14	8
Scotland	21	27.9	5	15.8	1	4	16	36.7	10	6
Stanly	17	16.8	11	12.0	4	7	6	60.6	3	3
Stokes	16	26.1	12	22.1	8	4	4	56.3	2	2

TABLE XV.—*Continued*

County	Grand Total		White				Other			
			Total		Male	Female	Total		Male	Female
	No.	Rate	No.	Rate	No.	No.	No.	Rate	No.	No.
Surry	34	23.0	32	23.0	19	13	2	23.0	-------	2
Swain	14	39.7	14	48.4	6	8	-------	-------	-------	-------
Transylvania	3	6.0	3	6.4	1	2	-------	-------	-------	-------
Tyrrell	6	37.3	5	59.5	3	2	1	13.0	-------	1
Union	22	18.5	15	16.9	8	7	7	23.0	4	3
Vance	25	28.4	8	17.2	4	4	17	40.8	6	11
Wake	85	24.4	40	17.3	25	15	45	38.3	22	23
Warren	27	37.2	4	20.7	3	1	23	43.2	10	13
Washington	15	44.0	6	30.6	1	5	9	62.1	6	3
Watauga	8	15.1	8	15.3	6	2	-------	-------	-------	-------
Wayne	32	19.3	16	16.4	7	9	16	23.3	7	9
Wilkes	22	16.9	20	16.3	13	7	2	29.0	1	1
Wilson	67	39.7	30	35.0	16	14	37	44.5	17	20
Yadkin	11	19.9	10	19.3	3	7	1	29.4	-------	1
Yancey	9	19.9	8	17.8	6	2	1	333.3	1	-------

TABLE XVI.— RESIDENT STILLBIRTHS BY AGE AND COLOR OF MOTHER, AND BY ATTENDANT, 1947.

Age of Mother	Grand Total	White				Other			
		Total	Physician	Midwife	Other or Unknown	Total	Physician	Midwife	Other or Unknown
All Ages	2,748	1,429	1,393	28	8	1,319	1,006	301	12
13	2	----	----	----	----	2	2	----	----
14	12	2	2	----	----	10	10	----	----
15	40	8	8	----	----	32	25	7	----
16	60	22	20	1	1	38	28	10	----
17	86	32	31	----	1	54	39	14	1
18	130	55	53	2	----	75	54	21	----
19	119	66	65	1	----	53	40	13	----
20	168	87	86	1	----	81	64	17	----
21	142	76	74	1	1	66	48	18	----
22	133	64	63	1	----	69	51	17	1
23	141	70	69	1	----	71	48	23	----
24	129	75	73	2	----	54	40	13	1
25	137	77	72	4	1	60	48	12	----
26	137	77	76	1	----	60	47	12	1
27	126	63	60	1	2	63	50	12	1
28	120	63	62	----	1	57	47	9	1
29	99	54	54	----	----	45	33	11	1
30	89	51	49	2	----	38	30	7	1
31	82	48	46	2	----	34	28	6	----
32	89	54	52	2	----	35	29	6	----
33	85	42	40	2	----	43	32	11	----
34	83	47	47	----	----	36	27	9	----
35	67	42	41	1	----	25	17	7	1
36	75	34	34	----	----	41	31	10	----
37	80	49	46	3	----	31	26	5	----
38	65	32	32	----	----	33	29	4	----
39	64	35	35	----	----	29	20	8	1
40	45	28	28	----	----	17	14	2	1
41	38	22	22	----	----	16	13	3	----
42	26	15	15	----	----	11	5	6	----
43	9	4	4	----	----	5	5	----	----
44	9	4	4	----	----	5	5	----	----
45	7	6	6	----	----	1	1	----	----
46	5	2	2	----	----	3	2	1	----
47	5	1	1	----	----	4	4	----	----
48	1	1	1	----	----	----	----	----	----
49	1	1	1	----	----	----	----	----	----
Unknown	42	20	19	----	1	22	14	7	1

B